



ERIKS O-ring VMQ 70 Compound 714703

Characteristics

Material: VMQ

Colour: Transparent

Hardness: 70

Compound: 714703

Temperature range: -50 / 200 °C

Approvals/compliances: USP, FDA 21 CFR 177.2600,

EU Pharmacopeia VI, AfPS GS (PAK), REACH,

EC1935/2004, Mercosur, ISO 10993:2009, BfR

Application

- Recommended in: Pharma

Internal diameter	Cross section	Size according to AS568-BS1806-ISO3601	Article
mm	mm		
2.57	1.78	005	13413373
5.7	1.9		13413158
9.25	1.78	012	13413165
10.77	2.62	111	13413077
11.1	1.6		13413167
12	1.5		13413079
12.42	1.78	014	13413168
14	1.78	015	13413082
15.1	2.7		13413170
18.72	2.62	116	13413172
34.1	3.6		13413093
37.77	2.62	128	13413095
42.52	2.62	131	13413188
44.12	2.62	132	13413189
50.39	3.53	226	13413102
63.09	3.53	230	13413191
64.77	2.62	145	13413192
71.12	2.62	149	13413111
72.69	2.62	150	13413193
104.14	5.33	346	13413194
203	7		13413198
227.97	5.33	373	13413201
329.57	6.99	455	13413129
			13643718

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.