



STAUFF Test hose SMS Test 12 (S 12.62x1.5) x Test 12 (S 12.62x1.5)

Characteristics

Coupling material: Steel

Surface protection: Zinc-Nickel

Connection type connection 1: Test 12

Connection type connection 2: Test 12

Reinforcement type: Synthetic fibre

Tube material: PA

Cover material: PA

Cover colour: Black

Medium temperature (continuous): -35 / 100 °C

Hose ID (DN)	Outside diameter	Maximum operating pressure	Bending radius	Size of threaded connection 1	Size of threaded connection 2	Length	Minimum burst pressure	Test pressure	Article
	mm	bar	mm			mm	bar	bar	
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	200	1100	600	11359744
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	300	1100	600	11359747
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	400	1100	600	11359749
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	500	1100	600	11359751
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	630	1100	600	1011275
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	800	1100	600	11359753
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	1000	1100	600	11359542
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	1250	1100	600	11361014
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	1500	1100	600	11359743
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	2500	1100	600	11359746
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	3000	1100	600	11360209
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	3200	1100	600	11359748
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	4000	1100	600	11359750
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	5000	1100	600	11360491
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	6000	1100	600	11360779
DN02	5	400	20	S 12.62x1.5	S 12.62x1.5	10000	1100	600	11360780
DN02	5	630	20	S 12.62x1.5	S 12.62x1.5	630	1900	950	11359752
DN02	5	630	20	S 12.62x1.5	S 12.62x1.5	800	1900	950	11361501
DN02	5	630	20	S 12.62x1.5	S 12.62x1.5	1000	1900	950	11360174
DN02	5	630	20	S 12.62x1.5	S 12.62x1.5	1500	1900	950	11360125
DN02	5	630	20	S 12.62x1.5	S 12.62x1.5	2500	1900	950	11360127
DN04	8.6	340	40	S 12.62x1.5	S 12.62x1.5	2000	850	570	11360978
DN04	8.6	340	40	S 12.62x1.5	S 12.62x1.5	2500	850	570	11361498
DN04	8.6	340	40	S 12.62x1.5	S 12.62x1.5	3200	850	570	11360675

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.