



TA Membrane pressure expansion vessel Series: Statico SU Type: 1842

The expansion vessel has an ingeniously simple structure. It has a robust design and is operated without an external power source, making it the most widely used low-power pressure-maintaining system.

Characteristics

- Series:** Statico SU
- Type:** 1842
- Housing material:** Steel
- Thread connection, tank:** External thread [BSPP]
- Material valve:** Brass
- Bellows material:** Butyl
- Minimum medium temperature (continuous):** 5 °C
- Maximum medium temperature (continuous):** 70 °C
- For tap water:** No

Application

- Heating, solar and cooling water systems.
- Suitable for non-aggressive and non-toxic media.
- Recommended in: Utilities

Technical Information

- Material: steel in colour beryllium.
- Air-tight butyl bellows in accordance with EN 13831 and Pneumatex factory standard.
- Conforms to PED 2014/68/EU.
- Can only be closed with a supplied Allen key.
- Available in 140 litres to 800 litres.

Tank size	Size of tank thread connection	Pre-pressure	Final pressure	Diameter	Height	Article
l		bar	bar	mm	mm	
140	3/4" [20]	1.5	3	420	1274	12712548
140	3/4" [20]	3.5	6	420	1274	12712536
140	3/4" [20]	4	10	420	1274	12712535
200	3/4" [20]	1.5	3	500	1330	12712549
200	3/4" [20]	3.5	6	500	1330	12712555
200	3/4" [20]	4	10	500	1330	12712561
300	3/4" [20]	1.5	3	560	1451	12712550
300	3/4" [20]	3.5	6	560	1451	12712556
300	3/4" [20]	4	10	560	1451	12712533
400	3/4" [20]	1.5	3	620	1499	12712551
400	3/4" [20]	3.5	6	620	1499	12712557
400	3/4" [20]	4	10	620	1499	12712562
500	3/4" [20]	1.5	3	680	1588	12712552
500	3/4" [20]	3.5	6	680	1588	12712558
500	3/4" [20]	4	10	680	1588	12712563
600	3/4" [20]	1.5	3	740	1596	12712553
600	3/4" [20]	3.5	6	740	1596	12712559
600	3/4" [20]	4	10	740	1596	12712564
800	3/4" [20]	1.5	3	740	2090	12712554
800	3/4" [20]	3.5	6	740	2090	12712560

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.