

## CR Fixed Combined bearing




### Characteristics

Maintenance free: Yes

Size table:

A	B	d	D	H	h	r	S	T
mm	mm	mm	mm	mm	mm	mm	mm	mm
5	17	30	52.5	33	27	2	15	40
2.5	20	30	62	37.5	30.5	3	20	42
2.5	23	35	70.1	44	36	4	22	48
3	23	40	77.7	48	36.5	4	24	53
3.5	30	45	88.4	57	44	3	26	59
4	31	60	107.7	69	55	5	35	71
5	37	60	123	72.3	56	5	40	80
5.5	45	60	149	78.5	58.5	3	50	108
5.5	45	60	149	86	67	3	50	108
7	55	80	185	95	71	7	63	120



Manufacturer ID	Diameter	Outer diameter	Width	Dynamic load rating	Static load rating	Dynamic axial load rating	Static axial load rating	Mounting profile	A	Article
	mm	mm	mm	kN	kN	kN	kN		mm	
400-0053	30	52.5	17	24.8	34.5	9.2	11.7	EC 053	5	14065742
400-0054	30	62	20	39	65.2	14.4	21	2890	2.5	14068488
400-0055	35	70.1	23	55.5	91.7	17.6	25	2867	2.5	14068489
400-0056	40	77.7	23	58.4	100	23.2	35.8	2810	3	14065743
400-0058	45	88.4	30	83.8	132.3	27.7	42	2811	3.5	14065744
400-0061	60	107.7	31	94.2	160.7	38.6	65.2	2862	4	14065745
400-0062	60	123	37	128	226.8	53	92	2891	5	14068490
400-0063	60	149	45	172.3	325.9	133.3	244	2757	5.5	14065746
400-0011	60	149	45	172.3	325.9	133.3	244	2757	5.5	14065740
400-0039	80	185	55	265	488	205.3	381		7	14065741

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.