



ECOPARTS Return filter element MP..R

Characteristics

Series: MP

Temperature range [°C]: -10 / 120 °C

Code digit	Filter element material	Filter fineness µm	Differential pressure bar	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
MP 1801 RN 1 010 / V1,7	Cellulose	10		1.7	210	39.7	99	13520350
MP 33 RN 1 010 / V1,7	Cellulose	10		1.7	201	50.5	130	13520371
MP 1002 RN 1 010 / V1,7	Cellulose	10		1.7	130	29.5	70	13520325
MP 1003 RN 1 010 / V1,7	Cellulose	10		1.7	211.3	40.5	70	13520331
MP 1001 RN 1 010 / V1,7	Cellulose	10		1.7	84.5	28.5	70	13520320
MP 1002 RN 1 025 / V1,7	Cellulose	25		1.7	129	28.7	70	13520326
MP 1001 RN 1 025 / V1,7	Cellulose	25		1.7	82.5	28.5	70	13520321
MP 4003 RN 2 006 / V1,7	Fiber glass	6		1.7	254	64.5	130	13520383
MP 1003 RN 2 010 / V1,7	Fiber glass	10		1.7	211.5	40.5	70	13520333
MP 1802 RN 2 010 / V1,7	Fiber glass	10		1.7	426	40.5	99	13520355
MP 1801 RN 2 010 / V1,7	Fiber glass	10		1.7	215	40.5	99.5	13520353
MP 1002 RN 2 010 / V1,7	Fiber glass	10		1.7	135.5	28.5	70	13520328
MP 250 RN 2 025	Fiber glass	25	10 bar		210	51.5	99	13520360
MP 1801 RN 2 025 / V1,7	Fiber glass	25		1.7	215	40.5	99	13520354
MP 1003 RN 2 025 / V1,7	Fiber glass	25		1.7	211.5	40.5	70	13520334
	Filter paper	10						13520349
	Filter paper	10						13520388
	Filter paper	10			145	51.5	130	13520373
	Filter paper	10			204	64.5	130	13520376
	Filter paper	10						13520279
	Filter paper	10			72	24.5	52	13520280
	Filter paper	10			254	64.5	130	13520380
	Filter paper	10			210	51.5	99	13520357
	Filter paper	10						14039831
	Filter paper	25			254	64.5	130	13520382
	Filter paper	25			204	64.5	130	13520377
	Filter paper	25						13520389
	Filter paper	25			215	40.5	99	13520351
	Filter paper	25						13520281
	Inorganic glass fibre	3			130	29.5	70	13520327
	Inorganic glass fibre	3			72	24.5	52	13520282
	Inorganic glass fibre	3			130	35	70	13520336
	Inorganic glass fibre	3			215	40.5	99	13531649

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure bar	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
	Inorganic glass fibre	6			211.5	40.5	70	13520332
	Inorganic glass fibre	6			85	29.5	70	13520322
	Inorganic glass fibre	6			210	51.5	99	13520358
	Inorganic glass fibre	6			215	40.5	99	13520352
	Inorganic glass fibre	10			210	51.5	99	13520359
	Inorganic glass fibre	10			204	64.5	130	13520378
	Inorganic glass fibre	10						13520390
	Inorganic glass fibre	10			404	64.5	130	13520396
	Inorganic glass fibre	10			72	24.5	52	13520283
	Inorganic glass fibre	10			85	29.5	70	13520323
	Inorganic glass fibre	10			500	85	130	13520397
	Inorganic glass fibre	10			145	51.5	130	13520374
	Inorganic glass fibre	10			130	35	70	13544778
	Inorganic glass fibre	25			85	29.5	70	14040430
	Inorganic glass fibre	25						14040499
	Inorganic glass fibre	25						13520391
	Inorganic glass fibre	25			254	64.5	130	13520384
	Inorganic glass fibre	25			500	85	130	13520398
	Inorganic glass fibre	25			85	35	70	13520296
	Inorganic glass fibre	25			130	35	70	13520337
	Inorganic glass fibre	25			145	51.5	130	13520375
	Inorganic glass fibre	25						13520356
	Inorganic glass fibre	25			130	29.5	70	13520329
	Inorganic glass fibre	25			500	76	130	13520395
	Inorganic glass fibre	60			215	40.5	99	13544781
MP 1002 RN 3 025 / V1,7	Metal mesh	25		1.7	136.5	28.5	70	13520330
	Metal mesh	25			72	24.5	52	13520284
	Metal mesh	25			130	35	70	13520338
	Metal mesh	25			210	51.5	99	13520361
	Metal mesh	60			130	35	70	13520339
	Metal mesh	60			85	35	70	13520297
	Metal mesh	60			85	29.5	70	13520324
	Metal mesh	60			204	64.5	130	13520379
	Metal mesh	60			423	51.5	99	13520372
MP 250 RN 3 060	Metal mesh	60	10 bar		212.5	51.4	99	13520362
	Metal mesh	60						13520392
	Metal mesh	90			254	64.5	130	13520385
	Metal mesh	100						13552953
	Metal mesh	125			85	29.5	70	13671156

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
	Metal mesh	125			130	35	70	13520340
	Metal mesh	125			85	35	70	13520298
	Metal mesh	250						13520393
	Metal mesh	250			210	51.5	99	13520363

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.