

## HAVIT SAE threaded flange JIC-37° AFG

Supplied without bolt set and O-ring.



### Characteristics

**Series:** AFG



**Flange type:** SAE threaded flange JIC

**Material:** Steel

**Thread form:** JIC 37° cone

### Size table:

Pressure class	SAE flange size	A	B	C	D	E	F	G	H
psi	in		mm	mm	mm	mm	mm	mm	mm
3000	1/2	3/4-16 UNF	9.9	38.1	54	17.5	46	52	13
3000	1/2	7/8-14 UNF	12.3	38.1	54	17.5	46	52	13
3000	3/4	1.1/16-12 UN	15.5	47.6	65	22.3	50	60	14
3000	1	1.5/16-12 UN	21.5	52.4	70	26.2	55	63	16
3000	1.1/4	1.5/16-12 UN	21.5	58.7	79	30.2	68	65	14
3000	1.1/4	1.5/8-12 UN	27.5	58.7	79	30.2	68	65	14
6000	1/2	3/4-16 UNF	9.9	40.5	56	18.2	48	60	16
6000	1/2	7/8-14 UNF	12.3	40.5	56	18.2	48	60	16
6000	3/4	1.1/16-12 UN	15.5	50.8	71	23.8	60	73	19
6000	1	1.5/16-12 UN	21.5	57.2	81	27.8	70	82	24
6000	1.1/4	1.5/16-12 UN	21.5	66.6	95	31.8	78	92	27
6000	1.1/4	1.5/8-12 UN	27.5	66.6	95	31.8	78	92	27
6000	1.1/2	1.7/8-12 UN	33	79.3	113	36.5	95	96	30



Pressure class	SAE flange size	Surface protection	Thread size	Max. operation pressure	Article
psi	in			bar	
3000	1/2	Untreated	3/4-16 UNF	350	14306119
3000	1/2	Untreated	7/8-14 UNF	350	14306122
3000	3/4	Untreated	1.1/16-12 UN	350	14306143
3000	1	Untreated	1.5/16-12 UN	320	14306165
3000	1.1/4	Untreated	1.5/16-12 UN	280	14306212
3000	1.1/4	Untreated	1.5/8-12 UN	280	14306220
6000	1/2	Untreated	3/4-16 UNF	420	14306317

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pressure class psi	SAE flange size in	Surface protection	Thread size	Max. operation pressure bar	Article
6000	1/2	Untreated	7/8-14 UNF	420	14306321
6000	3/4	Untreated	1.1/16-12 UN	420	14306347
6000	1	Untreated	1.5/16-12 UN	420	14306382
6000	1.1/4	Untreated	1.5/16-12 UN	420	14306411
6000	1.1/4	Untreated	1.5/8-12 UN	420	14306417
6000	1.1/2	Untreated	1.7/8-12 UN	420	14306460

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.