

## VOSS Straight reducer for tube ends DKO SWOS/SWOSC



- Straight reducer for tube ends
- With taper and FKM O-ring
- L and S series
- Complete [SWOSC] or without nut and cutting ring [SWOS]
- Steel, zinc-nickel coated

### Characteristics

**Series:** REDV

**Material:** Steel

**Surface protection:** Zinc-Nickel


**Adjustable:** Yes

**Connection 1:** Cutting ring connection

**Connection 2:** Standpipe connection DKO

### Size table:


| d1 | d2 | dy | l2   | SW1 | SW3 |
|----|----|----|------|-----|-----|
| mm | mm | mm | mm   | mm  | mm  |
| 8  | 6  | 4  | 23.5 | 12  | 17  |
| 10 | 6  | 4  | 25   | 14  | 19  |
| 12 | 6  | 4  | 25   | 17  | 22  |
| 15 | 6  | 4  | 28   | 19  | 27  |
| 18 | 6  | 4  | 28   | 24  | 32  |
| 8  | 6  | 4  | 27   | 14  | 19  |
| 10 | 6  | 4  | 27.5 | 17  | 22  |
| 12 | 6  | 4  | 30   | 19  | 24  |
| 16 | 6  | 4  | 32   | 22  | 30  |
| 20 | 6  | 4  | 36   | 27  | 36  |
| 10 | 8  | 6  | 25   | 14  | 19  |
| 12 | 8  | 6  | 25   | 17  | 22  |
| 15 | 8  | 6  | 28   | 19  | 27  |
| 18 | 8  | 6  | 28   | 24  | 32  |
| 28 | 8  | 6  | 34   | 32  | 41  |
| 10 | 8  | 5  | 27.5 | 17  | 22  |
| 12 | 8  | 5  | 30   | 19  | 24  |
| 16 | 8  | 5  | 32   | 22  | 30  |
| 20 | 8  | 5  | 36   | 27  | 36  |
| 25 | 8  | 5  | 38.5 | 32  | 46  |
| 12 | 10 | 8  | 26   | 17  | 22  |
| 15 | 10 | 8  | 29   | 19  | 27  |
| 18 | 10 | 8  | 29   | 24  | 32  |
| 22 | 10 | 8  | 33   | 27  | 36  |



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:


| d1 | d2 | dy | l2   | SW1 | SW3 |
|----|----|----|------|-----|-----|
| 28 | 10 | 8  | 35   | 32  | 41  |
| 35 | 10 | 8  | 38   | 41  | 50  |
| 12 | 10 | 7  | 29.5 | 19  | 24  |
| 16 | 10 | 7  | 31.5 | 22  | 30  |
| 20 | 10 | 7  | 35.5 | 27  | 36  |
| 25 | 10 | 7  | 38   | 32  | 46  |
| 30 | 10 | 7  | 43.5 | 41  | 50  |
| 15 | 12 | 10 | 29   | 19  | 27  |
| 18 | 12 | 10 | 29   | 24  | 32  |
| 22 | 12 | 10 | 33   | 27  | 36  |
| 28 | 12 | 10 | 35   | 32  | 41  |
| 16 | 12 | 8  | 31.5 | 22  | 30  |
| 20 | 12 | 8  | 35.5 | 27  | 36  |
| 25 | 12 | 8  | 38   | 32  | 46  |
| 30 | 12 | 8  | 43.5 | 41  | 50  |
| 16 | 14 | 10 | 31.5 | 24  | 30  |
| 18 | 15 | 12 | 30   | 24  | 32  |
| 22 | 15 | 12 | 34   | 27  | 36  |
| 28 | 15 | 12 | 36   | 32  | 41  |
| 35 | 15 | 12 | 39   | 41  | 50  |
| 20 | 16 | 12 | 36.5 | 27  | 36  |
| 25 | 16 | 12 | 39   | 32  | 46  |
| 30 | 16 | 12 | 44.5 | 41  | 50  |
| 38 | 16 | 12 | 48   | 50  | 60  |
| 22 | 18 | 15 | 33.5 | 27  | 36  |
| 28 | 18 | 15 | 35.5 | 32  | 41  |
| 35 | 18 | 15 | 38.5 | 41  | 50  |
| 25 | 20 | 16 | 39   | 32  | 46  |
| 30 | 20 | 16 | 44.5 | 41  | 50  |
| 38 | 20 | 16 | 48   | 50  | 60  |
| 28 | 22 | 19 | 37.5 | 32  | 41  |
| 35 | 22 | 19 | 40.5 | 41  | 50  |
| 42 | 22 | 19 | 44   | 50  | 60  |
| 30 | 25 | 20 | 45   | 41  | 50  |
| 38 | 25 | 20 | 48.5 | 50  | 60  |
| 35 | 28 | 24 | 40.5 | 41  | 50  |
| 42 | 28 | 24 | 44   | 50  | 60  |
| 38 | 30 | 25 | 49   | 50  | 60  |
| 42 | 35 | 30 | 43   | 50  | 60  |



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

| d1 | d2 | dy | l2   | SW1 | SW3 |
|----|----|----|------|-----|-----|
| 42 | 12 | 10 | 41.5 | 50  | 60  |
| 16 | 15 | 11 | 38.8 | 24  | 30  |
| 42 | 18 | 15 | 42   | 50  | 60  |



| Designation      | Manufacturer ID  | Connection size 1 | Connection size 2 | Nominal pressure | Article  |
|------------------|------------------|-------------------|-------------------|------------------|----------|
| RED08/06L DKO V  | 24-SWOSC-L8-L6   | 6L - M12x1.5      | 8L - M14x1.5      | PN500            | 906107   |
| RED10/06L DKO V  | 24-SWOSC-L10-L6  | 6L - M12x1.5      | 10L - M16x1.5     | PN500            | 906158   |
| REDB12/06L DKO V | 24-SWOSC-L12-L6  | 6L - M12x1.5      | 12L - M18x1.5     | PN400            | 906239   |
| REDB15/06L DKO V | 24-SWOSC-L15-L6  | 6L - M12x1.5      | 15L - M22x1.5     | PN400            | 11451156 |
| REDB18/06L DKO V | 24-SWOSC-L18-L6  | 6L - M12x1.5      | 18L - M26x1.5     | PN400            | 11451157 |
| REDB08/06S DKO V | 24-SWOSC-S8-S6   | 6S - M14x1.5      | 8S - M16x1.5      | PN800            | 11451195 |
| REDB10/06S DKO V | 24-SWOSC-S10-S6  | 6S - M14x1.5      | 10S - M18x1.5     | PN800            | 906425   |
| RED12/06S DKO V  | 24-SWOSC-S12-S6  | 6S - M14x1.5      | 12S - M20x1.5     | PN630            | 906441   |
| REDB16/06S DKO V | 24-SWOSC-S16-S6  | 6S - M14x1.5      | 16S - M24x1.5     | PN630            | 11451196 |
| REDB20/06S DKO V | 24-SWOSC-S20-S6  | 6S - M14x1.5      | 20S - M30x2.0     | PN420            | 11451198 |
| RED10/08L DKO V  | 24-SWOSC-L10-L8  | 8L - M14x1.5      | 10L - M16x1.5     | PN500            | 906190   |
| REDB12/08L DKO V | 24-SWOSC-L12-L8  | 8L - M14x1.5      | 12L - M18x1.5     | PN400            | 906247   |
| REDB15/08L DKO V | 24-SWOSC-L15-L8  | 8L - M14x1.5      | 15L - M22x1.5     | PN400            | 906263   |
| RED18/08L DKO V  | 24-SWOSC-L18-L8  | 8L - M14x1.5      | 18L - M26x1.5     | PN400            | 906301   |
| REDB28/08L DKO V | 24-SWOSC-L28-L8  | 8L - M14x1.5      | 28L - M36x2.0     | PN250            | 11451158 |
| REDB10/08S DKO V | 24-SWOSC-S10-S8  | 8S - M16x1.5      | 10S - M18x1.5     | PN800            | 906433   |
| REDB12/08S DKO V | 24-SWOSC-S12-S8  | 8S - M16x1.5      | 12S - M20x1.5     | PN630            | 906468   |
| RED16/08S DKO V  | 24-SWOSC-S16-S8  | 8S - M16x1.5      | 16S - M24x1.5     | PN630            | 906484   |
| REDB20/08S DKO V | 24-SWOSC-S20-S8  | 8S - M16x1.5      | 20S - M30x2.0     | PN420            | 911860   |
| RED25/08S DKO V  | 24-SWOSC-S25-S8  | 8S - M16x1.5      | 25S - M36x2.0     | PN420            | 11451199 |
| RED12/10L DKO V  | 24-SWOSC-L12-L10 | 10L - M16x1.5     | 12L - M18x1.5     | PN400            | 906255   |
| REDB15/10L DKO V | 24-SWOSC-L15-L10 | 10L - M16x1.5     | 15L - M22x1.5     | PN400            | 906271   |
| REDB18/10L DKO V | 24-SWOSC-L18-L10 | 10L - M16x1.5     | 18L - M26x1.5     | PN400            | 1010175  |
| RED22/10L DKO V  | 24-SWOSC-L22-L10 | 10L - M16x1.5     | 22L - M30x2.0     | PN250            | 906344   |
| RED28/10L DKO V  | 24-SWOSC-L28-L10 | 10L - M16x1.5     | 28L - M36x2.0     | PN250            | 11451159 |
| REDB35/10L DKO V | 24-SWOSC-L35-L10 | 10L - M16x1.5     | 35L - M45x2.0     | PN250            | 11452431 |
| RED12/10S DKO V  | 24-SWOSC-S12-S10 | 10S - M18x1.5     | 12S - M20x1.5     | PN630            | 906476   |
| REDB16/10S DKO V | 24-SWOSC-S16-S10 | 10S - M18x1.5     | 16S - M24x1.5     | PN630            | 906492   |
| RED20/10S DKO V  | 24-SWOSC-S20-S10 | 10S - M18x1.5     | 20S - M30x2.0     | PN420            | 835552   |
| REDB25/10S DKO V | 24-SWOSC-S25-S10 | 10S - M18x1.5     | 25S - M36x2.0     | PN420            | 825557   |
| REDB30/10S DKO V | 24-SWOSC-S30-S10 | 10S - M18x1.5     | 30S - M42x2.0     | PN420            | 11451200 |
| RED15/12L DKO V  | 24-SWOSC-L15-L12 | 12L - M18x1.5     | 15L - M22x1.5     | PN400            | 906298   |
| REDB18/12L DKO V | 24-SWOSC-L18-L12 | 12L - M18x1.5     | 18L - M26x1.5     | PN400            | 906328   |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

| Designation             | Manufacturer ID      | Connection size 1 | Connection size 2 | Nominal pressure | Article  |
|-------------------------|----------------------|-------------------|-------------------|------------------|----------|
| RED18/12PL DKO V [ES-4] | 24-SWOSC-L18-L12-ES4 | 12L - M18x1.5     | 18L - M26x1.5     | PN315            | 1060875  |
| RED22/12L DKO V         | 24-SWOSC-L22-L12     | 12L - M18x1.5     | 22L - M30x2.0     | PN250            | 906352   |
| RED28/12L DKO V         | 24-SWOSC-L28-L12     | 12L - M18x1.5     | 28L - M36x2.0     | PN250            | 825549   |
| REDB16/12S DKO V        | 24-SWOSC-S16-S12     | 12S - M20x1.5     | 16S - M24x1.5     | PN630            | 906506   |
| RED20/12S DKO V         | 24-SWOSC-S20-S12     | 12S - M20x1.5     | 20S - M30x2.0     | PN420            | 753033   |
| RED25/12S DKO V         | 24-SWOSC-S25-S12     | 12S - M20x1.5     | 25S - M36x2.0     | PN420            | 825565   |
| REDB30/12S DKO V        | 24-SWOSC-S30-S12     | 12S - M20x1.5     | 30S - M42x2.0     | PN420            | 1010327  |
| REDB16/14S DKO V        | 24-SWOSC-S16-S14     | 14S - M22x1.5     | 16S - M24x1.5     | PN630            | 11451197 |
| RED18/15L DKO V         | 24-SWOSC-L18-L15     | 15L - M22x1.5     | 18L - M26x1.5     | PN400            | 906336   |
| RED22/15L DKO V         | 24-SWOSC-L22-L15     | 15L - M22x1.5     | 22L - M30x2.0     | PN250            | 906360   |
| RED28/15L DKO V         | 24-SWOSC-L28-L15     | 15L - M22x1.5     | 28L - M36x2.0     | PN250            | 825492   |
| REDB35/15L DKO V        | 24-SWOSC-L35-L15     | 15L - M22x1.5     | 35L - M45x2.0     | PN250            | 11451160 |
| RED20/16S DKO V         | 24-SWOSC-S20-S16     | 16S - M24x1.5     | 20S - M30x2.0     | PN420            | 906514   |
| REDB25/16S DKO V        | 24-SWOSC-S25-S16     | 16S - M24x1.5     | 25S - M36x2.0     | PN420            | 911879   |
| REDB30/16S DKO V        | 24-SWOSC-S30-S16     | 16S - M24x1.5     | 30S - M42x2.0     | PN420            | 920312   |
| REDB38/16S DKO V        | 24-SWOSC-S38-S16     | 16S - M24x1.5     | 38S - M52x2.0     | PN420            | 11451677 |
| RED22/18L DKO V         | 24-SWOSC-L22-L18     | 18L - M26x1.5     | 22L - M30x2.0     | PN250            | 906395   |
| REDB28/18L DKO V        | 24-SWOSC-L28-L18     | 18L - M26x1.5     | 28L - M36x2.0     | PN250            | 906409   |
| REDB35/18L DKO V        | 24-SWOSC-L35-L18     | 18L - M26x1.5     | 35L - M45x2.0     | PN250            | 837547   |
| RED25/20S DKO V         | 24-SWOSC-S25-S20     | 20S - M30x2.0     | 25S - M36x2.0     | PN420            | 906522   |
| RED30/20S DKO V         | 24-SWOSC-S30-S20     | 20S - M30x2.0     | 30S - M42x2.0     | PN420            | 906530   |
| REDB38/20S DKO V        | 24-SWOSC-S38-S20     | 20S - M30x2.0     | 38S - M52x2.0     | PN420            | 11451202 |
| REDB28/22L DKO V        | 24-SWOSC-L28-L22     | 22L - M30x2.0     | 28L - M36x2.0     | PN250            | 906417   |
| REDB35/22L DKO V        | 24-SWOSC-L35-L22     | 22L - M30x2.0     | 35L - M45x2.0     | PN250            | 837652   |
| RED35/22L DKO V [ES-4]  | 24-SWOSC-L35-L22-ES4 | 22L - M30x2.0     | 35L - M45x2.0     |                  | 11405480 |
| REDB42/22L DKO V        | 24-SWOSC-L42-L22     | 22L - M30x2.0     | 42L - M52x2.0     | PN250            | 837660   |
| RED30/25S DKO V         | 24-SWOSC-S30-S25     | 25S - M36x2.0     | 30S - M42x2.0     | PN420            | 906549   |
| REDB38/25S DKO V        | 24-SWOSC-S38-S25     | 25S - M36x2.0     | 38S - M52x2.0     | PN420            | 801534   |
| REDB35/28L DKO V        | 24-SWOSC-L35-L28     | 28L - M36x2.0     | 35L - M45x2.0     | PN250            | 838624   |
| REDB42/28L DKO V        | 24-SWOSC-L42-L28     | 28L - M36x2.0     | 42L - M52x2.0     | PN250            | 11384370 |
| REDB38/30S DKO V        | 24-SWOSC-S38-S30     | 30S - M42x2.0     | 38S - M52x2.0     | PN420            | 853380   |
| REDB42/35L DKO V        | 24-SWOSC-L42-L35     | 35L - M45x2.0     | 42L - M52x2.0     | PN250            | 837679   |
| RED08/06L DKO V         | 24-SWOS-L8-L6        | 6L - M12x1.5      | 8L - M14x1.5      | PN500            | 11451161 |
| RED10/06L DKO V         | 24-SWOS-L10-L6       | 6L - M12x1.5      | 10L - M16x1.5     | PN500            | 11451162 |
| RED12/06L DKO V         | 24-SWOS-L12-L6       | 6L - M12x1.5      | 12L - M18x1.5     | PN400            | 11451164 |
| RED15/06L DKO V         | 24-SWOS-L15-L6       | 6L - M12x1.5      | 15L - M22x1.5     | PN400            | 11451166 |
| RED18/06L DKO V         | 24-SWOS-L18-L6       | 6L - M12x1.5      | 18L - M26x1.5     | PN400            | 11451171 |
| RED08/06S DKO V         | 24-SWOS-S8-S6        | 6S - M14x1.5      | 8S - M16x1.5      | PN800            | 11451203 |
| RED10/06S DKO V         | 24-SWOS-S10-S6       | 6S - M14x1.5      | 10S - M18x1.5     | PN800            | 11451204 |
| RED12/06S DKO V         | 24-SWOS-S12-S6       | 6S - M14x1.5      | 12S - M20x1.5     | PN630            | 11451206 |
| RED16/06S DKO V         | 24-SWOS-S16-S6       | 6S - M14x1.5      | 16S - M24x1.5     | PN630            | 11451208 |
| RED20/06S DKO V         | 24-SWOS-S20-S6       | 6S - M14x1.5      | 20S - M30x2.0     | PN420            | 11451212 |
| RED10/08L DKO V         | 24-SWOS-L10-L8       | 8L - M14x1.5      | 10L - M16x1.5     | PN500            | 11451163 |
| RED12/08L DKO V         | 24-SWOS-L12-L8       | 8L - M14x1.5      | 12L - M18x1.5     | PN400            | 11451643 |
| RED15/08L DKO V         | 24-SWOS-L15-L8       | 8L - M14x1.5      | 15L - M22x1.5     | PN400            | 11451168 |
| RED18/08L DKO V         | 24-SWOS-L18-L8       | 8L - M14x1.5      | 18L - M26x1.5     | PN400            | 11451172 |
| RED28/08L DKO V         | 24-SWOS-L28-L8       | 8L - M14x1.5      | 28L - M36x2.0     | PN250            | 11451180 |
| RED10/08S DKO V         | 24-SWOS-S10-S8       | 8S - M16x1.5      | 10S - M18x1.5     | PN800            | 11451205 |
| RED12/08S DKO V         | 24-SWOS-S12-S8       | 8S - M16x1.5      | 12S - M20x1.5     | PN630            | 11288420 |
| RED16/08S DKO V         | 24-SWOS-S16-S8       | 8S - M16x1.5      | 16S - M24x1.5     | PN630            | 11451209 |
| RED20/08S DKO V         | 24-SWOS-S20-S8       | 8S - M16x1.5      | 20S - M30x2.0     | PN420            | 11451213 |
| RED25/08S DKO V         | 24-SWOS-S25-S8       | 8S - M16x1.5      | 25S - M36x2.0     | PN420            | 11451216 |
| RED12/10L DKO V         | 24-SWOS-L12-L10      | 10L - M16x1.5     | 12L - M18x1.5     | PN400            | 11322831 |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

| Designation      | Manufacturer ID | Connection size 1 | Connection size 2 | Nominal pressure | Article  |
|------------------|-----------------|-------------------|-------------------|------------------|----------|
| RED15/10L DKO V  | 24-SWOS-L15-L10 | 10L - M16x1.5     | 15L - M22x1.5     | PN400            | 11451169 |
| RED18/10L DKO V  | 24-SWOS-L18-L10 | 10L - M16x1.5     | 18L - M26x1.5     | PN400            | 11451173 |
| RED22/10L DKO V  | 24-SWOS-L22-L10 | 10L - M16x1.5     | 22L - M30x2.0     | PN250            | 11451176 |
| RED28/10L DKO V  | 24-SWOS-L28-L10 | 10L - M16x1.5     | 28L - M36x2.0     | PN250            | 11354515 |
| RED35/10L DKO V  | 24-SWOS-L35-L10 | 10L - M16x1.5     | 35L - M45x2.0     | PN250            | 11451185 |
| RED12/10S DKO V  | 24-SWOS-S12-S10 | 10S - M18x1.5     | 12S - M20x1.5     | PN630            | 11451207 |
| RED16/10S DKO V  | 24-SWOS-S16-S10 | 10S - M18x1.5     | 16S - M24x1.5     | PN630            | 11451210 |
| RED20/10S DKO V  | 24-SWOS-S20-S10 | 10S - M18x1.5     | 20S - M30x2.0     | PN420            | 11451214 |
| RED25/10S DKO V  | 24-SWOS-S25-S10 | 10S - M18x1.5     | 25S - M36x2.0     | PN420            | 11451217 |
| RED30/10S DKO V  | 24-SWOS-S30-S10 | 10S - M18x1.5     | 30S - M42x2.0     | PN420            | 11451219 |
| RED15/12L DKO V  | 24-SWOS-L15-L12 | 12L - M18x1.5     | 15L - M22x1.5     | PN400            | 11451170 |
| RED18/12L DKO V  | 24-SWOS-L18-L12 | 12L - M18x1.5     | 18L - M26x1.5     | PN400            | 11451174 |
| RED22/12L DKO V  | 24-SWOS-L22-L12 | 12L - M18x1.5     | 22L - M30x2.0     | PN250            | 11451177 |
| RED28/12L DKO V  | 24-SWOS-L28-L12 | 12L - M18x1.5     | 28L - M36x2.0     | PN250            | 11451181 |
| RED42/12L DKO V  | 24-SWOS-L42-L12 | 12L - M18x1.5     | 42L - M52x2.0     | PN250            | 1060806  |
| RED16/12S DKO V  | 24-SWOS-S16-S12 | 12S - M20x1.5     | 16S - M24x1.5     | PN630            | 11290228 |
| RED20/12S DKO V  | 24-SWOS-S20-S12 | 12S - M20x1.5     | 20S - M30x2.0     | PN420            | 11451215 |
| RED25/12S DKO V  | 24-SWOS-S25-S12 | 12S - M20x1.5     | 25S - M36x2.0     | PN420            | 11451218 |
| RED30/12S DKO V  | 24-SWOS-S30-S12 | 12S - M20x1.5     | 30S - M42x2.0     | PN420            | 11451220 |
| RED16/14S DKO V  | 24-SWOS-S16-S14 | 14S - M22x1.5     | 16S - M24x1.5     | PN630            | 11451211 |
| RED16S/15L DKO V | 24-SWOS-S16-L15 | 15L - M22x1.5     | 16S - M24x1.5     | PN400            | 12772372 |
| RED18/15L DKO V  | 24-SWOS-L18-L15 | 15L - M22x1.5     | 18L - M26x1.5     | PN400            | 11451175 |
| RED22/15L DKO V  | 24-SWOS-L22-L15 | 15L - M22x1.5     | 22L - M30x2.0     | PN250            | 11451178 |
| RED28/15L DKO V  | 24-SWOS-L28-L15 | 15L - M22x1.5     | 28L - M36x2.0     | PN250            | 11451182 |
| RED35/15L DKO V  | 24-SWOS-L35-L15 | 15L - M22x1.5     | 35L - M45x2.0     | PN250            | 11451186 |
| RED20/16S DKO V  | 24-SWOS-S20-S16 | 16S - M24x1.5     | 20S - M30x2.0     | PN420            | 754676   |
| RED25/16S DKO V  | 24-SWOS-S25-S16 | 16S - M24x1.5     | 25S - M36x2.0     | PN420            | 1054052  |
| RED30/16S DKO V  | 24-SWOS-S30-S16 | 16S - M24x1.5     | 30S - M42x2.0     | PN420            | 11451221 |
| RED38/16S DKO V  | 24-SWOS-S38-S16 | 16S - M24x1.5     | 38S - M52x2.0     | PN420            | 11451224 |
| RED22/18L DKO V  | 24-SWOS-L22-L18 | 18L - M26x1.5     | 22L - M30x2.0     | PN250            | 11451179 |
| RED28/18L DKO V  | 24-SWOS-L28-L18 | 18L - M26x1.5     | 28L - M36x2.0     | PN250            | 11451183 |
| RED35/18L DKO V  | 24-SWOS-L35-L18 | 18L - M26x1.5     | 35L - M45x2.0     | PN250            | 11451187 |
| RED42/18L DKO V  | 24-SWOS-L42-L18 | 18L - M26x1.5     | 42L - M52x2.0     | PN250            | 11451190 |
| RED25/20S DKO V  | 24-SWOS-S25-S20 | 20S - M30x2.0     | 25S - M36x2.0     | PN420            | 1054051  |
| RED30/20S DKO V  | 24-SWOS-S30-S20 | 20S - M30x2.0     | 30S - M42x2.0     | PN420            | 11451222 |
| RED38/20S DKO V  | 24-SWOS-S38-S20 | 20S - M30x2.0     | 38S - M52x2.0     | PN420            | 11451225 |
| RED28/22L DKO V  | 24-SWOS-L28-L22 | 22L - M30x2.0     | 28L - M36x2.0     | PN250            | 11451184 |
| RED35/22L DKO V  | 24-SWOS-L35-L22 | 22L - M30x2.0     | 35L - M45x2.0     | PN250            | 11451188 |
| RED42/22L DKO V  | 24-SWOS-L42-L22 | 22L - M30x2.0     | 42L - M52x2.0     | PN250            | 11451192 |
| RED30/25S DKO V  | 24-SWOS-S30-S25 | 25S - M36x2.0     | 30S - M42x2.0     | PN420            | 11451223 |
| RED38/25S DKO V  | 24-SWOS-S38-S25 | 25S - M36x2.0     | 38S - M52x2.0     | PN420            | 11451226 |
| RED35/28L DKO V  | 24-SWOS-L35-L28 | 28L - M36x2.0     | 35L - M45x2.0     | PN250            | 11451666 |
| RED42/28L DKO V  | 24-SWOS-L42-L28 | 28L - M36x2.0     | 42L - M52x2.0     | PN250            | 11451193 |
| RED38/30S DKO V  | 24-SWOS-S38-S30 | 30S - M42x2.0     | 38S - M52x2.0     | PN420            | 11451228 |
| RED42/35L DKO V  | 24-SWOS-L42-L35 | 35L - M45x2.0     | 42L - M52x2.0     | PN250            | 11451194 |

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.