

GUTH VENTILE Sight glass Series: 7006 Stainless steel AISI 316L Butt weld EN 10357



Characteristics

Series: 7006

Norm: EN (DIN)

Housing material: Stainless steel

Material quality: 1.4404

Connection: Butt weld

Standard welding connection: EN 10357

Application

- Food products.
- Dairy.
- Milk.
- Beer.
- CIP.
- Fruit juice.
- Water.
- Sauces.
- Oils.
- Recommended in: Food & Beverages, Food primary processes [contact with food]


Technical Information

- Sterilisation temperature 100 C° [short-time].

Options

- Other seals available on request.
- Execution in stainless steel AISI 304 [1.4301].

Size table:



DN	A mm	L mm	E mm	F mm	Weight kg
DN10	65	97	10	13	1
DN15	65	97	16	19	1
DN20	75	107	20	23	1
DN25	75	117	26	29	1
DN32	75	117	32	35	1.07
DN40	85	127	38	41	1.23
DN50	85	131	50	53	1.54
DN65	85	131	66	70	2.03
DN80	85	143	81	143	2.95
DN100	100	154	100	154	3.53

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Nominal inner diameter	External tube diameter of connection	Wall thickness, connection	Pressure rating	Material glass	Minimum medium temperature (continuous)	Maximum medium temperature (continuous)	Maximum pressure difference at 20 °C	Article
	mm	mm			°C	°C	bar	
DN10	13	1	PN16	Borosilicate	0	90	16	14609778
DN15	19	1.5	PN16	Borosilicate	0	90	16	14609779
DN20	23	1.5	PN16	Borosilicate	0	90	16	14609780
DN25	29	1.5	PN16	Borosilicate	0	90	16	14609781
DN32	35	1.5	PN16	Borosilicate	0	90	16	14609782
DN40	41	1.5	PN16	Borosilicate	0	90	16	14609783
DN50	53	1.5	PN16	Borosilicate	0	90	16	14609784
DN65	70	2	PN16	Borosilicate	0	90	16	14609785
DN80	85	2	PN10	Borosilicate	0	90	16	14609786
DN100	104	2	PN10	Borosilicate	0	90	16	14609787

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.