


FAG Single row angular contact ball bearing Series: 72



Characteristics

Series: 72

With sealing: No

Application

- Recommended in: Chemical

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7200-B-XL-TVP-UO	10	30	9	40	Plastic	11833189
7200-B-XL-TVP	10	30	9	40	Plastic	11668434
7200-B-XL-TVP-UA	10	30	9	40	Plastic	12624660
7200-B-XL-JP-UA	10	30	9	40	Steel	12624658
7200-B-XL-JP-UO	10	30	9	40	Steel	12624659
7200-B-XL-JP	10	30	9	40	Steel	11668433
7201-B-XL-TVP	12	32	10	40	Plastic	11668436
7201-B-XL-TVP-P5-UL	12	32	10	40	Plastic	11833190
7201-B-XL-TVP-UO	12	32	10	40	Plastic	12624666
7201-B-XL-TVP-UA	12	32	10	40	Plastic	12624664
7201-B-XL-TVP-P5-UO	12	32	10	40	Plastic	12624663
7201-B-XL-JP-UA	12	32	10	40	Steel	12624661
7201-B-XL-JP-UO	12	32	10	40	Steel	12624662
7201-B-XL-JP	12	32	10	40	Steel	11668435
7202-B-XL-TVP	15	35	11	40	Plastic	11668438
7202-B-XL-TVP-P5-UL	15	35	11	40	Plastic	11833191
7202-B-XL-TVP-P5-UO	15	35	11	40	Plastic	12624669
7202-B-XL-TVP-UA	15	35	11	40	Plastic	12624670
7202-B-XL-TVP-UO	15	35	11	40	Plastic	11833192
7202-B-XL-JP	15	35	11	40	Steel	11668437
7202-B-XL-JP-UO	15	35	11	40	Steel	12624668
7202-B-XL-JP-UA	15	35	11	40	Steel	12624667
7203-B-XL-TVP-UO	17	40	12	40	Plastic	11668442
7203-B-XL-TVP-UA	17	40	12	40	Plastic	11668441
7203-B-XL-TVP-P5-UO	17	40	12	40	Plastic	11833193
7203-B-XL-TVP	17	40	12	40	Plastic	11668440
7203-B-XL-TVP-P5-UL	17	40	12	40	Plastic	12624673
7203-B-XL-TVP-UL	17	40	12	40	Plastic	12624674
7203-B-XL-JP-UO	17	40	12	40	Steel	12624672
7203-B-XL-JP-UA	17	40	12	40	Steel	12624671
7203-B-XL-JP	17	40	12	40	Steel	11668439
7204-B-XL-TVP	20	47	14	40	Plastic	11668444
7204-B-XL-TVP-UO	20	47	14	40	Plastic	11668446
7204-B-XL-TVP-UA	20	47	14	40	Plastic	11668445
7204-B-XL-TVP-P5-UL	20	47	14	40	Plastic	12624677
7204-B-XL-TVP-P5-UO	20	47	14	40	Plastic	12624678
7204-B-XL-JP-UO	20	47	14	40	Steel	12624676
7204-B-XL-JP	20	47	14	40	Steel	12624675
7204-B-XL-JP-UA	20	47	14	40	Steel	11668443
7205-B-XL-MP	25	52	15	40	Brass	12624681
7205-B-XL-TVP-P5-UA	25	52	15	40	Plastic	11833194
7205-B-XL-TVP-P5	25	52	15	40	Plastic	12624682

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7205-B-XL-TVP-UA	25	52	15	40	Plastic	11668449
7205-B-XL-TVP-P5-UL	25	52	15	40	Plastic	11833195
7205-B-XL-TVP-UO	25	52	15	40	Plastic	11668450
7205-B-XL-TVP-P5-UO	25	52	15	40	Plastic	11833196
7205-B-XL-TVP	25	52	15	40	Plastic	11668448
7205-B-XL-JP	25	52	15	40	Steel	11668447
7205-B-XL-JP-UO	25	52	15	40	Steel	12624680
7205-B-XL-JP-UA	25	52	15	40	Steel	12624679
7206-B-XL-MP-UA	30	62	16	40	Brass	12624686
7206-B-XL-MP-UO	30	62	16	40	Brass	12624687
7206-B-XL-TVP-P5-UO	30	62	16	40	Plastic	11833198
7206-B-XL-TVP-UO	30	62	16	40	Plastic	11668454
7206-B-XL-TVP-UA	30	62	16	40	Plastic	11668453
7206-B-XL-TVP	30	62	16	40	Plastic	11668452
7206-B-XL-TVP-P5-UL	30	62	16	40	Plastic	11833197
7206-B-XL-TVP-P5-UA	30	62	16	40	Plastic	12624688
7206-B-XL-JP-UA	30	62	16	40	Steel	12624684
7206-B-XL-JP-UO	30	62	16	40	Steel	12624685
7206-B-XL-JP	30	62	16	40	Steel	11668451
7207-B-XL-MP-UO	35	72	17	40	Brass	12624692
7207-B-XL-MP-UA	35	72	17	40	Brass	12624691
7207-B-XL-TVP-P5-UA	35	72	17	40	Plastic	12624693
7207-B-XL-TVP-P5-UL	35	72	17	40	Plastic	12624694
7207-B-XL-TVP-UO	35	72	17	40	Plastic	11668458
7207-B-XL-TVP-P5-UO	35	72	17	40	Plastic	11833199
7207-B-XL-TVP	35	72	17	40	Plastic	11668456
7207-B-XL-TVP-UA	35	72	17	40	Plastic	11668457
7207-B-XL-JP-UO	35	72	17	40	Steel	12624690
7207-B-XL-JP	35	72	17	40	Steel	12624689
7207-B-XL-JP-UA	35	72	17	40	Steel	11668455
7208-B-XL-MP	40	80	18	40	Brass	12624697
7208-B-XL-MP-UO	40	80	18	40	Brass	12624699
7208-B-XL-MP-UA	40	80	18	40	Brass	12624698
7208-B-XL-TVP-UA	40	80	18	40	Plastic	11668461
7208-B-XL-TVP-UO	40	80	18	40	Plastic	11668462
7208-B-XL-TVP-P5	40	80	18	40	Plastic	12186906
7208-B-XL-TVP	40	80	18	40	Plastic	11668460
7208-B-XL-TVP-P5-UL	40	80	18	40	Plastic	12624700
7208-B-XL-JP-UA	40	80	18	40	Steel	11668459
7208-B-XL-JP	40	80	18	40	Steel	12624695
7208-B-XL-JP-UO	40	80	18	40	Steel	12624696
7209-B-XL-MP-UA	45	85	19	40	Brass	12624704
7209-B-XL-MP	45	85	19	40	Brass	12624703
7209-B-XL-MP-UO	45	85	19	40	Brass	11833200
7209-B-XL-TVP-UA	45	85	19	40	Plastic	11668465
7209-B-XL-TVP-UO	45	85	19	40	Plastic	11668466
7209-B-XL-TVP	45	85	19	40	Plastic	11668464
7209-B-XL-TVP-P5-UO	45	85	19	40	Plastic	12624705
7209-B-XL-JP	45	85	19	40	Steel	12624701
7209-B-XL-JP-UO	45	85	19	40	Steel	12624702
7209-B-XL-JP-UA	45	85	19	40	Steel	11668463
7210-B-XL-MP	50	90	20	40	Brass	12624707
7210-B-XL-MP-UA	50	90	20	40	Brass	12624708

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7210-B-XL-MP-UO	50	90	20	40	Brass	11833201
7210-B-XL-TVP-UO	50	90	20	40	Plastic	11833204
7210-B-XL-TVP-P5	50	90	20	40	Plastic	12624709
7210-B-XL-TVP-P5-UO	50	90	20	40	Plastic	11833203
7210-B-XL-TVP-P5-UL	50	90	20	40	Plastic	11833202
7210-B-XL-TVP	50	90	20	40	Plastic	11668469
7210-B-XL-TVP-UA	50	90	20	40	Plastic	11668470
7210-B-XL-JP-UA	50	90	20	40	Steel	11668467
7210-B-XL-JP	50	90	20	40	Steel	12624706
7210-B-XL-JP-UO	50	90	20	40	Steel	11668468
7211-B-XL-MP-UA	55	100	21	40	Brass	12624712
7211-B-XL-TVP-UO	55	100	21	40	Plastic	11833205
7211-B-XL-TVP-P5-UL	55	100	21	40	Plastic	12624714
7211-B-XL-TVP-P5-UA	55	100	21	40	Plastic	12624713
7211-B-XL-TVP-UA	55	100	21	40	Plastic	11668473
7211-B-XL-TVP	55	100	21	40	Plastic	11668472
7211-B-XL-TVP-P5-UO	55	100	21	40	Plastic	12624715
7211-B-XL-JP-UO	55	100	21	40	Steel	12624711
7211-B-XL-JP-UA	55	100	21	40	Steel	12624710
7211-B-XL-JP	55	100	21	40	Steel	11668471
7212-B-XL-MP-UO	60	110	22	40	Brass	12624720
7212-B-XL-MP-UA	60	110	22	40	Brass	12624719
7212-B-XL-MP	60	110	22	40	Brass	12624718
7212-B-XL-TVP-P5-UL	60	110	22	40	Plastic	12624721
7212-B-XL-TVP-UA	60	110	22	40	Plastic	11668476
7212-B-XL-TVP-UO	60	110	22	40	Plastic	11668477
7212-B-XL-TVP	60	110	22	40	Plastic	11668475
7212-B-XL-TVP-P5-UO	60	110	22	40	Plastic	12624722
7212-B-XL-JP	60	110	22	40	Steel	11668474
7212-B-XL-JP-UO	60	110	22	40	Steel	12624717
7213-B-XL-MP-UA	65	120	23	40	Brass	12624725
7213-B-XL-MP	65	120	23	40	Brass	12624724
7213-B-XL-MP-UO	65	120	23	40	Brass	12624726
7213-B-XL-TVP	65	120	23	40	Plastic	11668480
7213-B-XL-TVP-UA	65	120	23	40	Plastic	11668481
7213-B-XL-TVP-P5-UO	65	120	23	40	Plastic	12624727
7213-B-XL-TVP-UO	65	120	23	40	Plastic	11668482
7213-B-XL-JP-UO	65	120	23	40	Steel	12624723
7213-B-XL-JP	65	120	23	40	Steel	11668478
7213-B-XL-JP-UA	65	120	23	40	Steel	11668479
7214-B-XL-MP-UA	70	125	24	40	Brass	11833206
7214-B-XL-MP	70	125	24	40	Brass	12624730
7214-B-XL-MP-UO	70	125	24	40	Brass	12624731
7214-B-XL-TVP-P5-UL	70	125	24	40	Plastic	12624732
7214-B-XL-TVP-P5-UO	70	125	24	40	Plastic	12624733
7214-B-XL-TVP-UA	70	125	24	40	Plastic	11668485
7214-B-XL-TVP-UO	70	125	24	40	Plastic	11668486
7214-B-XL-TVP	70	125	24	40	Plastic	11668484
7214-B-XL-JP-UA	70	125	24	40	Steel	11668483
7214-B-XL-JP-UO	70	125	24	40	Steel	12624729
7214-B-XL-JP	70	125	24	40	Steel	12624728
7215-B-XL-MP-P6-UA	75	130	25	40	Brass	12624737
7215-B-XL-MP-UA	75	130	25	40	Brass	12624738

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	Cage	Article
	mm	mm	mm	°		Max. 200 articles in the table
7215-B-XL-MP-P5-UO	75	130	25	40	Brass	12624736
7215-B-XL-MP-UO	75	130	25	40	Brass	12624739
7215-B-XL-MP	75	130	25	40	Brass	12624735
7215-B-XL-TVP-UA	75	130	25	40	Plastic	11668490
7215-B-XL-TVP	75	130	25	40	Plastic	11668489
7215-B-XL-TVP-UO	75	130	25	40	Plastic	11668491
7215-B-XL-TVP-P5-UO	75	130	25	40	Plastic	12624741
7215-B-XL-TVP-P5-UL	75	130	25	40	Plastic	12624740
7215-B-XL-JP-UA	75	130	25	40	Steel	12624734
7215-B-XL-JP-UO	75	130	25	40	Steel	11668488
7215-B-XL-JP	75	130	25	40	Steel	11668487
7216-B-XL-MP	80	140	26	40	Brass	12624744
7216-B-XL-TVP	80	140	26	40	Plastic	11668493
7216-B-XL-TVP-UA	80	140	26	40	Plastic	11668494
7216-B-XL-TVP-UO	80	140	26	40	Plastic	11668495
7216-B-XL-JP-UA	80	140	26	40	Steel	11668492
7216-B-XL-JP-UO	80	140	26	40	Steel	12624743
7216-B-XL-JP	80	140	26	40	Steel	12624742
7217-B-XL-TVP-UA	85	150	28	40	Plastic	11668498
7217-B-XL-TVP	85	150	28	40	Plastic	11668497
7217-B-XL-TVP-UO	85	150	28	40	Plastic	12407292
7217-B-XL-JP	85	150	28	40	Steel	11668496
7218-B-XL-MP-UA	90	160	30	40	Brass	11833207
7218-B-XL-TVP	90	160	30	40	Plastic	11668500
7218-B-XL-TVP-UA	90	160	30	40	Plastic	11668501
7218-B-XL-TVP-UO	90	160	30	40	Plastic	11668502
7218-B-XL-JP-UA	90	160	30	40	Steel	11668499
7219-B-XL-MP	95	170	32	40	Brass	11668503
7219-B-XL-MP-UA	95	170	32	40	Brass	11668504
7219-B-XL-TVP-UO	95	170	32	40	Plastic	11668507
7219-B-XL-TVP-UA	95	170	32	40	Plastic	11668506
7219-B-XL-TVP	95	170	32	40	Plastic	11668505
7220-B-XL-MP-UA	100	180	34	40	Brass	11833208
7220-B-XL-TVP-UO	100	180	34	40	Plastic	11668510
7220-B-XL-TVP-UA	100	180	34	40	Plastic	11668509
7220-B-XL-TVP	100	180	34	40	Plastic	11668508
7221-B-XL-MP	105	190	36	40	Brass	11833209
7222-B-XL-TVP	110	200	38	40	Plastic	11668511
7222-B-XL-TVP-UA	110	200	38	40	Plastic	11668512
7224-B-XL-MP-UA	120	215	40	40	Brass	11668513
7226-B-XL-MP	130	230	40	40	Brass	11668514
7226-B-XL-MP-UA	130	230	40	40	Brass	11668515
7228-B-XL-MP-UA	140	250	42	40	Brass	11668516
7230-B-XL-MP-UA	150	270	45	40	Brass	11668518
7230-B-XL-MP	150	270	45	40	Brass	11668517
7232-B-MP-UA	160	290	48	40	Brass	11668520
7232-B-MP	160	290	48	40	Brass	11668519
7234-B-MP-UA	170	310	52	40	Brass	11668521
7236-B-MP-UA	180	320	52	40	Brass	11668522
7236-B-MP-UO	180	320	52	40	Brass	12521755
7238-B-MP-UA	190	340	55	40	Brass	11668523

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.