



Sight glass Type: 2188 Steel PN16

Carbon steel, rectangular weld-in or weld-on sight glass with borosilicate glass, pressure class PN16.

Characteristics

Type: 2188

Norm: EN (DIN)

Housing material: Steel

Material quality: St 37.2 (1.0037)

Material cover: EN-JL1040

Application

- General industry.
- Neutral media.
- Steam, hot or cold water, oil, etc.
- For control of the product level in a vessel, silo or boiler.

Technical Information

- Borosilicate glass according to DIN 7081.
- The sight glass with length 500 and 740 consists of 2 parts and contains 2 glasses.
- The sight glass with length 930 consists of 3 parts and contains 3 glasses.
- We recommend checking the bottom flange for any deformations after welding.
- When using in steam, we recommend using a MICA plate to protect the glass.

L	B	h1	h2	H1	H2	b	s	Number of glasses
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	
170	70	20	20	120	140	34	17	1
220	70	20	20	170	190	34	17	1
250	70	20	20	200	220	34	17	1
310	70	20	20	260	280	34	17	1
370	70	20	20	320	340	34	17	1
500	70	20	20	200	220	34	17	2
620	70	20	20	260	280	34	17	2
740	70	20	20	320	340	34	17	2
930	70	20	20	260	280	34	17	3

Pressure rating	Glass thickness	Glass length	Number of glasses	Length housing	Material glass	Minimum medium temperature [continuous]	Maximum medium temperature [continuous]	Maximum pressure difference at 20 °C	Article
	mm	mm		mm		°C	°C	bar	
PN16	17	140	1	170	Borosilicate	-10	243	16	10057978
PN16	17	190	1	220	Borosilicate	-10	243	16	14279686
PN16	17	220	1	250	Borosilicate	-10	243	16	14279687
PN16	17	280	1	310	Borosilicate	-10	243	16	14279688
PN16	17	340	1	370	Borosilicate	-10	243	16	10057982
PN16	17	220	2	500	Borosilicate	-10	243	16	10057983
PN16	17	280	2	620	Borosilicate	-10	243	16	14279689
PN16	17	340	2	740	Borosilicate	-10	243	16	10057985
PN16	17	280	3	930	Borosilicate	-10	243	16	14284226

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.