



BURKERT Solenoid valve 2/2 Type: 32260 series 5282 stainless steel internal thread

Characteristics

Series: 5282
Type: 32260
Function: Normally closed (NC)
Actuation: Indirect-acting
Electrical connection: Plug EN 175301-803 type A
Housing material: Stainless steel
Material quality: 1.4581
Sealing: FPM (FKM)
Material coil housing: Epoxy
Membrane material: FPM (FKM)

Characteristics [2]

Working time: 100 %
Level of protection (IP value): IP65
Emergency manual operation: Yes
Explosion-proof: No
Medium temperature: From 0 °C to 90 °C
Ambient temperature: From 0 °C to 55 °C

Size process connection	Process connection	Orifice	Kvs value	Minimum pressure difference	Maximum pressure difference	Coil type	Supply voltage	Power	Starting power	Article
		mm	m ³ /h	bar	bar					
1.1/2" (40)	Internal thread (BSPP)	40	20	0.2	10	SPC 35310	24V DC	8 W (hot) / 11 W (cold)		13340052
1.1/4" (32)	Internal thread (BSPP)	32	20	0.2	10	SPC 35310	24V DC	8 W (hot) / 11 W (cold)		13340053
1/2" (15)	Internal thread (BSPP)	13	4	0.2	10	SPC 35310	24V AC	8 W / 14 VA	24 VA	13340047
1/2" (15)	Internal thread (BSPP)	13	4	0.2	10	SPC 35310	24V DC	8 W (hot) / 11 W (cold)		13340049
1/2" (15)	Internal thread (BSPP)	13	4	0.2	10	SPC 35310	230V AC	8 W / 14 VA	24 VA	13340048
1" (25)	Internal thread (BSPP)	25	10	0.2	10	SPC 35310	24V AC	8 W / 14 VA	24 VA	13340044
1" (25)	Internal thread (BSPP)	25	10	0.2	10	SPC 35310	24V DC	8 W (hot) / 11 W (cold)		13340046
1" (25)	Internal thread (BSPP)	25	10	0.2	10	SPC 35310	230V AC	8 W / 14 VA	24 VA	13340045
3/4" (20)	Internal thread (BSPP)	20	6.5	0.2	10	SPC 35310	24V DC	8 W (hot) / 11 W (cold)		13340051
3/4" (20)	Internal thread (BSPP)	20	6.5	0.2	10	SPC 35310	230V AC	8 W / 14 VA	24 VA	13340050

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.