



FESTO Flat cylinder DZF

Characteristics

Series: DZF

Function: Double acting

Magnetic: Yes

Housing material: Anodised aluminium

Operating temperature: 0 / 80 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in		
DZF-12-10-P-A	Mechanical	12	10	M 5		1.6 / 10	DZF-12-10-P-A
DZF-12-10-A-P-A	Mechanical	12	10	M 5		1.6 / 10	DZF-12-10-A-P-A
DZF-12-25-P-A	Mechanical	12	25	M 5		1.6 / 10	DZF-12-25-P-A
DZF-12-40-P-A	Mechanical	12	40	M 5		1.6 / 10	DZF-12-40-P-A
DZF-12-50-A-P-A	Mechanical	12	50	M 5		1.6 / 10	DZF-12-50-A-P-A
DZF-12-50-P-A	Mechanical	12	50	M 5		1.6 / 10	DZF-12-50-P-A
DZF-12-80-P-A	Mechanical	12	80	M 5		1.6 / 10	DZF-12-80-P-A
DZF-12-80-A-P-A	Mechanical	12	80	M 5		1.6 / 10	DZF-12-80-A-P-A
DZF-12-100-A-P-A	Mechanical	12	100	M 5		1.6 / 10	DZF-12-100-A-P-A
DZF-12-100-P-A	Mechanical	12	100	M 5		1.6 / 10	DZF-12-100-P-A
DZF-12-125-A-P-A	Mechanical	12	125	M 5		1.6 / 10	DZF-12-125-A-P-A
DZF-12-125-P-A	Mechanical	12	125	M 5		1.6 / 10	DZF-12-125-P-A
DZF-12-160-A-P-A	Mechanical	12	160	M 5		1.6 / 10	DZF-12-160-A-P-A
DZF-12-160-P-A	Mechanical	12	160	M 5		1.6 / 10	DZF-12-160-P-A
DZF-12-200-P-A	Mechanical	12	200	M 5		1.6 / 10	DZF-12-200-P-A
DZF-12-200-A-P-A	Mechanical	12	200	M 5		1.6 / 10	DZF-12-200-A-P-A
DZF-18-10-P-A	Mechanical	18	10	M 5		1 / 10	DZF-18-10-P-A
DZF-18-10-A-P-A	Mechanical	18	10	M 5		1 / 10	DZF-18-10-A-P-A
DZF-18-40-P-A	Mechanical	18	40	M 5		1 / 10	DZF-18-40-P-A
DZF-18-50-A-P-A	Mechanical	18	50	M 5		1 / 10	DZF-18-50-A-P-A
DZF-18-50-P-A	Mechanical	18	50	M 5		1 / 10	DZF-18-50-P-A
DZF-18-80-P-A	Mechanical	18	80	M 5		1 / 10	DZF-18-80-P-A
DZF-18-80-A-P-A	Mechanical	18	80	M 5		1 / 10	DZF-18-80-A-P-A
DZF-18-100-P-A	Mechanical	18	100	M 5		1 / 10	DZF-18-100-P-A
DZF-18-100-A-P-A	Mechanical	18	100	M 5		1 / 10	DZF-18-100-A-P-A
DZF-18-125-A-P-A	Mechanical	18	125	M 5		1 / 10	DZF-18-125-A-P-A
DZF-18-125-P-A	Mechanical	18	125	M 5		1 / 10	DZF-18-125-P-A
DZF-18-160-A-P-A	Mechanical	18	160	M 5		1 / 10	DZF-18-160-A-P-A
DZF-18-160-P-A	Mechanical	18	160	M 5		1 / 10	DZF-18-160-P-A
DZF-18-200-A-P-A	Mechanical	18	200	M 5		1 / 10	DZF-18-200-A-P-A
DZF-25-40-A-P-A	Mechanical	25	40	M 5		1 / 10	DZF-25-40-A-P-A
DZF-25-50-A-P-A	Mechanical	25	50	M 5		1 / 10	DZF-25-50-A-P-A
DZF-25-80-P-A	Mechanical	25	80	M 5		1 / 10	DZF-25-80-P-A
DZF-25-80-A-P-A	Mechanical	25	80	M 5		1 / 10	DZF-25-80-A-P-A
DZF-25-100-P-A	Mechanical	25	100	M 5		1 / 10	DZF-25-100-P-A
DZF-25-125-P-A	Mechanical	25	125	M 5		1 / 10	DZF-25-125-P-A
DZF-25-125-A-P-A	Mechanical	25	125	M 5		1 / 10	DZF-25-125-A-P-A
DZF-25-160-P-A	Mechanical	25	160	M 5		1 / 10	DZF-25-160-P-A
DZF-25-160-A-P-A	Mechanical	25	160	M 5		1 / 10	DZF-25-160-A-P-A
DZF-25-200-A-P-A	Mechanical	25	200	M 5		1 / 10	DZF-25-200-A-P-A
DZF-25-200-P-A	Mechanical	25	200	M 5		1 / 10	DZF-25-200-P-A
DZF-32-10-A-P-A	Mechanical	32	10		G1/8	1 / 10	DZF-32-10-A-P-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
DZF-32-25-A-P-A	Mechanical	32	25		G1/8	1 / 10	DZF-32-25-A-PA
DZF-32-40-P-A	Mechanical	32	40		G1/8	1 / 10	DZF-32-40-P-A
DZF-32-80-A-P-A	Mechanical	32	80		G1/8	1 / 10	DZF-32-80-A-P-A
DZF-32-160-P-A	Mechanical	32	160		G1/8	1 / 10	DZF-32-160-P-A
DZF-32-200-P-A	Mechanical	32	200		G1/8	1 / 10	DZF-32-200-P-A
DZF-32-250-A-P-A	Mechanical	32	250		G1/8	1 / 10	DZF-32-250-A-PA
DZF-32-320-P-A	Mechanical	32	320		G1/8	1 / 10	DZF-32-320-P-A
DZF-32-320-A-P-A	Mechanical	32	320		G1/8	1 / 10	DZF-32-320-A-P-A
DZF-40-10-P-A	Mechanical	40	10		G1/8	1 / 10	DZF-40-10-PA
DZF-40-10-A-P-A	Mechanical	40	10		G1/8	1 / 10	DZF-40-10-A-PA
DZF-40-25-P-A	Mechanical	40	25		G1/8	1 / 10	DZF-40-25-PA
DZF-40-25-A-P-A	Mechanical	40	25		G1/8	1 / 10	DZF-40-25-A-P-A
DZF-40-40-A-P-A	Mechanical	40	40		G1/8	1 / 10	DZF-40-40-A-P-A
DZF-40-40-P-A	Mechanical	40	40		G1/8	1 / 10	DZF-40-40-P-A
DZF-40-80-P-A	Mechanical	40	80		G1/8	1 / 10	DZF-40-80-P-A
DZF-40-100-A-P-A	Mechanical	40	100		G1/8	1 / 10	DZF-40-100-A-P-A
DZF-40-125-A-P-A	Mechanical	40	125		G1/8	1 / 10	DZF-40-125-A-P-A
DZF-40-200-A-P-A	Mechanical	40	200		G1/8	1 / 10	DZF-40-200-A-P-A
DZF-40-250-A-P-A	Mechanical	40	250		G1/8	1 / 10	DZF-40-250-A-P-A
DZF-40-250-P-A	Mechanical	40	250		G1/8	1 / 10	DZF-40-250-P-A
DZF-40-320-P-A	Mechanical	40	320		G1/8	1 / 10	DZF-40-320-P-A
DZF-40-320-A-P-A	Mechanical	40	320		G1/8	1 / 10	DZF-40-320-A-P-A
DZF-50-10-P-A	Mechanical	50	10		G1/4	1 / 10	DZF-50-10-P-A
DZF-50-10-A-P-A	Mechanical	50	10		G1/4	1 / 10	DZF-50-10-A-P-A
DZF-50-25-P-A	Mechanical	50	25		G1/4	1 / 10	DZF-50-25-P-A
DZF-50-25-A-P-A	Mechanical	50	25		G1/4	1 / 10	DZF-50-25-A-P-A
DZF-50-40-A-P-A	Mechanical	50	40		G1/4	1 / 10	DZF-50-40-A-P-A
DZF-50-40-P-A	Mechanical	50	40		G1/4	1 / 10	DZF-50-40-P-A
DZF-50-50-P-A	Mechanical	50	50		G1/4	1 / 10	DZF-50-50-P-A
DZF-50-50-A-P-A	Mechanical	50	50		G1/4	1 / 10	DZF-50-50-A-P-A
DZF-50-80-P-A	Mechanical	50	80		G1/4	1 / 10	DZF-50-80-PA
DZF-50-80-A-P-A	Mechanical	50	80		G1/4	1 / 10	DZF-50-80-A-PA
DZF-50-100-P-A	Mechanical	50	100		G1/4	1 / 10	DZF-50-100-P-A
DZF-50-100-A-P-A	Mechanical	50	100		G1/4	1 / 10	DZF-50-100-A-P-A
DZF-50-125-A-P-A	Mechanical	50	125		G1/4	1 / 10	DZF-50-125-A-PA
DZF-50-125-P-A	Mechanical	50	125		G1/4	1 / 10	DZF-50-125-PA
DZF-50-160-P-A	Mechanical	50	160		G1/4	1 / 10	DZF-50-160-P-A
DZF-50-160-A-P-A	Mechanical	50	160		G1/4	1 / 10	DZF-50-160-A-P-A
DZF-50-200-P-A	Mechanical	50	200		G1/4	1 / 10	DZF-50-200-P-A
DZF-50-200-A-P-A	Mechanical	50	200		G1/4	1 / 10	DZF-50-200-A-P-A
DZF-50-250-P-A	Mechanical	50	250		G1/4	1 / 10	DZF-50-250-P-A
DZF-50-250-A-P-A	Mechanical	50	250		G1/4	1 / 10	DZF-50-250-A-P-A
DZF-50-320-P-A	Mechanical	50	320		G1/4	1 / 10	DZF-50-320-P-A
DZF-50-320-A-P-A	Mechanical	50	320		G1/4	1 / 10	DZF-50-320-A-P-A
DZF-63-10-P-A	Mechanical	63	10		G1/4	1 / 10	DZF-63-10-P-A
DZF-63-10-A-P-A	Mechanical	63	10		G1/4	1 / 10	DZF-63-10-A-P-A
DZF-63-25-P-A	Mechanical	63	25		G1/4	1 / 10	DZF-63-25-P-A
DZF-63-25-A-P-A	Mechanical	63	25		G1/4	1 / 10	DZF-63-25-A-P-A
DZF-63-40-A-P-A	Mechanical	63	40		G1/4	1 / 10	DZF-63-40-A-P-A
DZF-63-50-P-A	Mechanical	63	50		G1/4	1 / 10	DZF-63-50-P-A
DZF-63-80-A-P-A	Mechanical	63	80		G1/4	1 / 10	DZF-63-80-A-PA
DZF-63-80-P-A	Mechanical	63	80		G1/4	1 / 10	DZF-63-80-PA

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure bar	Article
		mm	mm	mm	in		
DZF-63-100-A-P-A	Mechanical	63	100		G1/4	1 / 10	DZF-63-100-A-P-A
DZF-63-100-P-A	Mechanical	63	100		G1/4	1 / 10	DZF-63-100-PA
DZF-63-125-P-A	Mechanical	63	125		G1/4	1 / 10	DZF-63-125-P-A
DZF-63-125-A-P-A	Mechanical	63	125		G1/4	1 / 10	DZF-63-125-A-P-A
DZF-63-160-P-A	Mechanical	63	160		G1/4	1 / 10	DZF-63-160-P-A
DZF-63-200-A-P-A	Mechanical	63	200		G1/4	1 / 10	DZF-63-200-A-P-A
DZF-63-200-P-A	Mechanical	63	200		G1/4	1 / 10	DZF-63-200-P-A
DZF-63-250-A-P-A	Mechanical	63	250		G1/4	1 / 10	DZF-63-250-A-P-A
DZF-63-250-P-A	Mechanical	63	250		G1/4	1 / 10	DZF-63-250-P-A
DZF-63-320-P-A	Mechanical	63	320		G1/4	1 / 10	DZF-63-320-P-A
DZF-63-320-A-P-A	Mechanical	63	320		G1/4	1 / 10	DZF-63-320-A-P-A

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.