


DIN963 Slotted countersunk head metal screw, steel 4.8, zinc plated



Characteristics

Series: DIN 963

Head form: Countersunk head

Screwing system: Slotted

Material quality: 4.8 [steel]

Surface protection: Galvanic/electrolytic zinc plated

DIN standard: 963

ISO standard: 2,009

Type: Stud bolt

Material	Kind of thread	Thread size metric [M.]	Pitch thread	Length mm	Article
Carbon steel	Metric	2	0.4	4	23699479
Carbon steel	Metric	2	0.4	5	23699480
Carbon steel	Metric	2	0.4	6	23699481
Carbon steel	Metric	2	0.4	10	23699483
Carbon steel	Metric	2	0.4	12	23699484
Carbon steel	Metric	2	0.4	16	23699485
Carbon steel	Metric	2	0.4	20	23699486
Carbon steel	Metric	2.5	0.45	5	11776084
Carbon steel	Metric	2.5	0.45	6	23699489
Carbon steel	Metric	2.5	0.45	8	23699490
Carbon steel	Metric	2.5	0.45	10	23699491
Carbon steel	Metric	2.5	0.45	12	23699492
Carbon steel	Metric	3	0.5	4	23699412
Carbon steel	Metric	3	0.5	5	23699413
Carbon steel	Metric	3	0.5	6	23699414
Carbon steel	Metric	3	0.5	6	11776120
Carbon steel	Metric	3	0.5	8	11776089
Carbon steel	Metric	3	0.5	8	11776121
Carbon steel	Metric	3	0.5	10	11776122
Carbon steel	Metric	3	0.5	12	23699416
Carbon steel	Metric	3	0.5	16	23699417
Carbon steel	Metric	3	0.5	16	11776125
Carbon steel	Metric	3	0.5	20	23699418
Carbon steel	Metric	3	0.5	25	11776129
Carbon steel	Metric	3	0.5	30	23699420
Carbon steel	Metric	3	0.5	30	11776130
Carbon steel	Metric	3	0.5	35	23699421
Carbon steel	Metric	3	0.5	35	11776131
Carbon steel	Metric	3	0.5	40	11776132
Carbon steel	Metric	3	0.5	45	11776133
Carbon steel	Metric	3	0.5	50	11776134
Carbon steel	Metric	4	0.7	6	23699426
Carbon steel	Metric	4	0.7	8	23699427
Carbon steel	Metric	4	0.7	8	11776140
Carbon steel	Metric	4	0.7	10	11776141

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Metal Screws (Machine Screws) | Machine Screws Countersunk Head

Material	Kind of thread	Thread size metric (M..)	Pitch thread	Length mm	Article
Carbon steel	Metric	4	0.7	10	23699428
Carbon steel	Metric	4	0.7	12	23699429
Carbon steel	Metric	4	0.7	16	11776143
Carbon steel	Metric	4	0.7	20	11776145
Carbon steel	Metric	4	0.7	25	23699432
Carbon steel	Metric	4	0.7	25	11776147
Carbon steel	Metric	4	0.7	30	23699433
Carbon steel	Metric	4	0.7	35	23699434
Carbon steel	Metric	4	0.7	35	11776149
Carbon steel	Metric	4	0.7	40	11776150
Carbon steel	Metric	4	0.7	45	23699436
Carbon steel	Metric	4	0.7	45	11776151
Carbon steel	Metric	4	0.7	50	23699437
Carbon steel	Metric	4	0.7	50	11776152
Carbon steel	Metric	4	0.7	60	23699438
Carbon steel	Metric	4	0.7	80	23699505
Carbon steel	Metric	4	0.7	100	23699506
Carbon steel	Metric	5	0.8	6	23699440
Carbon steel	Metric	5	0.8	8	23699441
Carbon steel	Metric	5	0.8	10	11776159
Carbon steel	Metric	5	0.8	20	11776163
Carbon steel	Metric	5	0.8	25	11776165
Carbon steel	Metric	5	0.8	30	11776166
Carbon steel	Metric	5	0.8	35	23699448
Carbon steel	Metric	5	0.8	40	11776168
Carbon steel	Metric	5	0.8	45	23699450
Carbon steel	Metric	5	0.8	45	11776169
Carbon steel	Metric	5	0.8	50	23699451
Carbon steel	Metric	5	0.8	50	11776170
Carbon steel	Metric	5	0.8	60	23699507
Carbon steel	Metric	5	0.8	70	23699453
Carbon steel	Metric	5	0.8	80	23699454
Carbon steel	Metric	5	0.8	90	23699508
Carbon steel	Metric	5	0.8	100	23699509
Carbon steel	Metric	6	1	8	23699455
Carbon steel	Metric	6	1	10	11776175
Carbon steel	Metric	6	1	12	23699457
Carbon steel	Metric	6	1	16	23699458
Carbon steel	Metric	6	1	16	11776177
Carbon steel	Metric	6	1	20	23699460
Carbon steel	Metric	6	1	25	23699461
Carbon steel	Metric	6	1	30	23699462
Carbon steel	Metric	6	1	35	23699463
Carbon steel	Metric	6	1	40	23699464
Carbon steel	Metric	6	1	45	23699465
Carbon steel	Metric	6	1	50	23699510
Carbon steel	Metric	6	1	60	11776187
Carbon steel	Metric	6	1	60	23699467
Carbon steel	Metric	6	1	70	23699468
Carbon steel	Metric	6	1	80	23699469
Carbon steel	Metric	6	1	100	23699471
Carbon steel	Metric	8	1.25	10	11776192
Carbon steel	Metric	8	1.25	12	23699473

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Metal Screws (Machine Screws) | Machine Screws Countersunk Head

Material	Kind of thread	Thread size metric (M..)	Pitch thread	Length mm	Article
Carbon steel	Metric	8	1.25	25	23699476
Carbon steel	Metric	8	1.25	30	11776199
Carbon steel	Metric	8	1.25	35	23699478
Carbon steel	Metric	8	1.25	40	23699511
Carbon steel	Metric	8	1.25	45	23699512
Carbon steel	Metric	8	1.25	50	23699513
Carbon steel	Metric	8	1.25	60	23699515
Carbon steel	Metric	8	1.25	70	23699516
Carbon steel	Metric	8	1.25	80	23699517
Carbon steel	Metric	8	1.25	100	23699518
Carbon steel	Metric	10	1.5	16	23699519
Carbon steel	Metric	10	1.5	20	23699520
Carbon steel	Metric	10	1.5	25	23699521
Carbon steel	Metric	10	1.5	30	23699522
Carbon steel	Metric	10	1.5	35	23699523
Carbon steel	Metric	10	1.5	40	23699524
Carbon steel	Metric	10	1.5	45	23699525
Carbon steel	Metric	10	1.5	50	23699526
Carbon steel	Metric	10	1.5	60	23699527
Carbon steel	Metric	10	1.5	70	23699528
Carbon steel	Metric	10	1.5	80	23699529
Carbon steel	Metric	10	1.5	100	23699530
Carbon steel	Metric	12	1.75	20	23699531
Carbon steel	Metric	12	1.75	30	23699533
Carbon steel	Metric	12	1.75	35	23699534
Carbon steel	Metric	12	1.75	40	23699535
Carbon steel	Metric	12	1.75	50	23699536
Carbon steel	Metric	12	1.75	70	23699538
Carbon steel	Metric	16	2	35	23699542
Carbon steel	Metric	16	2	40	23699543
Carbon steel	Metric	16	2	60	23699546
Carbon steel	Metric	20	2.5	40	23699550

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.