

DORMER HSS short spiral drill bit with cylindrical shank DIN 338 N steam-tempered 4xD type A100



HSS jobber drill with straight shank DIN 338 N 118° steam tempered 4xD for steel

Characteristics

DIN standard: 338

Type: Twist drill

Coating: Steam tempered

Point angle: 118 °

Diameter mm	Diameter in	Cutting length mm	Total length mm	Holding system	Material	Article
0.2		2.5	19	Cylindrical	HSS	23091119
0.3		3	19	Cylindrical	HSS	23091120
0.4		5	20	Cylindrical	HSS	23091121
0.45		5	20	Cylindrical	HSS	23092417
0.5		6	22	Cylindrical	HSS	23091122
0.55		7	24	Cylindrical	HSS	11672478
0.6		7	24	Cylindrical	HSS	12038854
0.65		8	26	Cylindrical	HSS	23092419
0.7		9	28	Cylindrical	HSS	23091125
0.75		9	28	Cylindrical	HSS	23092421
0.8		10	30	Cylindrical	HSS	23091126
0.9		11	32	Cylindrical	HSS	23091128
0.95		11	32	Cylindrical	HSS	11672486
1		12	34	Cylindrical	HSS	23091129
1.1		14	36	Cylindrical	HSS	23091131
1.2		16	38	Cylindrical	HSS	23091132
1.3		16	38	Cylindrical	HSS	23091134
1.4		18	40	Cylindrical	HSS	23091135
1.5		18	40	Cylindrical	HSS	23091136
1.6		20	43	Cylindrical	HSS	23091139
1.7		20	43	Cylindrical	HSS	23091140
1.8		22	46	Cylindrical	HSS	23091141
1.9		22	46	Cylindrical	HSS	23091142
1.95		24	49	Cylindrical	HSS	11672495
2		24	49	Cylindrical	HSS	23091169
2.1		24	49	Cylindrical	HSS	23091170
2.2		27	53	Cylindrical	HSS	23091171
2.25		27	53	Cylindrical	HSS	11672537
2.3		27	53	Cylindrical	HSS	23091172
2.4		30	57	Cylindrical	HSS	23091173
2.45		30	57	Cylindrical	HSS	11672539
2.5		30	57	Cylindrical	HSS	23091174
2.6		30	57	Cylindrical	HSS	23091175
2.7		33	61	Cylindrical	HSS	23091176
2.75		33	61	Cylindrical	HSS	11672542
2.8		33	61	Cylindrical	HSS	23091185
2.85		33	61	Cylindrical	HSS	11672543

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Diameter mm	Diameter in	Cutting length mm	Total length mm	Holding system	Material	Article
2.9		33	61	Cylindrical	HSS	23091193
2.95		33	61	Cylindrical	HSS	11672544
3		33	61	Cylindrical	HSS	23091196
3.1		36	65	Cylindrical	HSS	23091201
3.15		36	65	Cylindrical	HSS	11672552
3.2		36	65	Cylindrical	HSS	23091210
3.3		36	65	Cylindrical	HSS	23091216
3.4		39	70	Cylindrical	HSS	23091223
3.5		39	70	Cylindrical	HSS	23091227
3.6		39	70	Cylindrical	HSS	23091230
3.7		39	70	Cylindrical	HSS	23091232
3.8		43	75	Cylindrical	HSS	23091234
3.9		43	75	Cylindrical	HSS	23091235
4		43	75	Cylindrical	HSS	23091236
4.1		43	75	Cylindrical	HSS	23091238
4.2		43	75	Cylindrical	HSS	23091240
4.3		47	80	Cylindrical	HSS	23091241
4.4		47	80	Cylindrical	HSS	23091242
4.5		47	80	Cylindrical	HSS	23091243
4.6		47	80	Cylindrical	HSS	23091244
4.7		47	80	Cylindrical	HSS	23091254
4.8		52	86	Cylindrical	HSS	23091264
4.9		52	86	Cylindrical	HSS	23091274
5		52	86	Cylindrical	HSS	23091276
5.1		52	86	Cylindrical	HSS	23091286
5.2		52	86	Cylindrical	HSS	23091296
5.3		52	86	Cylindrical	HSS	23091306
5.4		57	93	Cylindrical	HSS	23091316
5.5		57	93	Cylindrical	HSS	23091326
5.6		57	93	Cylindrical	HSS	23091336
5.7		57	93	Cylindrical	HSS	23091346
5.8		57	93	Cylindrical	HSS	23091356
5.9		57	93	Cylindrical	HSS	23091366
6		57	93	Cylindrical	HSS	23091376
6.1		63	101	Cylindrical	HSS	23091386
6.2		63	101	Cylindrical	HSS	23091396
6.25		63	101	Cylindrical	HSS	23092425
6.3		63	101	Cylindrical	HSS	23091406
6.4		63	101	Cylindrical	HSS	23091416
6.5		63	101	Cylindrical	HSS	23091426
6.6		63	101	Cylindrical	HSS	23091436
6.7		63	101	Cylindrical	HSS	23091445
6.75		69	109	Cylindrical	HSS	11672572
6.8		69	109	Cylindrical	HSS	23091447
6.9		69	109	Cylindrical	HSS	23091448
7		69	109	Cylindrical	HSS	23091451
7.1		69	109	Cylindrical	HSS	23091461
7.14	9/32	69	109	Cylindrical	HSS	11672580
7.2		69	109	Cylindrical	HSS	23091471
7.3		69	109	Cylindrical	HSS	23091481
7.4		69	109	Cylindrical	HSS	23091491
7.5		69	109	Cylindrical	HSS	23091501
7.6		75	117	Cylindrical	HSS	23091511

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Diameter mm	Diameter in	Cutting length mm	Total length mm	Holding system	Material	Article
7.7		75	117	Cylindrical	HSS	23091521
7.8		75	117	Cylindrical	HSS	23091531
7.9		75	117	Cylindrical	HSS	23091541
8		75	117	Cylindrical	HSS	23091551
8.1		75	117	Cylindrical	HSS	23091560
8.2		75	117	Cylindrical	HSS	23091561
8.25		75	117	Cylindrical	HSS	11672577
8.3		75	117	Cylindrical	HSS	23091563
8.4		75	117	Cylindrical	HSS	23091573
8.5		75	117	Cylindrical	HSS	23091583
8.6		81	125	Cylindrical	HSS	23091593
8.7		81	125	Cylindrical	HSS	23091603
8.75		81	125	Cylindrical	HSS	23092426
8.8		81	125	Cylindrical	HSS	23091613
8.9		81	125	Cylindrical	HSS	23091623
9		81	125	Cylindrical	HSS	23091633
9.1		81	125	Cylindrical	HSS	23091643
9.2		81	125	Cylindrical	HSS	23091653
9.3		81	125	Cylindrical	HSS	23091663
9.4		81	125	Cylindrical	HSS	23091673
9.5		81	125	Cylindrical	HSS	23091683
9.6		87	133	Cylindrical	HSS	23091693
9.7		87	133	Cylindrical	HSS	23091703
9.8		87	133	Cylindrical	HSS	23091713
9.9		87	133	Cylindrical	HSS	23091723
10		87	133	Cylindrical	HSS	23091143
10.1		87	133	Cylindrical	HSS	23091144
10.2		87	133	Cylindrical	HSS	23091145
10.25		87	133	Cylindrical	HSS	23092552
10.3		87	133	Cylindrical	HSS	23091146
10.4		87	133	Cylindrical	HSS	23091147
10.5		87	133	Cylindrical	HSS	23091148
10.6		87	133	Cylindrical	HSS	23287885
10.7		94	142	Cylindrical	HSS	23287886
10.8		94	142	Cylindrical	HSS	23091149
11		94	142	Cylindrical	HSS	23091150
11.1		94	142	Cylindrical	HSS	11672503
11.25		94	142	Cylindrical	HSS	11672504
11.5		94	142	Cylindrical	HSS	23091154
11.75		94	142	Cylindrical	HSS	11672506
11.8		94	142	Cylindrical	HSS	23091157
11.9		101	151	Cylindrical	HSS	23287890
11.91	15/32	101	151	Cylindrical	HSS	11672526
12		101	151	Cylindrical	HSS	23091158
12.1		101	151	Cylindrical	HSS	23091159
12.2		101	151	Cylindrical	HSS	23091160
12.4		101	151	Cylindrical	HSS	23091162
12.5		101	151	Cylindrical	HSS	23091164
12.7		101	151	Cylindrical	HSS	11672511
12.8		101	151	Cylindrical	HSS	23091165
12.9		101	151	Cylindrical	HSS	11672512
13		101	151	Cylindrical	HSS	23091166
13.2		101	151	Cylindrical	HSS	23091167

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Diameter mm	Diameter in	Cutting length mm	Total length mm	Holding system	Material	Article
13.5		108	160	Cylindrical	HSS	23092430
14		108	160	Cylindrical	HSS	23091168
14.25		114	169	Cylindrical	HSS	23092518
14.5		114	169	Cylindrical	HSS	23092431
15		114	169	Cylindrical	HSS	23092432
15.25		120	178	Cylindrical	HSS	23092519
15.5		120	178	Cylindrical	HSS	23092433
15.75		120	178	Cylindrical	HSS	11672525
16		120	178	Cylindrical	HSS	23092434
16.5		125	184	Cylindrical	HSS	23092435
17		125	184	Cylindrical	HSS	23092436
17.5		130	191	Cylindrical	HSS	23092437
18		130	191	Cylindrical	HSS	11672530
19		135	198	Cylindrical	HSS	23092438
20		140	205	Cylindrical	HSS	11672545

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.