


DIN6912 Low head cap screw with hex socket and pilot recess Stainless steel A2



Characteristics

Series: DIN 6912

Material quality: Stainless steel A2

Surface protection: Untreated

Kind of thread: Metric

Head form: Cheese head

DIN standard: 6912

Screwing system: Internal hexagon

Full thread: Yes

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm					
Stainless steel	4		8				23730260
Stainless steel	4		10				23730252
Stainless steel	4		12				23263647
Stainless steel	4		12				23730253
Stainless steel	4	0.7	16	2.8	7	16	23730254
Stainless steel	4	0.7	16	2.8	7	16	23263648
Stainless steel	4		20				23730255
Stainless steel	4	0.7	25	2.8	7	16	23730256
Stainless steel	4		30				23730257
Stainless steel	4	0.7	40	2.8	7	16	23730259
Stainless steel	4	0.7	40	2.8	7	16	23263653
Stainless steel	5		8				23730271
Stainless steel	5		10				23730261
Stainless steel	5	0.8	12	3.5	8.5	20	23730262
Stainless steel	5	0.8	12	3.5	8.5	20	23263656
Stainless steel	5		16				23263657
Stainless steel	5		16				23730263
Stainless steel	5		20				23730264
Stainless steel	5		20				23263658
Stainless steel	5	0.8	25	3.5	8.5	20	23730265
Stainless steel	5		30				23263660
Stainless steel	5		30				23730266
Stainless steel	5	0.8	35	3.5	8.5	20	23730267
Stainless steel	5		40				23730268
Stainless steel	5		45				23730269
Stainless steel	5		50				23730270
Stainless steel	6		8				23263665
Stainless steel	6	1	10	4	10	25	23263666
Stainless steel	6	1	10	4	10	25	23730272
Stainless steel	6	1	12	4	10	25	23730273
Stainless steel	6	1	12	4	10	25	23263667
Stainless steel	6		16				23263668
Stainless steel	6		16				23730274
Stainless steel	6		20				23730275

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Stainless steel	6		20				23263669
Stainless steel	6	1	25	4	10	25	23730276
Stainless steel	6		30				23263671
Stainless steel	6		30				23730277
Stainless steel	6		35				23730278
Stainless steel	6		35				23263672
Stainless steel	6	1	40	4	10	25	23730279
Stainless steel	6	1	40	4	10	25	23263673
Stainless steel	6		45				23730280
Stainless steel	6		50				23730281
Stainless steel	6	1	55	4	10	25	23730282
Stainless steel	6		60				23730283
Stainless steel	6		80				23730286
Stainless steel	8		10				23730287
Stainless steel	8		12				23730289
Stainless steel	8		16				23263682
Stainless steel	8		20				23730291
Stainless steel	8		20				23263683
Stainless steel	8	1.25	25	5	13	30	23730292
Stainless steel	8		30				23730293
Stainless steel	8		35				23730294
Stainless steel	8	1.25	40	5	13	30	23730295
Stainless steel	8	1.25	40	5	13	30	23263687
Stainless steel	8		50				23730296
Stainless steel	8		50				23263688
Stainless steel	8		55				23730297
Stainless steel	8	1.25	60	5	13	30	23730298
Stainless steel	8		80				23263692
Stainless steel	8		80				23730300
Stainless steel	8	1.25	100	5	13	30	23730288
Stainless steel	10		16				23730200
Stainless steel	10		20				23730201
Stainless steel	10	1.5	25	6.5	16	35	23730202
Stainless steel	10		30				23730203
Stainless steel	10	1.5	35	6.5	16	35	23730204
Stainless steel	10		40				23730205
Stainless steel	10		50				23730207
Stainless steel	10		55				23730208
Stainless steel	10		60				23730209
Stainless steel	10		80				23730211
Stainless steel	10		100				23730199
Stainless steel	12		16				23730214
Stainless steel	12	1.75	20	7.5	18	45	23730215
Stainless steel	12	1.75	25	7.5	18	45	23730216
Stainless steel	12		30				23730217
Stainless steel	12		35				23730218
Stainless steel	12	1.75	40	7.5	18	45	23730219
Stainless steel	12		45				23730220
Stainless steel	12		50				23730221
Stainless steel	12	1.75	80	7.5	18	45	23730225
Stainless steel	12		100				23730213
Stainless steel	16	2	30	10	24	50	23730229

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Stainless steel	16		40				23730231
Stainless steel	16	2	50	10	24	50	23730233
Stainless steel	20		40				23730241
Stainless steel	20	2.5	45	12	30	60	23730242
Stainless steel	20		60				23730244
Stainless steel	24		50				23730248

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.