

## **AXIUM Filter element Stainless steel Suitable for type: 1679** 1680

## **Characteristics**

Material: Stainless steel

## **Application**

- Industry, chemicals, pharmaceuticals, biotechnology, cosmetics, food, beverage and dairy industries in which cleaning is carried out using CIP/SIP.
- Recommended in: Food & Beverages, Food primary processes (contact with food)

## **Technical Information**

- The unique slotted filter element ensures very smooth and evenly filtered final products.
- Mesh width of your choice: 25, 50, 100, 250, 500, 1000, 2000 and 3000 microns.
- Cleaning at a pressure difference of 1 bar is recommended.

Mesh width of filter element	Mesh width of filter element	Article
mm	μ <b>m</b>	
	25	12717962
	50	12717963
	100	12118233
	250	12188209
	500	12433835
1		12259108
2		12717964
3		12135552

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Page 1/1

PR\_EC010080\_0013\_FW\_EN\_29.06.2024