



Oil Seal type MST

Characteristics

Norm design: DIN 3760-BS

Material lip: NBR

Material surface: Metal



Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
14.28	31.75	11333489
15	21	10008553
15	24	10005645
15	30	10005647
15.87	25.4	11290896
15.87	25.4	10011180
18	32	10005653
19.05	31.75	11114243
19.05	31.75	10011560
19.05	41.27	11414049
19.05	47.62	11387547
20	32	10005655
20	40	10005657
22	40	10005661
22.22	47.62	11062428
22.22	47.62	11049843
24	47	11021297
25	34	10005663
25	35	10005665
25	42	10007185
25	43	11226989
25	47	10007186
25	52	10005670

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
25.4	35.03	11290897
25.4	38.1	10010642
25.4	44.45	10011188
25.4	50.8	10010644
28	36	11169170
28.57	41.27	10011567
28.57	47.62	10011570
28.57	50.8	11061350
30	50	10009127
30	52	10007194
30	55	10007196
30	62	10007200
30	72	10005686
31.75	50.4	10011192
31.75	50.8	10011193
31.75	50.8	10011578
32	42	11028514
32	47	10005688
32	47	10009128
32	52	10008565
34.9	47.6	11059913
34.9	52.3	11061643
34.92	47.62	10011583
34.92	50.8	11196624
34.92	53.97	10011585
34.92	57.15	11032697
34.92	63.5	10011196
35	50	10005693
35	50	10007210
35	55	10005696
35	62	10005697
35	62	10007218
35	62	10007219
35	65	10007220
35	72	10005698
35	72	10007222
37	51	10005703
38	52	10005705
38	60	10007231
38	62	10007232
38.1	50.8	11338220
38.1	57.15	11153248
38.1	60.32	10011199
38.1	63.5	10010648
38.1	63.5	10011590
40	54	10009713
40	55	10005714
40	62	10005718
40	62	10005719
40	62	10007237
40	62	10009129
41	60	10007243
41.27	53.97	11062110

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
41.27	57.15	10011594
41.27	66.67	10011598
41.28	57.09	11049932
42	53	11227835
42	55	10005727
42	56	10005728
42	58	10005730
42	62	10005731
42.86	69.85	11243774
44.45	69.85	10011604
45	58	10008570
45	62	10005736
45	62	10008571
45	62	10007252
45	63	10005738
45	65	10007254
45	68	10009130
45	72	10007255
45	75	10005741
47	68	11262094
47.62	66.67	10010564
47.62	69.85	11220797
47.62	69.85	10011611
48	62	10005742
48	65	10007262
50	65	10007269
50	68	10005746
50	70	10005747
50	72	10007274
50.8	66.67	10011210
52	68	11074070
52	80	10007277
53.97	76.2	10011996
53.98	80.96	11135113
55	78	10009134
55	80	10009135
55	80	10007284
56	72	10005761
57.15	69.85	11222187
57.15	76.2	11385247
57.15	77.74	11264065
57.15	77.78	11238239
58	72	10005762
58.73	79.37	10011618
60	80	10005765
60	80	10007292
60	80	10007293
60	85	10005766
60	85	10007296
60	90	10007297
60.3	82.5	11238240
60.32	95.25	10012457
62	80	10007300

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
62	85	10005767
63.49	76.2	11288151
63.49	95.25	11203299
63.5	82.55	10011215
63.5	88.9	10010652
64	90	10007302
65	85	10007307
65	90	10007309
65	100	10008575
68	85	10005771
68	90	10007313
69	85	10007315
69.85	88.9	11115532
69.85	88.9	10012001
69.85	95.25	10012458
70	90	10007318
70	90	10009139
72	84	10005773
72	105	10008579
73	90	10005774
74	90	10007322
75	95	10007325
76.2	101.6	10011626
77	100	10008586
80	100	10008590
80	105	10009715
80	110	10009716
82.55	107.95	10011160
82.55	107.95	11327684
85	100	11343010
85	105	10009717
88.9	111.12	10012010
88.9	114.3	10011219
88.9	114.3	10012009
90	110	10008599
90	118	10008601
95	120	10008604
95	125	11073647
95.25	120.65	10012012
100	120	11255795
100	125	10009146
101.6	133.35	10012013
105	130	10009150
105	135	10009151
110	140	10009153
115	150	11041790
120	140	10009159
120	145	10009160
120	150	10009161
120	150	10009162
120	150	11399692
125	150	10009163
125	155	10009165

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
130	160	10009169
130	190	11247392
130	190	11247404
140	160	10009174
145	175	10009181
145	175	10009916
145	180	10009182
146	170	10009183
150	190	10009186
155	180	10009189
160	180	10009192
160	185	10009193
165.1	190.5	11297292
170	200	10009919
180	200	11313389
180	210	10009200
200	230	10009201

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.