

Mechanical Seal type BBASS


Characteristics

Type: BBASS



Size table:


d1	d7	d3	l1	l4
mm	mm	mm	mm	mm
10	21	20	25.9	6.6
12	23	24.3	25.9	6.6
14	25	28.5	28.4	6.6
15	27	28.5	28.4	6.6
16	27	28.5	28.4	6.6
18	33	31	30	7.5
20	35	36.5	30	7.5
22	37	36.5	30	7.5
24	39	41.1	32.5	7.5
25	40	41.1	32.5	7.5
28	43	47.6	35	7.5
30	45	47.6	35	7.5
32	48	51	35	7.5
33	48	51	35	7.5
35	50	54.5	35	7.5
38	56	57.9	36	9
40	58	60	36	9
43	61	63.8	36	9
45	63	65.7	36	9
48	66	69.3	36	9
50	70	71.8	38	9.5
53	73	76	36.5	11
55	75	78.3	36.5	11
58	78	82.5	41.5	11
60	80	85.5	41.5	11
65	85	90.3	41.5	11
68	90	94	41.2	11.3
70	92	97	48.7	11.3
75	97	102	48.7	11.3



Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

d1	d7	d3	l1	l4
80	105	109.5	48	12
85	110	116.7	46	14
90	115	122.3	51	14
95	120	127.6	51	14
100	125	132	51	14



Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	Article
				mm	mm	mm	mm	mm	Max. 200 articles in the table
EPDM	Carbon	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411562
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411563
FKM	Carbon	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411566
FKM	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411567
NBR	Carbon	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411564
NBR	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	25.9	6.6	12411565
EPDM	Carbon	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411957
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411958
FKM	Carbon	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411961
FKM	Siliciumcarbide	Carbon	Yes	12	23	24.3	25.9	6.6	12411963
FKM	Siliciumcarbide	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411962
NBR	Carbon	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411959
NBR	Siliciumcarbide	Siliciumcarbide	Yes	12	23	24.3	25.9	6.6	12411960
EPDM	Carbon	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412490
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412491
FKM	Carbon	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412494
FKM	Siliciumcarbide	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412495
NBR	Carbon	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412492
NBR	Siliciumcarbide	Siliciumcarbide	Yes	14	25	28.5	28.4	6.6	12412493
EPDM	Carbon	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412836
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412837
FKM	Carbon	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412840
FKM	Siliciumcarbide	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412841
NBR	Carbon	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412838
NBR	Siliciumcarbide	Siliciumcarbide	Yes	15	27	28.5	28.4	6.6	12412839
EPDM	Carbon	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413261
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413262
FKM	Carbon	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413265
FKM	Siliciumcarbide	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413266
NBR	Carbon	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413263
NBR	Siliciumcarbide	Siliciumcarbide	Yes	16	27	28.5	28.4	6.6	12413264
EPDM	Carbon	Siliciumcarbide	Yes	18	33	31	30	7.5	12413713
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	18	33	31	30	7.5	12413714
FKM	Carbon	Siliciumcarbide	Yes	18	33	31	30	7.5	12413717
FKM	Siliciumcarbide	Siliciumcarbide	Yes	18	33	31	30	7.5	12413718
NBR	Carbon	Siliciumcarbide	Yes	18	33	31	30	7.5	12413715

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	Article
				mm	mm	mm	mm	mm	Max. 200 articles in the table
NBR	Siliciumcarbide	Siliciumcarbide	Yes	18	33	31	30	7.5	12413716
EPDM	Carbon	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414282
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414283
FKM	Carbon	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414286
FKM	Siliciumcarbide	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414287
NBR	Carbon	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414284
NBR	Siliciumcarbide	Siliciumcarbide	Yes	20	35	36.5	30	7.5	12414285
EPDM	Carbon	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414731
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414732
FKM	Carbon	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414735
FKM	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414736
NBR	Carbon	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414733
NBR	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36.5	30	7.5	12414734
EPDM	Carbon	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12355254
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12415249
FKM	Carbon	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12358309
FKM	Siliciumcarbide	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12415252
NBR	Carbon	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12415250
NBR	Siliciumcarbide	Siliciumcarbide	Yes	24	39	41.1	32.5	7.5	12415251
EPDM	Carbon	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12335775
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12415651
FKM	Carbon	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12415654
FKM	Siliciumcarbide	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12415655
NBR	Carbon	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12415652
NBR	Siliciumcarbide	Siliciumcarbide	Yes	25	40	41.1	32.5	7.5	12415653
EPDM	Carbon	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416145
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416146
FKM	Carbon	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416149
FKM	Siliciumcarbide	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416150
NBR	Carbon	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416147
NBR	Siliciumcarbide	Siliciumcarbide	Yes	28	43	47.6	35	7.5	12416148
EPDM	Carbon	Siliciumcarbide	Yes	30	45	47.6	35	7.5	11534370
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	30	45	47.6	35	7.5	12416676
FKM	Carbon	Siliciumcarbide	Yes	30	45	47.6	35	7.5	12416679
FKM	Siliciumcarbide	Siliciumcarbide	Yes	30	45	47.6	35	7.5	12416680
NBR	Carbon	Siliciumcarbide	Yes	30	45	47.6	35	7.5	12416677
NBR	Siliciumcarbide	Siliciumcarbide	Yes	30	45	47.6	35	7.5	12416678
EPDM	Carbon	Siliciumcarbide	Yes	32	48	51	35	7.5	11915661
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	32	48	51	35	7.5	12417147
FKM	Carbon	Siliciumcarbide	Yes	32	48	51	35	7.5	12417150
FKM	Siliciumcarbide	Siliciumcarbide	Yes	32	48	51	35	7.5	12417151
NBR	Carbon	Siliciumcarbide	Yes	32	48	51	35	7.5	12417148
NBR	Siliciumcarbide	Siliciumcarbide	Yes	32	48	51	35	7.5	12417149
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	33	48	51	35	7.5	12378045
FKM	Carbon	Siliciumcarbide	Yes	33	48	51	35	7.5	12417553
FKM	Siliciumcarbide	Siliciumcarbide	Yes	33	48	51	35	7.5	12331150
NBR	Carbon	Siliciumcarbide	Yes	33	48	51	35	7.5	12417551
NBR	Siliciumcarbide	Siliciumcarbide	Yes	33	48	51	35	7.5	12417552
EPDM	Carbon	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418003
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418004
FKM	Carbon	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418007
FKM	Siliciumcarbide	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418008

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	Article
				mm	mm	mm	mm	mm	Max. 200 articles in the table
NBR	Carbon	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418005
NBR	Siliciumcarbide	Siliciumcarbide	Yes	35	50	54.5	35	7.5	12418006
EPDM	Carbon	Siliciumcarbide	Yes	38	56	57.9	36	9	12102129
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	38	56	57.9	36	9	12418426
FKM	Carbon	Siliciumcarbide	Yes	38	56	57.9	36	9	12359222
FKM	Siliciumcarbide	Siliciumcarbide	Yes	38	56	57.9	36	9	12418429
NBR	Carbon	Siliciumcarbide	Yes	38	56	57.9	36	9	12418427
NBR	Siliciumcarbide	Siliciumcarbide	Yes	38	56	57.9	36	9	12418428
EPDM	Carbon	Siliciumcarbide	Yes	40	58	60	36	9	12418893
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	40	58	60	36	9	12418894
FKM	Carbon	Siliciumcarbide	Yes	40	58	60	36	9	12418897
FKM	Siliciumcarbide	Siliciumcarbide	Yes	40	58	60	36	9	12418898
NBR	Carbon	Siliciumcarbide	Yes	40	58	60	36	9	12418895
NBR	Siliciumcarbide	Siliciumcarbide	Yes	40	58	60	36	9	12418896
EPDM	Carbon	Siliciumcarbide	Yes	43	61	63.8	36	9	12419336
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	43	61	63.8	36	9	12419337
FKM	Carbon	Siliciumcarbide	Yes	43	61	63.8	36	9	12359097
FKM	Siliciumcarbide	Siliciumcarbide	Yes	43	61	63.8	36	9	12419341
NBR	Carbon	Siliciumcarbide	Yes	43	61	63.8	36	9	12419338
NBR	Siliciumcarbide	Siliciumcarbide	Yes	43	61	63.8	36	9	12419339
EPDM	Carbon	Siliciumcarbide	Yes	45	63	65.7	36	9	12419798
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	45	63	65.7	36	9	12419799
FKM	Carbon	Siliciumcarbide	Yes	45	63	65.7	36	9	12316731
FKM	Siliciumcarbide	Siliciumcarbide	Yes	45	63	65.7	36	9	12419802
NBR	Carbon	Siliciumcarbide	Yes	45	63	65.7	36	9	12419800
NBR	Siliciumcarbide	Siliciumcarbide	Yes	45	63	65.7	36	9	12419801
EPDM	Carbon	Siliciumcarbide	Yes	48	66	69.3	36	9	12420191
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	48	66	69.3	36	9	12420192
FKM	Carbon	Siliciumcarbide	Yes	48	66	69.3	36	9	12335089
FKM	Siliciumcarbide	Siliciumcarbide	Yes	48	66	69.3	36	9	12420195
NBR	Carbon	Siliciumcarbide	Yes	48	66	69.3	36	9	12420193
NBR	Siliciumcarbide	Siliciumcarbide	Yes	48	66	69.3	36	9	12420194
EPDM	Carbon	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420524
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420525
FKM	Carbon	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420528
FKM	Siliciumcarbide	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420529
NBR	Carbon	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420526
NBR	Siliciumcarbide	Siliciumcarbide	Yes	50	70	71.8	38	9.5	12420527
EPDM	Carbon	Siliciumcarbide	Yes	53	73	76	36.5	11	12420910
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	53	73	76	36.5	11	12420911
FKM	Carbon	Siliciumcarbide	Yes	53	73	76	36.5	11	12420914
FKM	Siliciumcarbide	Siliciumcarbide	Yes	53	73	76	36.5	11	12420915
NBR	Carbon	Siliciumcarbide	Yes	53	73	76	36.5	11	12420912
NBR	Siliciumcarbide	Siliciumcarbide	Yes	53	73	76	36.5	11	12420913
EPDM	Carbon	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421305
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421306
FKM	Carbon	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421309
FKM	Siliciumcarbide	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421310
NBR	Carbon	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421307
NBR	Siliciumcarbide	Siliciumcarbide	Yes	55	75	78.3	36.5	11	12421308
EPDM	Carbon	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421668
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421669

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	Article
				mm	mm	mm	mm	mm	Max. 200 articles in the table
FKM	Carbon	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421672
FKM	Siliciumcarbide	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421673
NBR	Carbon	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421670
NBR	Siliciumcarbide	Siliciumcarbide	Yes	58	78	82.5	41.5	11	12421671
EPDM	Carbon	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422007
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422008
FKM	Carbon	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422011
FKM	Siliciumcarbide	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422012
NBR	Carbon	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422009
NBR	Siliciumcarbide	Siliciumcarbide	Yes	60	80	85.5	41.5	11	12422010
EPDM	Carbon	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422615
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422616
FKM	Carbon	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422619
FKM	Siliciumcarbide	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422620
NBR	Carbon	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422617
NBR	Siliciumcarbide	Siliciumcarbide	Yes	65	85	90.3	41.5	11	12422618
EPDM	Carbon	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422971
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422972
FKM	Carbon	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422975
FKM	Siliciumcarbide	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422976
NBR	Carbon	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422973
NBR	Siliciumcarbide	Siliciumcarbide	Yes	68	90	94	41.2	11.3	12422974
EPDM	Carbon	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423350
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423351
FKM	Carbon	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423354
FKM	Siliciumcarbide	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423355
NBR	Carbon	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423352
NBR	Siliciumcarbide	Siliciumcarbide	Yes	70	92	97	48.7	11.3	12423353
EPDM	Carbon	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423733
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423734
FKM	Carbon	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423737
FKM	Siliciumcarbide	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423738
NBR	Carbon	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423735
NBR	Siliciumcarbide	Siliciumcarbide	Yes	75	97	102	48.7	11.3	12423736
EPDM	Carbon	Siliciumcarbide	Yes	80	105	109.5	48	12	12424169
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	80	105	109.5	48	12	12424170
FKM	Carbon	Siliciumcarbide	Yes	80	105	109.5	48	12	12424173
FKM	Siliciumcarbide	Siliciumcarbide	Yes	80	105	109.5	48	12	12358310
NBR	Carbon	Siliciumcarbide	Yes	80	105	109.5	48	12	12424171
NBR	Siliciumcarbide	Siliciumcarbide	Yes	80	105	109.5	48	12	12424172
EPDM	Carbon	Siliciumcarbide	Yes	85	110	116.7	46	14	12424508
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	85	110	116.7	46	14	12424509
FKM	Carbon	Siliciumcarbide	Yes	85	110	116.7	46	14	12424512
FKM	Siliciumcarbide	Siliciumcarbide	Yes	85	110	116.7	46	14	12424513
NBR	Carbon	Siliciumcarbide	Yes	85	110	116.7	46	14	12424510
NBR	Siliciumcarbide	Siliciumcarbide	Yes	85	110	116.7	46	14	12424511
EPDM	Carbon	Siliciumcarbide	Yes	90	115	122.3	51	14	12424837
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	90	115	122.3	51	14	12424838
FKM	Carbon	Siliciumcarbide	Yes	90	115	122.3	51	14	12424841
FKM	Siliciumcarbide	Siliciumcarbide	Yes	90	115	122.3	51	14	12424842
NBR	Carbon	Siliciumcarbide	Yes	90	115	122.3	51	14	12424839
NBR	Siliciumcarbide	Siliciumcarbide	Yes	90	115	122.3	51	14	12424840

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1 mm	d7 mm	d3 mm	l1 mm	l4 mm	Article
EPDM	Carbon	Siliciumcarbide	Yes	95	120	127.6	51	14	12425097
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	95	120	127.6	51	14	12425098
FKM	Carbon	Siliciumcarbide	Yes	95	120	127.6	51	14	12425101
FKM	Siliciumcarbide	Siliciumcarbide	Yes	95	120	127.6	51	14	12357461
NBR	Carbon	Siliciumcarbide	Yes	95	120	127.6	51	14	12425099
NBR	Siliciumcarbide	Siliciumcarbide	Yes	95	120	127.6	51	14	12425100
EPDM	Carbon	Siliciumcarbide	Yes	100	125	132	51	14	12425434

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.