



Mechanical Seal type BEOSL

Characteristics

Type: BEOSL

Size table:

d1 mm	d7 mm	d3 mm	l1 mm	l4 mm	d8 mm
10	21	20	13.4	6.6	3
12	23	22	14.4	6.6	3
14	25	24	14.4	6.6	3
15	27	25	14.4	6.6	3
16	27	26	14.4	6.6	3
18	33	32	18.5	6.6	3
20	35	34	18.5	6.6	3
22	37	36	18.5	6.6	3
24	39	38	18.5	6.6	3
25	40	39	18.5	6.6	3
28	43	42	24.5	6.6	3
30	45	44	25.5	6.6	3
32	48	46	25.5	6.6	3
33	48	47	25.5	6.6	3
35	50	49	26.5	6.6	3
38	56	54	29	7.6	4
40	58	56	29	7.6	4
43	61	59	29	7.6	4
45	63	61	29	7.6	4
48	66	64	31	7.6	4
50	70	66	30.5	7.1	4
53	73	69	29	8.6	4
55	75	71	29	8.6	4
58	78	78	32	8.6	4
60	80	80	34	8.6	4
65	85	85	34	8.6	4
68	90	88	33.7	11.3	4
70	92	90	33.7	8.6	4
75	97	99	40.7	8.6	4

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

d1	d7	d3	l1	l4	d8
80	105	104	40.5	8.9	4
85	110	109	38.5	10.9	4
90	115	114	38.5	10.9	4
95	120	119	38.5	10.9	4
100	125	124	38.5	10.9	4

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	d8	Article
				mm	mm	mm	mm	mm	mm	
EPDM	Carbon	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411519
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411520
FKM	Carbon	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411523
FKM	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411524
NBR	Carbon	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411521
NBR	Siliciumcarbide	Siliciumcarbide	Yes	10	21	20	13.4	6.6	3	12411522
EPDM	Carbon	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411914
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411915
FKM	Carbon	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411918
FKM	Siliciumcarbide	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411919
NBR	Carbon	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411916
NBR	Siliciumcarbide	Siliciumcarbide	Yes	12	23	22	14.4	6.6	3	12411917
EPDM	Carbon	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412443
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412444
FKM	Carbon	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412447
FKM	Siliciumcarbide	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412448
NBR	Carbon	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412445
NBR	Siliciumcarbide	Siliciumcarbide	Yes	14	25	24	14.4	6.6	3	12412446
EPDM	Carbon	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412792
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412793
FKM	Carbon	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412796
FKM	Siliciumcarbide	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412797
NBR	Carbon	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412794
NBR	Siliciumcarbide	Siliciumcarbide	Yes	15	27	25	14.4	6.6	3	12412795
EPDM	Carbon	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413193
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413194
FKM	Carbon	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413197
FKM	Siliciumcarbide	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413198
NBR	Carbon	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413195
NBR	Siliciumcarbide	Siliciumcarbide	Yes	16	27	26	14.4	6.6	3	12413196
EPDM	Carbon	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413665
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413666
FKM	Carbon	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413669
FKM	Siliciumcarbide	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413670
NBR	Carbon	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413667
NBR	Siliciumcarbide	Siliciumcarbide	Yes	18	33	32	18.5	6.6	3	12413668
EPDM	Carbon	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414234
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414235
FKM	Carbon	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414238
FKM	Siliciumcarbide	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414239

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	d8	Article
				mm	mm	mm	mm	mm	mm	Max. 200 articles in the table
NBR	Carbon	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414236
NBR	Siliciumcarbide	Siliciumcarbide	Yes	20	35	34	18.5	6.6	3	12414237
EPDM	Carbon	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414670
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414671
FKM	Carbon	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414674
FKM	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414675
NBR	Carbon	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414672
NBR	Siliciumcarbide	Siliciumcarbide	Yes	22	37	36	18.5	6.6	3	12414673
EPDM	Carbon	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415191
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415192
FKM	Carbon	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415195
FKM	Siliciumcarbide	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415196
NBR	Carbon	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415193
NBR	Siliciumcarbide	Siliciumcarbide	Yes	24	39	38	18.5	6.6	3	12415194
EPDM	Carbon	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415598
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415599
FKM	Carbon	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415602
FKM	Siliciumcarbide	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415603
NBR	Carbon	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415600
NBR	Siliciumcarbide	Siliciumcarbide	Yes	25	40	39	18.5	6.6	3	12415601
EPDM	Carbon	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416084
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416085
FKM	Carbon	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416088
FKM	Siliciumcarbide	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416089
NBR	Carbon	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416086
NBR	Siliciumcarbide	Siliciumcarbide	Yes	28	43	42	24.5	6.6	3	12416087
EPDM	Carbon	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416612
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416613
FKM	Carbon	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416616
FKM	Siliciumcarbide	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416617
NBR	Carbon	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416614
NBR	Siliciumcarbide	Siliciumcarbide	Yes	30	45	44	25.5	6.6	3	12416615
EPDM	Carbon	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417091
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417092
FKM	Carbon	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417095
FKM	Siliciumcarbide	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417096
NBR	Carbon	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417093
NBR	Siliciumcarbide	Siliciumcarbide	Yes	32	48	46	25.5	6.6	3	12417094
EPDM	Carbon	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417497
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417498
FKM	Carbon	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417501
FKM	Siliciumcarbide	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417502
NBR	Carbon	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417499
NBR	Siliciumcarbide	Siliciumcarbide	Yes	33	48	47	25.5	6.6	3	12417500
EPDM	Carbon	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417944
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417945
FKM	Carbon	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417948
FKM	Siliciumcarbide	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417949
NBR	Carbon	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417946
NBR	Siliciumcarbide	Siliciumcarbide	Yes	35	50	49	26.5	6.6	3	12417947
EPDM	Carbon	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418361

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	d8	Article
				mm	mm	mm	mm	mm	mm	Max. 200 articles in the table
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418362
FKM	Carbon	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418365
FKM	Siliciumcarbide	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418366
NBR	Carbon	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418363
NBR	Siliciumcarbide	Siliciumcarbide	Yes	38	56	54	29	7.6	4	12418364
EPDM	Carbon	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418835
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418836
FKM	Carbon	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418839
FKM	Siliciumcarbide	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418840
NBR	Carbon	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418837
NBR	Siliciumcarbide	Siliciumcarbide	Yes	40	58	56	29	7.6	4	12418838
EPDM	Carbon	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419284
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419285
FKM	Carbon	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419288
FKM	Siliciumcarbide	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419289
NBR	Carbon	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419286
NBR	Siliciumcarbide	Siliciumcarbide	Yes	43	61	59	29	7.6	4	12419287
EPDM	Carbon	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419739
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419740
FKM	Carbon	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419743
FKM	Siliciumcarbide	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419744
NBR	Carbon	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419741
NBR	Siliciumcarbide	Siliciumcarbide	Yes	45	63	61	29	7.6	4	12419742
EPDM	Carbon	Siliciumcarbide	Yes	48	66	64	31	7.6	4	12420133
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	48	66	64	31	7.6	4	12420134
FKM	Carbon	Siliciumcarbide	Yes	48	66	64	31	7.6	4	12420136
FKM	Siliciumcarbide	Siliciumcarbide	Yes	48	66	64	31	7.6	4	12420137
NBR	Carbon	Siliciumcarbide	Yes	48	66	64	31	7.6	4	12420135
EPDM	Carbon	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420463
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420464
FKM	Carbon	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420467
FKM	Siliciumcarbide	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420468
NBR	Carbon	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420465
NBR	Siliciumcarbide	Siliciumcarbide	Yes	50	70	66	30.5	7.1	4	12420466
EPDM	Carbon	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420858
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420859
FKM	Carbon	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420862
FKM	Siliciumcarbide	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420863
NBR	Carbon	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420860
NBR	Siliciumcarbide	Siliciumcarbide	Yes	53	73	69	29	8.6	4	12420861
EPDM	Carbon	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421250
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421251
FKM	Carbon	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421254
FKM	Siliciumcarbide	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421255
NBR	Carbon	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421252
NBR	Siliciumcarbide	Siliciumcarbide	Yes	55	75	71	29	8.6	4	12421253
EPDM	Carbon	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421620
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421621
FKM	Carbon	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421624
FKM	Siliciumcarbide	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421625
NBR	Carbon	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421622

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	d8	Article
				mm	mm	mm	mm	mm	mm	Max. 200 articles in the table
NBR	Siliciumcarbide	Siliciumcarbide	Yes	58	78	78	32	8.6	4	12421623
EPDM	Carbon	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421952
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421953
FKM	Carbon	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421956
FKM	Siliciumcarbide	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421957
NBR	Carbon	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421954
NBR	Siliciumcarbide	Siliciumcarbide	Yes	60	80	80	34	8.6	4	12421955
EPDM	Carbon	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422561
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422562
FKM	Carbon	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422565
FKM	Siliciumcarbide	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422566
NBR	Carbon	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422563
NBR	Siliciumcarbide	Siliciumcarbide	Yes	65	85	85	34	8.6	4	12422564
EPDM	Carbon	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422922
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422923
FKM	Carbon	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422926
FKM	Siliciumcarbide	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422927
NBR	Carbon	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422924
NBR	Siliciumcarbide	Siliciumcarbide	Yes	68	90	88	33.7	11.3	4	12422925
EPDM	Carbon	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423295
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423296
FKM	Carbon	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423299
FKM	Siliciumcarbide	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423300
NBR	Carbon	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423297
NBR	Siliciumcarbide	Siliciumcarbide	Yes	70	92	90	33.7	8.6	4	12423298
EPDM	Carbon	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423678
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423679
FKM	Carbon	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423682
FKM	Siliciumcarbide	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423683
NBR	Carbon	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423680
NBR	Siliciumcarbide	Siliciumcarbide	Yes	75	97	99	40.7	8.6	4	12423681
EPDM	Carbon	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424110
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424111
FKM	Carbon	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424114
FKM	Siliciumcarbide	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424115
NBR	Carbon	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424112
NBR	Siliciumcarbide	Siliciumcarbide	Yes	80	105	104	40.5	8.9	4	12424113
EPDM	Carbon	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424458
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424459
FKM	Carbon	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424462
FKM	Siliciumcarbide	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424463
NBR	Carbon	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424460
NBR	Siliciumcarbide	Siliciumcarbide	Yes	85	110	109	38.5	10.9	4	12424461
EPDM	Carbon	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424789
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424790
FKM	Carbon	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424793
FKM	Siliciumcarbide	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424794
NBR	Carbon	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424791
NBR	Siliciumcarbide	Siliciumcarbide	Yes	90	115	114	38.5	10.9	4	12424792
EPDM	Carbon	Siliciumcarbide	Yes	95	120	119	38.5	10.9	4	12425047
FKM	Carbon	Siliciumcarbide	Yes	95	120	119	38.5	10.9	4	12425050

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Secondary seal material	Sliding ring material	Countersliding ring material	Direction of rotation right	d1	d7	d3	l1	l4	d8	Article
				mm	mm	mm	mm	mm	mm	Max. 200 articles in the table
FKM	Siliciumcarbide	Siliciumcarbide	Yes	95	120	119	38.5	10.9	4	12425051
NBR	Carbon	Siliciumcarbide	Yes	95	120	119	38.5	10.9	4	12425048
NBR	Siliciumcarbide	Siliciumcarbide	Yes	95	120	119	38.5	10.9	4	12425049
EPDM	Carbon	Siliciumcarbide	Yes	100	125	124	38.5	10.9	4	12425379
EPDM	Siliciumcarbide	Siliciumcarbide	Yes	100	125	124	38.5	10.9	4	12425380
NBR	Carbon	Siliciumcarbide	Yes	100	125	124	38.5	10.9	4	12425381

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.