


Wiper type MES



Characteristics

Type: MES

Groove type: Open

Principle of operation: Single acting

Maximum speed: 0.5 m/s



Hardware tolerances

Dimension	Ød	ØD	L
Tolerance	f8	H8	+0,2/-0 mm

Rod diameter	Groove diameter	Groove width	Seal height	Material seal	Material housing	Temperature range	Article
mm	mm	mm	mm			°C	
16	29	7	6.5	FKM	Carbon steel	-10 / 200	12435394
16	29	7	6.5	NBR	SS 304 [1.4301]	-30 / 100	12144289
16	29	7	6.5	NBR	Carbon steel	-30 / 100	10017507
18	31	7	6.5	NBR	SS 304 [1.4301]	-30 / 100	10017522
18	31	7	6.5	NBR	Carbon steel	-30 / 100	10017508
20	33	7	6.5	FKM	Carbon steel	-10 / 200	12435396
20	33	7.9	7.14	NBR	SS 304 [1.4301]	-30 / 100	11043884
22	35	7	6.5	NBR	SS 304 [1.4301]	-30 / 100	10017523
25	38	7	6.5	FKM	Carbon steel	-10 / 200	12435397
25	38	7	6.5	NBR	Carbon steel	-30 / 100	10017510
25	38	7.9	7.14	NBR	SS 304 [1.4301]	-30 / 100	10017524
30	42	7.9	7.14	NBR	Carbon steel	-30 / 100	10017511
30	43	8	7.5	NBR	Carbon steel	-30 / 100	12252997
32	45	7.5	7	FKM	Carbon steel	-10 / 200	12435398
32	45	7.9	7.14	FKM	SS 304 [1.4301]	-10 / 200	11622454
32	45	7.9	7.14	NBR	SS 304 [1.4301]	-30 / 100	11103125
32	45	7.9	7.14	NBR	Carbon steel	-30 / 100	11470239
35	47.63	7.9	7.14	NBR	Carbon steel	-30 / 100	10017531
35	48	7.5	7	NBR	Carbon steel	-30 / 100	11478674
40	52	7.9	7.14	NBR	Carbon steel	-30 / 100	10017512
40	53	7.5	7	FKM	Carbon steel	-10 / 200	12435395
40	53	7.5	7	NBR	Carbon steel	-30 / 100	11294814
45	58	7.5	7	NBR	Carbon steel	-30 / 100	11294815
45	58	7.9	7.14	NBR	Carbon steel	-30 / 100	10017513
50	64	8	7.5	NBR	Carbon steel	-30 / 100	11294816
50	65	7.9	7.14	FKM	SS 304 [1.4301]	-10 / 200	11032033
50	65	7.9	7.14	FKM	Carbon steel	-10 / 200	11073757

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Rod diameter	Groove diameter	Groove width	Seal height	Material seal	Material housing	Temperature range	Article
mm	mm	mm	mm			°C	
50	65	7.9	7.14	NBR	Carbon steel	-30 / 100	10017514
55	69	8	7.5	NBR	Carbon steel	-30 / 100	11294817
60	74	8	7.5	NBR	Carbon steel	-30 / 100	11294818
60	74.9	7.9	7.14	NBR	Carbon steel	-30 / 100	10017516
70	82.55	7.9	7.14	NBR	Carbon steel	-30 / 100	10017536
70	84	8	7.5	NBR	Carbon steel	-30 / 100	11291719
80	95	9.1	8.33	NBR	Carbon steel	-30 / 100	10017517
90	110	9.1	8.33	NBR	Carbon steel	-30 / 100	10017518
100	120	9.1	8.33	NBR	Carbon steel	-30 / 100	10017519
110	130	9	8.5	FKM	SS 304 [1.4301]	-10 / 200	11529676
120	140	8.5	7.6	NBR	Carbon steel	-30 / 100	10017521

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.