

ERIFLON Guide strip Eriflon



Characteristics

Type: Geleidestrip Eriflon

Material: ER81

Temperature range: -40 / 225 °C

Internal diameter mm	Outer diameter mm	Width mm	Groove width mm	Length mm	Thickness mm	Article
		14.8	15		1.5	11329936
		14.8	15		2.5	12732104
		7.9	8.1		1	11229954
10	13	4	4		1.5	13147233
16	19	3	3.2	52	1.5	11065054
16	19.1	3.9	4.1		1.55	12572517
18	21	3	3.2	58	1.5	11165971
20	23	3	3.2	60	1.5	11166174
22	25	3	3.2	71	1.5	11065056
25	28	3	3.2	80	1.5	11165972
25	28	5.4	5.6		1.5	12309644
30	35	6.1	6.3	100	2.5	11223178
38	41.1	3.9	4.1		1.55	12572518
49	55	9.6	9.8	161	3	12310043
50	55	9.5	9.7		2.5	12474400
50	55	14.8	15		2.5	12474390
55	60	9.5	9.7		2.5	12474401
55	60	14.8	15		2.5	12474391
60	65	9.5	9.7		2.5	12474402
60	65	14.8	15		2.5	12474392
64	69	9.5	9.7	202	2.5	11048960
65	70	6.1	6.3	210	2.5	11223179
65	70	6.1	6.3	210	2.5	11223177
65	70	9.5	9.7		2.5	12474403
65	70	14.8	15		2.5	12474393
70	75	9.5	9.7		2.5	12474404
70	75	14.8	15		2.5	12474394
75	80	9.5	9.7		2.5	12474405
75	80	14.8	15		2.5	12474395
80	85	9.5	9.7		2.5	12474406
80	85	14.8	15		2.5	12474396
85	90	9.5	9.7		2.5	12474407
85	90	14.8	15		2.5	12474397
90	95	9.5	9.7		2.5	12474408
90	95	14.8	15		2.5	12474398
95	100	9.5	9.7		2.5	12474409
95	100	14.8	15		2.5	12474399
100	105	9.5	9.7		2.5	12354553
100	105	14.8	15		2.5	12354581
105	110	9.5	9.7		2.5	12354554
105	110	14.8	15		2.5	12354582
110	115	9.5	9.7		2.5	12354555
110	115	14.8	15		2.5	12354583

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Internal diameter	Outer diameter	Width	Groove width	Length	Thickness	Article
mm	mm	mm	mm	mm	mm	
115	120	9.5	9.7		2.5	12354556
115	120	14.8	15		2.5	12354584
120	125	9.5	9.7		2.5	12354557
120	125	14.8	15		2.5	12354585
125	130	9.5	9.7		2.5	12354558
125	130	14.8	15		2.5	12354586
125	130	24.5	25		2.5	12354612
130	135	9.5	9.7		2.5	12354559
130	135	14.8	15		2.5	12354587
130	135	24.5	25		2.5	12354613
135	140	9.5	9.7		2.5	12354560
135	140	14.8	15		2.5	12354588
135	140	24.5	25		2.5	12354614
140	145	9.5	9.7		2.5	12354561
140	145	14.8	15		2.5	12354589
140	145	24.5	25		2.5	12354615
145	150	9.5	9.7		2.5	12354562
145	150	14.8	15		2.5	12354590
145	150	24.5	25		2.5	12354616
150	155	9.5	9.7		2.5	12354563
150	155	14.8	15		2.5	12354591
150	155	24.5	25		2.5	12354617
155	160	9.5	9.7		2.5	12354564
155	160	14.8	15		2.5	12354592
155	160	24.5	25		2.5	12354618
160	165	9.5	9.7		2.5	12354565
160	165	14.8	15		2.5	12354593
160	165	24.5	25		2.5	12354619
165	170	9.5	9.7		2.5	12354566
165	170	14.8	15		2.5	12354594
165	170	24.5	25		2.5	12354620
170	175	9.5	9.7		2.5	12354567
170	175	14.8	15		2.5	12354595
170	175	24.5	25		2.5	12354621
175	180	9.5	9.7		2.5	12474410
175	180	14.8	15		2.5	12354596
175	180	24.5	25		2.5	12354622
180	185	14.8	15		2.5	12354597
180	185	24.5	25		2.5	12354623
185	190	9.5	9.7		2.5	12354569
185	190	14.8	15		2.5	12354598
185	190	24.5	25		2.5	12354624
190	195	9.5	9.7		2.5	12354570
190	195	14.8	15		2.5	12354599
190	195	24.5	25		2.5	12354625
195	200	9.5	9.7		2.5	12354571
195	200	14.8	15		2.5	12354600
195	200	24.5	25		2.5	12354626
200	205	9.5	9.7		2.5	12354572
200	205	14.8	15		2.5	12354601
200	205	24.5	25		2.5	12354627
205	210	9.5	9.7		2.5	12354573
205	210	14.8	15		2.5	12354602

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Internal diameter	Outer diameter	Width	Groove width	Length	Thickness	Article
mm	mm	mm	mm	mm	mm	
205	210	24.5	25		2.5	12354628
210	215	9.5	9.7		2.5	12354574
210	215	14.8	15		2.5	12354603
210	215	24.5	25		2.5	12354629
215	220	9.5	9.7		2.5	12474411
215	220	14.8	15		2.5	12354604
215	220	24.5	25		2.5	12354630
220	225	14.8	15		2.5	12354605
220	225	24.5	25		2.5	12354631
225	230	9.5	9.7		2.5	12354575
225	230	14.8	15		2.5	12354606
225	230	24.5	25		2.5	12354632
230	235	9.5	9.7		2.5	12354576
230	235	14.8	15		2.5	12354607
230	235	24.5	25		2.5	12354633
235	240	9.5	9.7		2.5	12354577
235	240	14.8	15		2.5	12354608
235	240	24.5	25		2.5	12354634
240	245	9.5	9.7		2.5	12354578
240	245	14.8	15		2.5	12354609
240	245	24.5	25		2.5	12354635
245	250	9.5	9.7		2.5	12354579
245	250	14.8	15		2.5	12354610
245	250	24.5	25		2.5	12354636
250	255	9.5	9.7		2.5	12354580
250	255	14.8	15		2.5	12354611
250	255	24.5	25		2.5	12354637
355	360	14.8	15		2.5	12521803
360	363.4	18.9	19.1	1120	1.7	12695597
415	418.4	18.9	19.1	1295	1.7	12695598
635	641.3	12.5	12.7		3.17	13161088
		2.4	2.6		1.5	10019791
		2.4	2.6		2.5	11057065
		3	3.2		1.5	10019793
		3	3.2		1.9	11043041
		3.9	4.1		1.5	10019792
		4	4.2		2.5	10019795
		5	5.2		2	11915883
		5.5	5.7		2.5	10019796
		5.6	5.8		1.5	11188427
		6.1	6.3		1.5	11311862
		6.1	6.3		2	12961408
		6.1	6.3		2.5	10019797
		7.9	8.1		2.5	10019798
		8	8.2		1.5	10019775
		8	8.2		2	10019776
		8.1	8.3		1	11457445
		9.5	9.7		1.5	10019777
		9.5	9.7		2	12753885
		9.5	9.7		2.5	10019787
		9.5	9.7		4	11449280
		10	10.2		2	10019778
		12	12.2		2.5	10019779

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Internal diameter mm	Outer diameter mm	Width mm	Groove width mm	Length mm	Thickness mm	Article
		14.8	15		2.5	10019788
		14.8	15		2.5	11286003
		14.9	15.1		2	10019780
		15	15.2		2.9	11053557
		19.5	20	1000	1.5	12715271
		19.5	20		2	11330193
		19.5	20		2.5	10019799
		19.5	20		3	11410235
		20	20.5		2	10019781
		21.6	22.1	695	2.5	11061168
		22	22.5		2.5	11471777
		24.5	25		2.5	10019789
		24.5	25		3	10019783
		24.5	25		4	11556330
		25	25.5		2	10019782
		25.4	25.9		3175	12638333
		29.5	30		2	11828453
		29.5	30		2.5	10019790
		35	35.5		2	10019800
		35	35.5		2.5	10019784
		40.5	41		2	12267740
		6.1	6.3		2.5	11137002
		9.5	9.7		2.5	11815540
		24.5	25		2.5	12086936
25	27	25.4	25.9	82	1	11245452
32	34.4	28.5	28.7	102	1.2	11237333
43	47	3.9	4.1	135	1.5	11055921
46	50	8	8.1	147	2	11042528
125	128	9	9.2	392	1.5	11047503
145	148.1	7.9	8.1	445	1.55	11045872
		3	3.2		1.5	10019807
		3.9	4.1		1.5	10019806
		4	4.2		1	11326467
		4	4.2		2.5	10019808
		5	5.2		1.5	10019801
		5.5	5.7		2.5	10019809
		6.1	6.3		2.5	10019810
		7.9	8.1		2.5	10019811
		8	8.2		2	11132023
		9.5	9.7		2	11330083
		9.5	9.7		2.5	10019803
		14.8	15		2	11284288
		14.8	15		2.5	10019804
		19.5	20		2	12956722
		19.5	20		2.5	10019812
		24.5	25		2.5	12324234
		29.5	30		2.5	10019805

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.