

GATES Hydraulic hose M4K-MTF (R19) MegaTuff™

Characteristics

Type: M4K-MTF

Material of inner wall: NBR

Material of outer wall: NBR/PVC

Quality cover: Gates Megatuff

Temperature range [°C]: -40 / 100 °C

EN standard: EN 857-2SC

SAE standard: SAE 100 R19

ISO standard: ISO 11237 R19

Application

- Recommended for high-pressure hydraulic applications.
- Easy to route and to install in tight areas.

Technical Information

Temperature range:

- -40°C to +100°C constant and +121°C intermittent.

Construction

Tube:

- NBR (Nitrile) based.

Reinforcement:

- Two braids of high tensile steel wire.

Cover:

- NBR/PVC based.
- MSHA approved.
- MegaTuff™.

Execution

- 50% of EN 857 2SC and 40% of EN 853 2SN bend radius at rated working pressure.
- Alternative to spiral hoses in high pressure lines where flexibility is required.
- Superior flex impulse performance: tested to 600,000 impulse cycles.
- M4K-MTF hose is compatible with biodegradable hydraulic fluids like synthetic esters, polyglycols and vegetable oils as well as petroleum-based fluids.
- Gates special MegaTuff™ cover offers 300 times the abrasion resistance of the standard M4K cover as per ISO 6945, superior ozone and weathering resistance.

Approval

Standards:

- Exceeds ISO 11237 R19. SAE 100 R19.
- Meets or exceeds EN 857 2SC performance requirements.

Type approval:

- DNV

Options

Recommended couplings:

- MegaCrimp®



Code	Hose ID (DN)	Hose ID	Outer diameter	Maximum operating pressure	Minimum burst pressure	Minimum bending radius	Outside wall colour	Weight	Article
		in	mm	bar	bar	mm			
4M4K-MTFXRL107	DN06	1/4"	14	280	1120	40	Black	0.33	11374402
6M4K-MTFXRL101	DN10	3/8"	17.8	280	1120	50	Black	0.46	11374403
8M4K-MTFXRL67	DN12	1/2"	20.8	280	1120	70	Black	0.51	11374404
10M4K-MTFXRL67	DN16	5/8"	25.1	280	1120	75	Black	0.74	11374405
12M4K-MTFXRL58	DN19	3/4"	29.7	280	1120	95	Black	0.93	11374406

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.