


GATES Timing belt PowerGrip® HTD® section 3M width 6 mm



Characteristics

Series: PowerGrip® HTD®

Type: 3M-006

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
105	6	3	No	CR	1024230
111	6	3	No	CR	12072105
120	6	3	No	CR	1024231
123	6	3	No	CR	1024232
126	6	3	No	CR	1024233
129	6	3	No	CR	1024234
141	6	3	No	CR	1024235
144	6	3	No	CR	23844774
150	6	3	No	CR	925403
156	6	3	No	CR	1024237
159	6	3	No	CR	1024238
165	6	3	No	CR	925411
168	6	3	No	CR	1024239
171	6	3	No	CR	12072112
174	6	3	No	CR	1024240
177	6	3	No	CR	1024241
180	6	3	No	CR	925438
183	6	3	No	CR	1024242
186	6	3	No	CR	1024243
189	6	3	No	CR	1024244
192	6	3	No	CR	1024245
195	6	3	No	CR	925454
201	6	3	No	CR	1033972
204	6	3	No	CR	23844235
210	6	3	No	CR	925470
213	6	3	No	CR	1024247
216	6	3	No	CR	12072121
219	6	3	No	CR	12072124
222	6	3	No	CR	12072127
225	6	3	No	CR	925497
234	6	3	No	CR	12072131
237	6	3	No	CR	1024248
243	6	3	No	CR	1024249
246	6	3	No	CR	1024250
249	6	3	No	CR	803812
252	6	3	No	CR	1024251
255	6	3	No	CR	925519
267	6	3	No	CR	1024252
276	6	3	No	CR	1024253
282	6	3	No	CR	1024254
285	6	3	No	CR	925543
288	6	3	No	CR	1024255
291	6	3	No	CR	1024256

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
294	6	3	No	CR	1024257
297	6	3	No	CR	12072146
300	6	3	No	CR	925551
306	6	3	No	CR	1024258
312	6	3	No	CR	1024259
315	6	3	No	CR	12072152
318	6	3	No	CR	1024260
330	6	3	No	CR	925578
333	6	3	No	CR	1024261
336	6	3	No	CR	1024262
339	6	3	No	CR	1024263
342	6	3	No	CR	12072159
345	6	3	No	CR	23844809
357	6	3	No	CR	925586
363	6	3	No	CR	23844815
372	6	3	No	CR	1024266
381	6	3	No	CR	1024267
384	6	3	No	CR	925594
420	6	3	No	CR	925608
435	6	3	No	CR	1024268
447	6	3	No	CR	925624
462	6	3	No	CR	1024269
474	6	3	No	CR	925632
477	6	3	No	CR	1024270
480	6	3	No	CR	1024271
486	6	3	No	CR	1024272
489	6	3	No	CR	12072173
501	6	3	No	CR	1024273
513	6	3	No	CR	925659
522	6	3	No	CR	1024274
525	6	3	No	CR	1024275
531	6	3	No	CR	1024276
537	6	3	No	CR	1024277
552	6	3	No	CR	1024278
558	6	3	No	CR	1024279
564	6	3	No	CR	925667
570	6	3	No	CR	1024280
573	6	3	No	CR	1024281
582	6	3	No	CR	1024282
591	6	3	No	CR	1024283
594	6	3	No	CR	1024284
600	6	3	No	CR	1024285
612	6	3	No	CR	925764
627	6	3	No	CR	1024286
633	6	3	No	CR	1024287
645	6	3	No	CR	1024288
648	6	3	No	CR	1024289
669	6	3	No	CR	925772
672	6	3	No	CR	1024290
681	6	3	No	CR	1024291
711	6	3	No	CR	1022695
720	6	3	No	CR	1024293
735	6	3	No	CR	925780

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Width mm	Pitch mm	Double-sided	Material	Article
738	6	3	No	CR	1024294
753	6	3	No	CR	1024295
804	6	3	No	CR	925799
822	6	3	No	CR	1024296
882	6	3	No	CR	1024297
945	6	3	No	CR	1024298
981	6	3	No	CR	1032229
1002	6	3	No	CR	12072189
1071	6	3	No	CR	1024299
1080	6	3	No	CR	1024300
1176	6	3	No	CR	12072192
1245	6	3	No	CR	1024301
1263	6	3	No	CR	1024302
1500	6	3	No	CR	1024303
1530	6	3	No	CR	1024304
1863	6	3	No	CR	1024305
1926	6	3	No	CR	1024306

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.