

GATES Timing Belt PowerGrip® section MXL-012



Characteristics

Series: PowerGrip®

Type: MXL-012

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
73.152	2.88	3.05	2.032	0.08	No	CR	1023380
81.28	3.2	3.05	2.032	0.08	No	CR	1023381
91.44	3.6	3.05	2.032	0.08	No	CR	1023382
101.6	4	3.05	2.032	0.08	No	CR	1023383
107.696	4.24	3.05	2.032	0.08	No	CR	1023384
109.728	4.32	3.05	2.032	0.08	No	CR	1023385
111.76	4.4	3.05	2.032	0.08	No	CR	1023386
113.792	4.48	3.05	2.032	0.08	No	CR	1023387
115.824	4.56	3.05	2.032	0.08	No	CR	1023388
117.856	4.64	3.05	2.032	0.08	No	CR	1023389
119.888	4.72	3.05	2.032	0.08	No	CR	1023390
121.92	4.8	3.05	2.032	0.08	No	CR	1023391
123.952	4.88	3.05	2.032	0.08	No	CR	1023392
128.016	5.04	3.05	2.032	0.08	No	CR	1023393
132.08	5.2	3.05	2.032	0.08	No	CR	1023394
136.144	5.36	3.05	2.032	0.08	No	CR	1023395
138.176	5.44	3.05	2.032	0.08	No	CR	1023396
140.208	5.52	3.05	2.032	0.08	No	CR	1023397
142.24	5.6	3.05	2.032	0.08	No	CR	1023398
144.272	5.68	3.05	2.032	0.08	No	CR	1023399
146.304	5.76	3.05	2.032	0.08	No	CR	1023400
148.336	5.84	3.05	2.032	0.08	No	CR	1023401
150.368	5.92	3.05	2.032	0.08	No	CR	12072584
152.4	6	3.05	2.032	0.08	No	CR	1023402
154.432	6.08	3.05	2.032	0.08	No	CR	1023403
156.464	6.16	3.05	2.032	0.08	No	CR	1023404
160.528	6.32	3.05	2.032	0.08	No	CR	1023405
162.56	6.4	3.05	2.032	0.08	No	CR	1023406
164.592	6.48	3.05	2.032	0.08	No	CR	1023407
166.624	6.56	3.05	2.032	0.08	No	CR	1023408
168.656	6.64	3.05	2.032	0.08	No	CR	1023409
170.688	6.72	3.05	2.032	0.08	No	CR	1023410
172.72	6.8	3.05	2.032	0.08	No	CR	1023411
176.784	6.96	3.05	2.032	0.08	No	CR	1023412
178.816	7.04	3.05	2.032	0.08	No	CR	1023413
182.88	7.2	3.05	2.032	0.08	No	CR	1023414
186.944	7.36	3.05	2.032	0.08	No	CR	1023415
191.008	7.52	3.05	2.032	0.08	No	CR	1023416
193.04	7.6	3.05	2.032	0.08	No	CR	1023417
197.104	7.76	3.05	2.032	0.08	No	CR	1023418
203.2	8	3.05	2.032	0.08	No	CR	1023419
205.232	8.08	3.05	2.032	0.08	No	CR	1023420
209.296	8.24	3.05	2.032	0.08	No	CR	1023421

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
213.36	8.4	3.05	2.032	0.08	No	CR	1023422
215.392	8.48	3.05	2.032	0.08	No	CR	12072596
217.424	8.56	3.05	2.032	0.08	No	CR	1023423
221.488	8.72	3.05	2.032	0.08	No	CR	1023424
223.52	8.8	3.05	2.032	0.08	No	CR	1023425
231.648	9.12	3.05	2.032	0.08	No	CR	1023426
239.776	9.44	3.05	2.032	0.08	No	CR	1023427
243.84	9.6	3.05	2.032	0.08	No	CR	1023428
247.904	9.76	3.05	2.032	0.08	No	CR	1023429
249.936	9.84	3.05	2.032	0.08	No	CR	1023430
254	10	3.05	2.032	0.08	No	CR	1023431
256.032	10.08	3.05	2.032	0.08	No	CR	1023432
258.064	10.16	3.05	2.032	0.08	No	CR	1023433
262.128	10.32	3.05	2.032	0.08	No	CR	1023434
264.16	10.4	3.05	2.032	0.08	No	CR	1023435
268.224	10.56	3.05	2.032	0.08	No	CR	1023436
272.288	10.72	3.05	2.032	0.08	No	CR	1023437
282.448	11.12	3.05	2.032	0.08	No	CR	1023438
284.48	11.2	3.05	2.032	0.08	No	CR	1023439
290.576	11.44	3.05	2.032	0.08	No	CR	12072607
294.64	11.6	3.05	2.032	0.08	No	CR	1023440
304.8	12	3.05	2.032	0.08	No	CR	1023441
314.96	12.4	3.05	2.032	0.08	No	CR	1023442
321.056	12.64	3.05	2.032	0.08	No	CR	1023443
325.12	12.8	3.05	2.032	0.08	No	CR	1023444
335.28	13.2	3.05	2.032	0.08	No	CR	1023445
355.6	14	3.05	2.032	0.08	No	CR	1023446
373.888	14.72	3.05	2.032	0.08	No	CR	1023447
386.08	15.2	3.05	2.032	0.08	No	CR	1023448
396.24	15.6	3.05	2.032	0.08	No	CR	1023449
406.4	16	3.05	2.032	0.08	No	CR	1023450
426.72	16.8	3.05	2.032	0.08	No	CR	1023451
449.072	17.68	3.05	2.032	0.08	No	CR	1023452
457.2	18	3.05	2.032	0.08	No	CR	1023453
465.328	18.32	3.05	2.032	0.08	No	CR	1023454
471.424	18.56	3.05	2.032	0.08	No	CR	1023455
477.52	18.8	3.05	2.032	0.08	No	CR	1023456
497.84	19.6	3.05	2.032	0.08	No	CR	1023457
503.936	19.84	3.05	2.032	0.08	No	CR	1023458
505.968	19.92	3.05	2.032	0.08	No	CR	1023459
520.192	20.48	3.05	2.032	0.08	No	CR	1023460
542.544	21.36	3.05	2.032	0.08	No	CR	1023461
568.96	22.4	3.05	2.032	0.08	No	CR	1023462
599.44	23.6	3.05	2.032	0.08	No	CR	1023463
605.536	23.84	3.05	2.032	0.08	No	CR	1023464
609.6	24	3.05	2.032	0.08	No	CR	1023465
640.08	25.2	3.05	2.032	0.08	No	CR	1023466
646.176	25.44	3.05	2.032	0.08	No	CR	1023467
705.104	27.76	3.05	2.032	0.08	No	CR	1023468
731.52	28.8	3.05	2.032	0.08	No	CR	1023470
755.904	29.76	3.05	2.032	0.08	No	CR	1023472
792.48	31.2	3.05	2.032	0.08	No	CR	1023473
812.8	32	3.05	2.032	0.08	No	CR	1023474

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
829.056	32.64	3.05	2.032	0.08	No	CR	1023475
837.184	32.96	3.05	2.032	0.08	No	CR	1023476
853.44	33.6	3.05	2.032	0.08	No	CR	1023477
861.568	33.92	3.05	2.032	0.08	No	CR	1023478
881.888	34.72	3.05	2.032	0.08	No	CR	1023480
965.2	38	3.05	2.032	0.08	No	CR	1023483
991.616	39.04	3.05	2.032	0.08	No	CR	1023484
1011.94	39.84	3.05	2.032	0.08	No	CR	1023485
1016	40	3.05	2.032	0.08	No	CR	1023486
1109.472	43.68	3.05	2.032	0.08	No	CR	1023488
1202.944	47.36	3.05	2.032	0.08	No	CR	1023489

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.