

## GATES Timing Belt PowerGrip® section MXL-019



### Characteristics

**Series:** PowerGrip®

**Type:** MXL-019

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
73.152	2.88	4.83	2.032	0.08	No	CR	1023490
75.184	2.96	4.83	2.032	0.08	No	CR	12072581
81.28	3.2	4.83	2.032	0.08	No	CR	1023491
91.44	3.6	4.83	2.032	0.08	No	CR	1023492
101.6	4	4.83	2.032	0.08	No	CR	1023493
107.696	4.24	4.83	2.032	0.08	No	CR	1023494
109.728	4.32	4.83	2.032	0.08	No	CR	1023495
111.76	4.4	4.83	2.032	0.08	No	CR	1023496
113.792	4.48	4.83	2.032	0.08	No	CR	1023497
115.824	4.56	4.83	2.032	0.08	No	CR	1023498
117.856	4.64	4.83	2.032	0.08	No	CR	1023499
119.888	4.72	4.83	2.032	0.08	No	CR	1023500
121.92	4.8	4.83	2.032	0.08	No	CR	1023501
123.952	4.88	4.83	2.032	0.08	No	CR	1023502
128.016	5.04	4.83	2.032	0.08	No	CR	1023503
132.08	5.2	4.83	2.032	0.08	No	CR	1023504
136.144	5.36	4.83	2.032	0.08	No	CR	1023505
138.176	5.44	4.83	2.032	0.08	No	CR	1023506
140.208	5.52	4.83	2.032	0.08	No	CR	1023507
142.24	5.6	4.83	2.032	0.08	No	CR	1023508
144.272	5.68	4.83	2.032	0.08	No	CR	1023509
146.304	5.76	4.83	2.032	0.08	No	CR	1023510
148.336	5.84	4.83	2.032	0.08	No	CR	1023511
150.368	5.92	4.83	2.032	0.08	No	CR	12072585
152.4	6	4.83	2.032	0.08	No	CR	1023512
154.432	6.08	4.83	2.032	0.08	No	CR	1023513
156.464	6.16	4.83	2.032	0.08	No	CR	1023514
160.528	6.32	4.83	2.032	0.08	No	CR	1023515
162.56	6.4	4.83	2.032	0.08	No	CR	1023516
164.592	6.48	4.83	2.032	0.08	No	CR	1023517
166.624	6.56	4.83	2.032	0.08	No	CR	1023518
168.656	6.64	4.83	2.032	0.08	No	CR	1023519
170.688	6.72	4.83	2.032	0.08	No	CR	1023520
172.72	6.8	4.83	2.032	0.08	No	CR	1023521
176.784	6.96	4.83	2.032	0.08	No	CR	1023522
178.816	7.04	4.83	2.032	0.08	No	CR	1023523
182.88	7.2	4.83	2.032	0.08	No	CR	1023524
186.944	7.36	4.83	2.032	0.08	No	CR	1023525
191.008	7.52	4.83	2.032	0.08	No	CR	1023526
193.04	7.6	4.83	2.032	0.08	No	CR	1023527
197.104	7.76	4.83	2.032	0.08	No	CR	1023528
203.2	8	4.83	2.032	0.08	No	CR	1023529
205.232	8.08	4.83	2.032	0.08	No	CR	1023530

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

## Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
209.296	8.24	4.83	2.032	0.08	No	CR	1023531
213.36	8.4	4.83	2.032	0.08	No	CR	1023532
215.392	8.48	4.83	2.032	0.08	No	CR	12072597
217.424	8.56	4.83	2.032	0.08	No	CR	1023533
221.488	8.72	4.83	2.032	0.08	No	CR	1023534
223.52	8.8	4.83	2.032	0.08	No	CR	1023535
231.648	9.12	4.83	2.032	0.08	No	CR	1023536
239.776	9.44	4.83	2.032	0.08	No	CR	1023537
243.84	9.6	4.83	2.032	0.08	No	CR	1023538
247.904	9.76	4.83	2.032	0.08	No	CR	1023539
249.936	9.84	4.83	2.032	0.08	No	CR	1023540
254	10	4.83	2.032	0.08	No	CR	1023541
256.032	10.08	4.83	2.032	0.08	No	CR	1023544
258.064	10.16	4.83	2.032	0.08	No	CR	1023542
262.128	10.32	4.83	2.032	0.08	No	CR	1023543
264.16	10.4	4.83	2.032	0.08	No	CR	1023545
268.224	10.56	4.83	2.032	0.08	No	CR	1023546
272.288	10.72	4.83	2.032	0.08	No	CR	1023547
282.448	11.12	4.83	2.032	0.08	No	CR	1023548
284.48	11.2	4.83	2.032	0.08	No	CR	1023549
290.576	11.44	4.83	2.032	0.08	No	CR	12072608
294.64	11.6	4.83	2.032	0.08	No	CR	1023550
304.8	12	4.83	2.032	0.08	No	CR	1023551
314.96	12.4	4.83	2.032	0.08	No	CR	1023552
321.056	12.64	4.83	2.032	0.08	No	CR	1023553
325.12	12.8	4.83	2.032	0.08	No	CR	1023554
335.28	13.2	4.83	2.032	0.08	No	CR	1023555
355.6	14	4.83	2.032	0.08	No	CR	1023556
373.888	14.72	4.83	2.032	0.08	No	CR	1023557
386.08	15.2	4.83	2.032	0.08	No	CR	1023558
396.24	15.6	4.83	2.032	0.08	No	CR	1023559
406.4	16	4.83	2.032	0.08	No	CR	1023560
426.72	16.8	4.83	2.032	0.08	No	CR	1023561
449.072	17.68	4.83	2.032	0.08	No	CR	1023562
457.2	18	4.83	2.032	0.08	No	CR	1023563
465.328	18.32	4.83	2.032	0.08	No	CR	1023564
471.424	18.56	4.83	2.032	0.08	No	CR	1023565
477.52	18.8	4.83	2.032	0.08	No	CR	1023566
497.84	19.6	4.83	2.032	0.08	No	CR	1023567
503.936	19.84	4.83	2.032	0.08	No	CR	1023568
505.968	19.92	4.83	2.032	0.08	No	CR	1023569
520.192	20.48	4.83	2.032	0.08	No	CR	1023570
542.544	21.36	4.83	2.032	0.08	No	CR	1023571
568.96	22.4	4.83	2.032	0.08	No	CR	1023572
599.44	23.6	4.83	2.032	0.08	No	CR	1023573
605.536	23.84	4.83	2.032	0.08	No	CR	1023574
609.6	24	4.83	2.032	0.08	No	CR	1023575
640.08	25.2	4.83	2.032	0.08	No	CR	1023576
646.176	25.44	4.83	2.032	0.08	No	CR	1023577
705.104	27.76	4.83	2.032	0.08	No	CR	1023578
731.52	28.8	4.83	2.032	0.08	No	CR	1023580
755.904	29.76	4.83	2.032	0.08	No	CR	1023582
792.48	31.2	4.83	2.032	0.08	No	CR	1023583

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
812.8	32	4.83	2.032	0.08	No	CR	1023584
829.056	32.64	4.83	2.032	0.08	No	CR	1023585
837.184	32.96	4.83	2.032	0.08	No	CR	1023586
853.44	33.6	4.83	2.032	0.08	No	CR	1023587
861.568	33.92	4.83	2.032	0.08	No	CR	1023588
881.888	34.72	4.83	2.032	0.08	No	CR	1023590
965.2	38	4.83	2.032	0.08	No	CR	1023593
991.616	39.04	4.83	2.032	0.08	No	CR	1023594
1011.94	39.84	4.83	2.032	0.08	No	CR	1023595
1016	40	4.83	2.032	0.08	No	CR	1023596
1109.472	43.68	4.83	2.032	0.08	No	CR	1023598
1202.944	47.36	4.83	2.032	0.08	No	CR	1023599

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.