

## GATES Timing Belt PowerGrip® section MXL-025



### Characteristics

**Series:** PowerGrip®

**Type:** MXL-025

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
73.152	2.88	6.35	2.032	0.08	No	CR	1023600
75.184	2.96	6.35	2.032	0.08	No	CR	12072582
81.28	3.2	6.35	2.032	0.08	No	CR	1023601
91.44	3.6	6.35	2.032	0.08	No	CR	1023602
101.6	4	6.35	2.032	0.08	No	CR	1023603
107.696	4.24	6.35	2.032	0.08	No	CR	1023604
109.728	4.32	6.35	2.032	0.08	No	CR	1023605
111.76	4.4	6.35	2.032	0.08	No	CR	1023606
113.792	4.48	6.35	2.032	0.08	No	CR	1023607
115.824	4.56	6.35	2.032	0.08	No	CR	1023608
117.856	4.64	6.35	2.032	0.08	No	CR	1023609
119.888	4.72	6.35	2.032	0.08	No	CR	1023610
121.92	4.8	6.35	2.032	0.08	No	CR	1023611
123.952	4.88	6.35	2.032	0.08	No	CR	1023612
128.016	5.04	6.35	2.032	0.08	No	CR	1023613
132.08	5.2	6.35	2.032	0.08	No	CR	1023614
136.144	5.36	6.35	2.032	0.08	No	CR	1023615
138.176	5.44	6.35	2.032	0.08	No	CR	1023616
140.208	5.52	6.35	2.032	0.08	No	CR	1023617
142.24	5.6	6.35	2.032	0.08	No	CR	1023618
144.272	5.68	6.35	2.032	0.08	No	CR	1023619
146.304	5.76	6.35	2.032	0.08	No	CR	1023620
148.336	5.84	6.35	2.032	0.08	No	CR	1023621
150.368	5.92	6.35	2.032	0.08	No	CR	12072586
152.4	6	6.35	2.032	0.08	No	CR	1023622
154.432	6.08	6.35	2.032	0.08	No	CR	1023623
156.464	6.16	6.35	2.032	0.08	No	CR	1023624
160.528	6.32	6.35	2.032	0.08	No	CR	1023625
162.56	6.4	6.35	2.032	0.08	No	CR	1023626
164.592	6.48	6.35	2.032	0.08	No	CR	1023627
166.624	6.56	6.35	2.032	0.08	No	CR	1023628
168.656	6.64	6.35	2.032	0.08	No	CR	1023629
170.688	6.72	6.35	2.032	0.08	No	CR	1023630
172.72	6.8	6.35	2.032	0.08	No	CR	1023631
176.784	6.96	6.35	2.032	0.08	No	CR	1023632
178.816	7.04	6.35	2.032	0.08	No	CR	1023633
182.88	7.2	6.35	2.032	0.08	No	CR	1023634
186.944	7.36	6.35	2.032	0.08	No	CR	1023635
191.008	7.52	6.35	2.032	0.08	No	CR	1023636
193.04	7.6	6.35	2.032	0.08	No	CR	1023637
197.104	7.76	6.35	2.032	0.08	No	CR	1023638
203.2	8	6.35	2.032	0.08	No	CR	1023639
205.232	8.08	6.35	2.032	0.08	No	CR	1023640

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

## Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
209.296	8.24	6.35	2.032	0.08	No	CR	1023641
213.36	8.4	6.35	2.032	0.08	No	CR	1023642
215.392	8.48	6.35	2.032	0.08	No	CR	12072598
217.424	8.56	6.35	2.032	0.08	No	CR	1023643
221.488	8.72	6.35	2.032	0.08	No	CR	1023644
223.52	8.8	6.35	2.032	0.08	No	CR	1023645
231.648	9.12	6.35	2.032	0.08	No	CR	1023646
239.776	9.44	6.35	2.032	0.08	No	CR	1023647
243.84	9.6	6.35	2.032	0.08	No	CR	1023648
247.904	9.76	6.35	2.032	0.08	No	CR	1023649
249.936	9.84	6.35	2.032	0.08	No	CR	1023650
254	10	6.35	2.032	0.08	No	CR	1023651
256.032	10.08	6.35	2.032	0.08	No	CR	1023654
258.064	10.16	6.35	2.032	0.08	No	CR	1023652
262.128	10.32	6.35	2.032	0.08	No	CR	1023653
264.16	10.4	6.35	2.032	0.08	No	CR	1023655
268.224	10.56	6.35	2.032	0.08	No	CR	1023656
272.288	10.72	6.35	2.032	0.08	No	CR	1023657
282.448	11.12	6.35	2.032	0.08	No	CR	1023658
284.48	11.2	6.35	2.032	0.08	No	CR	1023659
290.576	11.44	6.35	2.032	0.08	No	CR	12072609
294.64	11.6	6.35	2.032	0.08	No	CR	1023660
304.8	12	6.35	2.032	0.08	No	CR	1023661
314.96	12.4	6.35	2.032	0.08	No	CR	1023662
321.056	12.64	6.35	2.032	0.08	No	CR	1023663
325.12	12.8	6.35	2.032	0.08	No	CR	23843306
335.28	13.2	6.35	2.032	0.08	No	CR	1023664
355.6	14	6.35	2.032	0.08	No	CR	1023665
373.888	14.72	6.35	2.032	0.08	No	CR	1023666
386.08	15.2	6.35	2.032	0.08	No	CR	1023667
396.24	15.6	6.35	2.032	0.08	No	CR	1023668
406.4	16	6.35	2.032	0.08	No	CR	1023669
426.72	16.8	6.35	2.032	0.08	No	CR	1023670
449.072	17.68	6.35	2.032	0.08	No	CR	1023671
457.2	18	6.35	2.032	0.08	No	CR	1023672
465.328	18.32	6.35	2.032	0.08	No	CR	1023673
471.424	18.56	6.35	2.032	0.08	No	CR	1023674
477.52	18.8	6.35	2.032	0.08	No	CR	1023675
497.84	19.6	6.35	2.032	0.08	No	CR	1023676
503.936	19.84	6.35	2.032	0.08	No	CR	1023677
505.968	19.92	6.35	2.032	0.08	No	CR	1023678
520.192	20.48	6.35	2.032	0.08	No	CR	1023679
542.544	21.36	6.35	2.032	0.08	No	CR	1023680
568.96	22.4	6.35	2.032	0.08	No	CR	1023681
599.44	23.6	6.35	2.032	0.08	No	CR	1023682
605.536	23.84	6.35	2.032	0.08	No	CR	1023683
609.6	24	6.35	2.032	0.08	No	CR	1023684
640.08	25.2	6.35	2.032	0.08	No	CR	1023685
646.176	25.44	6.35	2.032	0.08	No	CR	1023686
705.104	27.76	6.35	2.032	0.08	No	CR	1023687
731.52	28.8	6.35	2.032	0.08	No	CR	1023689
755.904	29.76	6.35	2.032	0.08	No	CR	1023691
792.48	31.2	6.35	2.032	0.08	No	CR	1023692

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
812.8	32	6.35	2.032	0.08	No	CR	1023693
829.056	32.64	6.35	2.032	0.08	No	CR	1023694
837.184	32.96	6.35	2.032	0.08	No	CR	1023695
853.44	33.6	6.35	2.032	0.08	No	CR	1023696
861.568	33.92	6.35	2.032	0.08	No	CR	1023697
881.888	34.72	6.35	2.032	0.08	No	CR	1023699
965.2	38	6.35	2.032	0.08	No	CR	1023702
991.616	39.04	6.35	2.032	0.08	No	CR	1023703
1011.94	39.84	6.35	2.032	0.08	No	CR	1023704
1016	40	6.35	2.032	0.08	No	CR	1023705
1109.472	43.68	6.35	2.032	0.08	No	CR	1023707
1202.944	47.36	6.35	2.032	0.08	No	CR	1023708

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.