

## GATES Timing belt PowerGrip® section XL-025



### Characteristics

**Series:** PowerGrip®

**Type:** XL-025



Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
116.84	4.6	6.35	5.08	1/5	No	CR	23843548
127	5	6.35	5.08	1/5	No	CR	1023709
147.32	5.8	6.35	5.08	1/5	No	CR	1023710
152.4	6	6.35	5.08	1/5	No	CR	896993
167.64	6.6	6.35	5.08	1/5	No	CR	1023711
177.8	7	6.35	5.08	1/5	No	CR	897000
193.04	7.6	6.35	5.08	1/5	No	CR	1023712
203.2	8	6.35	5.08	1/5	No	CR	23842631
213.36	8.4	6.35	5.08	1/5	No	CR	1023714
218.44	8.6	6.35	5.08	1/5	No	CR	1023715
223.52	8.8	6.35	5.08	1/5	No	CR	1023716
228.6	9	6.35	5.08	1/5			23842632
233.68	9.2	6.35	5.08	1/5	No	CR	1023717
238.76	9.4	6.35	5.08	1/5	No	CR	1023718
243.84	9.6	6.35	5.08	1/5	No	CR	12072749
248.92	9.8	6.35	5.08	1/5	No	CR	1023719
254	10	6.35	5.08	1/5	No	CR	897035
259.08	10.2	6.35	5.08	1/5	No	CR	1023720
274.32	10.8	6.35	5.08	1/5	No	CR	1023722
279.4	11	6.35	5.08	1/5	No	CR	897043
284.48	11.2	6.35	5.08	1/5	No	CR	1023723
289.56	11.4	6.35	5.08	1/5	No	CR	1023724
294.64	11.6	6.35	5.08	1/5	No	CR	1023725
299.72	11.8	6.35	5.08	1/5	No	CR	1023726
304.8	12	6.35	5.08	1/5	No	CR	897051
309.88	12.2	6.35	5.08	1/5	No	CR	1023727
314.96	12.4	6.35	5.08	1/5	No	CR	1023728
320.04	12.6	6.35	5.08	1/5	No	CR	1023729
325.12	12.8	6.35	5.08	1/5	No	CR	1023730
330.2	13	6.35	5.08	1/5	No	CR	897078
335.28	13.2	6.35	5.08	1/5	No	CR	1023731
340.36	13.4	6.35	5.08	1/5	No	CR	1023732
345.44	13.6	6.35	5.08	1/5	No	CR	1023733
350.52	13.8	6.35	5.08	1/5	No	CR	1023734
355.6	14	6.35	5.08	1/5	No	CR	897086
360.68	14.2	6.35	5.08	1/5	No	CR	1023735
365.76	14.4	6.35	5.08	1/5	No	CR	1023736
370.84	14.6	6.35	5.08	1/5	No	CR	1023737
375.92	14.8	6.35	5.08	1/5	No	CR	1023738
381	15	6.35	5.08	1/5	No	CR	897094
391.16	15.4	6.35	5.08	1/5	No	CR	1023739
396.24	15.6	6.35	5.08	1/5	No	CR	1023740
401.32	15.8	6.35	5.08	1/5	No	CR	1023741

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

## Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
416.56	16.4	6.35	5.08	1/5	No	CR	1023743
421.64	16.6	6.35	5.08	1/5	No	CR	1023744
431.8	17	6.35	5.08	1/5	No	CR	897116
441.96	17.4	6.35	5.08	1/5	No	CR	1023745
447.04	17.6	6.35	5.08	1/5	No	CR	1023746
452.12	17.8	6.35	5.08	1/5	No	CR	1023747
457.2	18	6.35	5.08	1/5	No	CR	897124
462.28	18.2	6.35	5.08	1/5	No	CR	1023748
467.36	18.4	6.35	5.08	1/5	No	CR	1023749
477.52	18.8	6.35	5.08	1/5	No	CR	1023750
482.6	19	6.35	5.08	1/5	No	CR	897132
487.68	19.2	6.35	5.08	1/5	No	CR	1023751
492.76	19.4	6.35	5.08	1/5	No	CR	1023752
497.84	19.6	6.35	5.08	1/5	No	CR	1023753
513.08	20.2	6.35	5.08	1/5	No	CR	1023755
518.16	20.4	6.35	5.08	1/5	No	CR	1023756
528.32	20.8	6.35	5.08	1/5	No	CR	1023757
533.4	21	6.35	5.08	1/5	No	CR	23842644
538.48	21.2	6.35	5.08	1/5	No	CR	1023758
543.56	21.4	6.35	5.08	1/5	No	CR	1023759
558.8	22	6.35	5.08	1/5	No	CR	897159
579.12	22.8	6.35	5.08	1/5	No	CR	1023760
584.2	23	6.35	5.08	1/5	No	CR	897299
589.28	23.2	6.35	5.08	1/5	No	CR	1023761
594.36	23.4	6.35	5.08	1/5	No	CR	1023762
609.6	24	6.35	5.08	1/5	No	CR	897302
635	25	6.35	5.08	1/5	No	CR	897167
660.4	26	6.35	5.08	1/5	No	CR	23842649
670.56	26.4	6.35	5.08	1/5	No	CR	1023763
685.8	27	6.35	5.08	1/5	No	CR	1023764
695.96	27.4	6.35	5.08	1/5	No	CR	1023765
711.2	28	6.35	5.08	1/5	No	CR	1023766
721.36	28.4	6.35	5.08	1/5	No	CR	1023767
726.44	28.6	6.35	5.08	1/5	No	CR	1023768
736.6	29	6.35	5.08	1/5	No	CR	1023769
751.84	29.6	6.35	5.08	1/5	No	CR	1023770
762	30	6.35	5.08	1/5	No	CR	1023771
777.24	30.6	6.35	5.08	1/5	No	CR	1023772
787.4	31	6.35	5.08	1/5	No	CR	1023773
802.64	31.6	6.35	5.08	1/5	No	CR	1023774
817.88	32.2	6.35	5.08	1/5	No	CR	1023775
838.2	33	6.35	5.08	1/5	No	CR	1023776
863.6	34	6.35	5.08	1/5	No	CR	1023777
873.76	34.4	6.35	5.08	1/5	No	CR	1023778
883.92	34.8	6.35	5.08	1/5	No	CR	1023779
889	35	6.35	5.08	1/5	No	CR	1023780
894.08	35.2	6.35	5.08	1/5	No	CR	1023781
919.48	36.2	6.35	5.08	1/5	No	CR	1023782
944.88	37.2	6.35	5.08	1/5	No	CR	1023783
965.2	38	6.35	5.08	1/5	No	CR	1023784
970.28	38.2	6.35	5.08	1/5	No	CR	1023785
975.36	38.4	6.35	5.08	1/5	No	CR	1023786
990.6	39	6.35	5.08	1/5	No	CR	1023787

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

## Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
995.68	39.2	6.35	5.08	1/5	No	CR	1023788
1026.16	40.4	6.35	5.08	1/5	No	CR	1023789
1046.48	41.2	6.35	5.08	1/5	No	CR	1023790
1076.96	42.4	6.35	5.08	1/5	No	CR	1023791
1097.28	43.2	6.35	5.08	1/5	No	CR	1023792
1102.36	43.4	6.35	5.08	1/5	No	CR	1023793
1112.52	43.8	6.35	5.08	1/5	No	CR	1023794
1143	45	6.35	5.08	1/5	No	CR	1023795
1168.4	46	6.35	5.08	1/5	No	CR	1023796
1244.6	49	6.35	5.08	1/5	No	CR	1023797
1285.24	50.6	6.35	5.08	1/5	No	CR	1023798
1371.6	54	6.35	5.08	1/5	No	CR	1023799
1407.16	55.4	6.35	5.08	1/5	No	CR	1023800
1432.56	56.4	6.35	5.08	1/5	No	CR	12072786
1473.2	58	6.35	5.08	1/5	No	CR	1023801
1503.68	59.2	6.35	5.08	1/5	No	CR	1023802
1706.88	67.2	6.35	5.08	1/5	No	CR	1023803
1869.44	73.6	6.35	5.08	1/5	No	CR	1023804
1955.8	77	6.35	5.08	1/5	No	CR	1023805

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.