

GATES Timing belt PowerGrip® section XL-031



Characteristics

Series: PowerGrip®

Type: XL-031



Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
116.84	4.6	7.94	5.08	1/5	No	CR	23843549
127	5	7.94	5.08	1/5	No	CR	23843901
147.32	5.8	7.94	5.08	1/5	No	CR	23843746
152.4	6	7.94	5.08	1/5	No	CR	23843593
167.64	6.6	7.94	5.08	1/5	No	CR	23843554
177.8	7	7.94	5.08	1/5	No	CR	23843721
193.04	7.6	7.94	5.08	1/5	No	CR	23843400
203.2	8	7.94	5.08	1/5	No	CR	23843594
213.36	8.4	7.94	5.08	1/5	No	CR	23843775
218.44	8.6	7.94	5.08	1/5	No	CR	23843401
223.52	8.8	7.94	5.08	1/5	No	CR	23843559
228.6	9	7.94	5.08	1/5	No	CR	23843596
233.68	9.2	7.94	5.08	1/5	No	CR	23843598
238.76	9.4	7.94	5.08	1/5	No	CR	23843561
243.84	9.6	7.94	5.08	1/5	No	CR	12072750
248.92	9.8	7.94	5.08	1/5	No	CR	23843748
254	10	7.94	5.08	1/5	No	CR	23843600
259.08	10.2	7.94	5.08	1/5	No	CR	23843750
269.24	10.6	7.94	5.08	1/5	No	CR	23843751
274.32	10.8	7.94	5.08	1/5	No	CR	23843492
279.4	11	7.94	5.08	1/5	No	CR	23843603
284.48	11.2	7.94	5.08	1/5	No	CR	12025837
289.56	11.4	7.94	5.08	1/5	No	CR	23843403
294.64	11.6	7.94	5.08	1/5	No	CR	23842608
299.72	11.8	7.94	5.08	1/5	No	CR	23843495
304.8	12	7.94	5.08	1/5	No	CR	23843604
309.88	12.2	7.94	5.08	1/5	No	CR	23843753
314.96	12.4	7.94	5.08	1/5	No	CR	23843755
320.04	12.6	7.94	5.08	1/5	No	CR	23843757
325.12	12.8	7.94	5.08	1/5	No	CR	23843759
330.2	13	7.94	5.08	1/5	No	CR	23843607
335.28	13.2	7.94	5.08	1/5	No	CR	23843496
340.36	13.4	7.94	5.08	1/5	No	CR	23843760
345.44	13.6	7.94	5.08	1/5	No	CR	23843498
350.52	13.8	7.94	5.08	1/5	No	CR	23843762
355.6	14	7.94	5.08	1/5	No	CR	23843609
360.68	14.2	7.94	5.08	1/5	No	CR	23843765
365.76	14.4	7.94	5.08	1/5	No	CR	23843766
370.84	14.6	7.94	5.08	1/5	No	CR	23843767
375.92	14.8	7.94	5.08	1/5	No	CR	23843768
381	15	7.94	5.08	1/5	No	CR	23843615
391.16	15.4	7.94	5.08	1/5	No	CR	23843780
396.24	15.6	7.94	5.08	1/5	No	CR	23843778

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
401.32	15.8	7.94	5.08	1/5	No	CR	23843783
406.4	16	7.94	5.08	1/5	No	CR	23843617
416.56	16.4	7.94	5.08	1/5	No	CR	23843500
421.64	16.6	7.94	5.08	1/5	No	CR	23843785
441.96	17.4	7.94	5.08	1/5	No	CR	23843794
447.04	17.6	7.94	5.08	1/5	No	CR	23843792
452.12	17.8	7.94	5.08	1/5	No	CR	23843502
457.2	18	7.94	5.08	1/5	No	CR	23843624
462.28	18.2	7.94	5.08	1/5	No	CR	23843790
467.36	18.4	7.94	5.08	1/5	No	CR	23843786
477.52	18.8	7.94	5.08	1/5	No	CR	23843504
482.6	19	7.94	5.08	1/5	No	CR	23843626
487.68	19.2	7.94	5.08	1/5	No	CR	23843795
492.76	19.4	7.94	5.08	1/5	No	CR	23843506
497.84	19.6	7.94	5.08	1/5	No	CR	23843391
508	20	7.94	5.08	1/5	No	CR	23843628
513.08	20.2	7.94	5.08	1/5	No	CR	23843512
518.16	20.4	7.94	5.08	1/5	No	CR	23843797
528.32	20.8	7.94	5.08	1/5	No	CR	23843799
533.4	21	7.94	5.08	1/5	No	CR	23843630
538.48	21.2	7.94	5.08	1/5	No	CR	23843801
543.56	21.4	7.94	5.08	1/5	No	CR	23843515
558.8	22	7.94	5.08	1/5	No	CR	23843632
579.12	22.8	7.94	5.08	1/5	No	CR	23843804
584.2	23	7.94	5.08	1/5	No	CR	23843634
589.28	23.2	7.94	5.08	1/5	No	CR	23843518
594.36	23.4	7.94	5.08	1/5	No	CR	23843521
609.6	24	7.94	5.08	1/5	No	CR	23843635
635	25	7.94	5.08	1/5	No	CR	23843636
660.4	26	7.94	5.08	1/5	No	CR	1022516
670.56	26.4	7.94	5.08	1/5	No	CR	23843814
685.8	27	7.94	5.08	1/5	No	CR	23843198
695.96	27.4	7.94	5.08	1/5	No	CR	23843815
711.2	28	7.94	5.08	1/5	No	CR	23843817
721.36	28.4	7.94	5.08	1/5	No	CR	23843819
726.44	28.6	7.94	5.08	1/5	No	CR	23843524
736.6	29	7.94	5.08	1/5	No	CR	23843820
751.84	29.6	7.94	5.08	1/5	No	CR	23843822
762	30	7.94	5.08	1/5	No	CR	23843644
777.24	30.6	7.94	5.08	1/5	No	CR	23843806
787.4	31	7.94	5.08	1/5	No	CR	23843807
802.64	31.6	7.94	5.08	1/5	No	CR	23843440
817.88	32.2	7.94	5.08	1/5	No	CR	23843447
838.2	33	7.94	5.08	1/5	No	CR	23843204
863.6	34	7.94	5.08	1/5	No	CR	23843526
873.76	34.4	7.94	5.08	1/5	No	CR	23843527
883.92	34.8	7.94	5.08	1/5	No	CR	23843808
889	35	7.94	5.08	1/5	No	CR	23843529
894.08	35.2	7.94	5.08	1/5	No	CR	23843893
919.48	36.2	7.94	5.08	1/5	No	CR	23843532
944.88	37.2	7.94	5.08	1/5	No	CR	23843651
965.2	38	7.94	5.08	1/5	No	CR	23843811
970.28	38.2	7.94	5.08	1/5	No	CR	23843534

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Timing Belts | Timing Belts (Chloroprene Rubber)

Pitch length mm	Pitch length in	Width mm	Pitch mm	Pitch in	Double-sided	Material	Article
975.36	38.4	7.94	5.08	1/5	No	CR	23843813
990.6	39	7.94	5.08	1/5	No	CR	23843395
995.68	39.2	7.94	5.08	1/5	No	CR	23843536
1026.16	40.4	7.94	5.08	1/5	No	CR	23843538
1046.48	41.2	7.94	5.08	1/5	No	CR	23843398
1076.96	42.4	7.94	5.08	1/5	No	CR	23843831
1097.28	43.2	7.94	5.08	1/5	No	CR	23843656
1102.36	43.4	7.94	5.08	1/5	No	CR	23843829
1112.52	43.8	7.94	5.08	1/5	No	CR	23843542
1143	45	7.94	5.08	1/5	No	CR	23843826
1168.4	46	7.94	5.08	1/5	No	CR	23843544
1244.6	49	7.94	5.08	1/5	No	CR	23843546
1285.24	50.6	7.94	5.08	1/5	No	CR	23843659
1371.6	54	7.94	5.08	1/5	No	CR	23843827
1407.16	55.4	7.94	5.08	1/5	No	CR	23843563
1432.56	56.4	7.94	5.08	1/5	No	CR	12072787
1473.2	58	7.94	5.08	1/5	No	CR	23843824
1503.68	59.2	7.94	5.08	1/5	No	CR	23843552
1706.88	67.2	7.94	5.08	1/5	No	CR	23843838
1869.44	73.6	7.94	5.08	1/5	No	CR	23843556
1955.8	77	7.94	5.08	1/5	No	CR	23843835

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.