


FORMAT Milling cutter with shank, N HSSCo TiAlN type 2175



Design: Type N, 30°, with central cut.

Application: Can be used for peripheral and end milling.

Cutting speed approx. 50% higher than with non-coated tools. Dry machining possible.



Characteristics

Type: Milling cutter with shank

DIN standard: 844K

Type	Maximum working length mm	Shaft diameter mm	Total length mm	DIN standard	Article
Milling cutter with shank	7	6	51	844K	W90A-21750200
Milling cutter with shank	13	6	57	844K	W90A-21750500
Milling cutter with shank	8	6	52	844K	W90A-21750300
Milling cutter with shank	13	6	57	844K	W90A-21750600
Milling cutter with shank	11	6	55	844K	W90A-21750400
Milling cutter with shank	16	10	66	844K	W90A-21750700
Milling cutter with shank	19	10	69	844K	W90A-21750900
Milling cutter with shank	22	10	72	844K	W90A-21751000
Milling cutter with shank	19	10	69	844K	W90A-21750800
Milling cutter with shank	26	12	83	844K	W90A-21751200
Milling cutter with shank	26	12	83	844K	W90A-21751300
Milling cutter with shank	26	12	83	844K	W90A-21751500
Milling cutter with shank	26	12	83	844K	W90A-21751400
Milling cutter with shank	32	16	92	844K	W90A-21751800
Milling cutter with shank	32	16	92	844K	W90A-21751600
Milling cutter with shank	38	20	104	844K	W90A-21752000
Milling cutter with shank	38	20	104	844K	W90A-21752200
Milling cutter with shank	45	25	121	844K	W90A-21752400
Milling cutter with shank	45	25	121	844K	W90A-21752500

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.