



## FAG High precision angular contact bearing Series: B719.-E

### Characteristics

Series: B719.-E

### Application

- Recommended in: Chemical

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	With sealing	Article
B71900-E-T-P4S-UL	10	22	6	25	No	12625337
B71900-E-T-P4S-UM	10	22	6	25	No	12625339
B71900-E-T-P4S-DUL	10	22	12	25	No	13250962
B71900-E-T-P4S-DUM	10	22	12	25	No	12625335
B71901-E-T-P4S-UL	12	24	6	25	No	12041915
B71901-E-T-P4S-UM	12	24	6	25	No	12625347
B71901-E-T-P4S-DUL	12	24	12	25	No	12625345
B71902-E-T-P4S-UL	15	28	7	25	No	12625357
B71902-E-T-P4S-UM	15	28	7	25	No	12625359
B71902-E-T-P4S-DBM	15	28	14	25	No	13250963
B71902-E-T-P4S-DUL	15	28	14	25	No	12625355
B71903-E-T-P4S-UL	17	30	7	25	No	11752395
B71903-E-T-P4S-UM	17	30	7	25	No	12625367
B71903-E-T-P4S-DUL	17	30	14	25	No	12625365
B71903-E-T-P4S-TBTM	17	30	21	25	No	13250967
B71904-E-T-P4S-UL	20	37	9	25	No	12579779
B71904-E-T-P4S-UM	20	37	9	25	No	11833348
B71904-E-T-P4S-K5-UM	20	37	9	25	No	12625377
B71904-E-T-P4S-DUL	20	37	18	25	No	12625375
B71904-E-T-P4S-TBTM	20	37	27	25	No	13250971
B71904-E-T-P4S-TUL	20	37	27	25	No	12625379
B71905-E-T-P4S-UM	25	42	9	25	No	12625388
B71905-E-T-P4S-UL	25	42	9	25	No	23713094
B71905-E-T-P4S-DUL	25	42	18	25	No	12625385
B71906-E-T-P4S-UM	30	47	9	25	No	12625400
B71906-E-T-P4S-K5-UM	30	47	9	25	No	12625398
B71906-E-T-P4S-UL	30	47	9	25	No	23713095
B71906-E-T-P4S-DUL	30	47	18	25	No	12496070
B71906-E-T-P4S-DBM	30	47	18	25	No	13250980
B71907-E-T-P4S-UM	35	55	10	25	No	12625425
B71907-E-T-P4S-K5-UL	35	55	10	25	No	12625415
B71907-E-T-P4S-K5-UM	35	55	10	25	No	12625417
B71907-E-T-P4S-UL	35	55	10	25	No	12496068
B71907-E-MPA-P4S-UL	35	55	10	25	No	14179828
B71907-E-T-P4S-DUL	35	55	20	25	No	12625410
B71907-E-T-P4S-DUM	35	55	20	25	No	12625412
B71908-E-T-P4S-UM	40	62	12	25	No	12089759
B71908-E-T-P4S-UL	40	62	12	25	No	12346898
B71908-E-T-P4S-K5-UM	40	62	12	25	No	12625438
B71908-E-T-P4S-DUL	40	62	24	25	No	12625434
B71908-E-T-P4S-DTL	40	62	24	25	No	13250992
B71909-E-T-P4S-UL	45	68	12	25	No	23713098
B71909-E-T-P4S-UM	45	68	12	25	No	12625455

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		
B71909-E-T-P4S-DUM	45	68	24	25	No	12625449
B71909-E-T-P4S-DUL	45	68	24	25	No	12625447
B71910-E-T-P4S-UM	50	72	12	25	No	12625477
B71910-E-T-P4S-UL	50	72	12	25	No	12625475
B71910-E-T-P4S-K5-UM	50	72	12	25	No	12625471
B71910-E-T-P4S-K5-UL	50	72	12	25	No	12625469
B71910-E-T-P4S-DBL	50	72	24	25	No	13250997
B71910-E-T-P4S-DUM	50	72	24	25	No	12625467
B71910-E-T-P4S-DUL	50	72	24	25	No	12625465
B71910-E-T-P4S-QUM	50	72	48	25	No	12625473
B71911-E-T-P4S-UL	55	80	13	25	No	12496066
B71911-E-T-P4S-K5-UL	55	80	13	25	No	12625485
B71911-E-T-P4S-UM	55	80	13	25	No	12625493
B71911-E-T-P4S-DUL	55	80	26	25	No	12625483
B71911-E-T-P4S-QUL	55	80	52	25	No	12625489
B71911-E-T-P4S-QUM	55	80	52	25	No	12625491
B71912-E-T-P4S-UL	60	85	13	25	No	11833356
B71912-E-T-P4S-K5-UL	60	85	13	25	No	12625505
B71912-E-T-P4S-K5-UM	60	85	13	25	No	12625508
B71912-E-T-P4S-UM	60	85	13	25	No	12625512
B71912-E-T-P4S-UH	60	85	13	25	No	13251006
B71912-E-T-P4S-DUM	60	85	26	25	No	12625503
B71912-E-T-P4S-DUL	60	85	26	25	No	12625501
B71912-E-T-P4S-TTL	60	85	39	25	No	13251005
B71912-E-T-P4S-QUL	60	85	52	25	No	12625510
B71913-E-T-P4S-UL	65	90	13	25	No	11833358
B71913-E-T-P4S-K5-UL	65	90	13	25	No	12625526
B71913-E-T-P4S-K5-UM	65	90	13	25	No	12625528
B71913-E-T-P4S-UM	65	90	13	25	No	12625532
B71913-E-T-P4S-DUL	65	90	26	25	No	12625522
B71913-E-T-P4S-DUM	65	90	26	25	No	12625524
B71914-E-T-P4S-UL	70	100	16	25	No	11833360
B71914-E-T-P4S-K5-UL	70	100	16	25	No	12625544
B71914-E-T-P4S-K5-UM	70	100	16	25	No	12625546
B71914-E-T-P4S-UM	70	100	16	25	No	12625552
B71914-E-T-P4S-DUL	70	100	32	25	No	12625540
B71914-EDLR-T-P4S-DUL	70	100	32	25	No	14181291
B71914-E-T-P4S-DUM	70	100	32	25	No	12625542
B71915-E-T-P4S-UL	75	105	16	25	No	12625566
B71915-E-T-P4S-K5-UL	75	105	16	25	No	12625562
B71915-E-T-P4S-UM	75	105	16	25	No	12625568
B71915-E-T-P4S-DUL	75	105	32	25	No	12625560
B71915-E-T-P4S-TUL	75	105	48	25	No	12625564
B71916-EDLR-T-P4S-UL	80	110	16	25	No	14179789
B71916-E-T-P4S-K5-UM	80	110	16	25	No	12625582
B71916-E-T-P4S-UL	80	110	16	25	No	12625588
B71916-E-T-P4S-UM	80	110	16	25	No	12625590
B71916-E-T-P4S-K5-UL	80	110	16	25	No	12625580
B71916-E-T-P4S-DBL	80	110	32	25	No	13251017
B71916-E-T-P4S-DUL	80	110	32	25	No	12625578
B71916-E-T-P4S-TUL	80	110	48	25	No	12625584
B71916-E-T-P4S-TUM	80	110	48	25	No	12625586

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Contact angle	With sealing	Article
	mm	mm	mm	°		
B71917-E-T-P4S-UL	85	120	18	25	No	11833361
B71917-E-T-P4S-K5-UM	85	120	18	25	No	12625604
B71917-E-T-P4S-K5-UL	85	120	18	25	No	12625602
B71917-E-T-P4S-UM	85	120	18	25	No	13251025
B71917-E-T-P4S-DUM	85	120	36	25	No	12625600
B71917-E-T-P4S-DUL	85	120	36	25	No	12625598
B71918-E-T-P4S-K5-UL	90	125	18	25	No	12625614
B71918-E-T-P4S-UM	90	125	18	25	No	12625618
B71918-E-T-P4S-UL	90	125	18	25	No	12625616
B71918-E-T-P4S-DUL	90	125	36	25	No	12625612
B71919-E-T-P4S-K5-UL	95	130	18	25	No	12625626
B71919-E-T-P4S-UL	95	130	18	25	No	11833362
B71919-EDLR-T-P4S-UL	95	130	18	25	No	14179827
B71919-E-T-P4S-UM	95	130	18	25	No	12625633
B71919-E-T-P4S-K5-UM	95	130	18	25	No	12625628
B71919-E-T-P4S-DUL	95	130	36	25	No	13251033
B71919-E-T-P4S-DUM	95	130	36	25	No	12625624
B71919-E-T-P4S-QUM	95	130	72	25	No	12625631
B71920-E-T-P4S-UL	100	140	20	25	No	24048214
B71920-EDLR-T-P4S-UL	100	140	20	25	No	14179797
B71920-E-T-P4S-H146CC-UL	100	140	20	25	No	14187178
B71920-E-T-P4S-H146BC-UL	100	140	20	25	No	14187181
B71920-E-T-P4S-H146AC-UL	100	140	20	25	No	14187175
B71920-E-T-P4S-H146BA-UL	100	140	20	25	No	14187219
B71920-E-T-P4S-K5-UL	100	140	20	25	No	12625647
B71920-E-T-P4S-UM	100	140	20	25	No	12625650
B71920-E-T-P4S-DUL	100	140	40	25	No	12625645
B71920-E-T-P4S-TUL	100	140	60	25	No	12625649
B71920-E-T-P4S-TBTL	100	140	60	25	No	13251042
B71920-E-T-P4S-TBTM	100	140	60	25	No	13251043
B71920-E-T-P4S-QBCM	100	140	80	25	No	13251041
B71921-E-T-P4S-UL	105	145	20	25	No	11833363
B71921-E-T-P4S-UM	105	145	20	25	No	13251044
B71922-E-T-P4S-UL	110	150	20	25	No	12625672
B71922-E-T-P4S-UM	110	150	20	25	No	12625674
B71922-E-T-P4S-K5-UL-J15F	110	150	20	25	No	14186807
B71922-E-T-P4S-K5-UL	110	150	20	25	No	12625668
B71922-E-T-P4S-DUL	110	150	40	25	No	12625664
B71922-E-T-P4S-DBM	110	150	40	25	No	13251046
B71922-E-T-P4S-TUL	110	150	60	25	No	12625670
B71924-E-T-P4S-UM	120	165	22	25	No	12625689
B71924-E-T-P4S-K5-UL	120	165	22	25	No	12625683
B71924-E-T-P4S-UL	120	165	22	25	No	12625687
B71924-E-T-P4S-DUL	120	165	44	25	No	12625681
B71924-E-T-P4S-TBTM	120	165	66	25	No	13251049
B71926-E-T-P4S-UM	130	180	24	25	No	12625707
B71926-E-T-P4S-UL	130	180	24	25	No	12625706
B71926-E-T-P4S-K5-UL	130	180	24	25	No	12625702
B71926-E-T-P4S-K5-UM	130	180	24	25	No	13251053
B71926-E-T-P4S-DUL	130	180	48	25	No	12625699

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Contact angle °	With sealing	Article
B71926-E-T-P4S-TBTM	130	180	72	25	No	13251056
B71926-E-T-P4S-TUL	130	180	72	25	No	12625704
B71926-E-T-P4S-QBCM	130	180	96	25	No	13251054
B71928-E-T-P4S-K5-UM	140	190	24	25	No	12625720
B71928-E-T-P4S-UL	140	190	24	25	No	12625722
B71928-E-T-P4S-K5-UL	140	190	24	25	No	12625718
B71928-E-T-P4S-DUL	140	190	48	25	No	12625717
B71930-E-T-P4S-UL	150	210	28	25	No	11911924
B71930-E-T-P4S-UL-GA21	150	210	28	25	No	14186802
B71930-E-T-P4S-UM	150	210	28	25	No	12625737
B71930-E-T-P4S-TBTL	150	210	84	25	No	13251064
B71930-E-T-P4S-QUL	150	210	112	25	No	12625731
B71932-E-T-P4S-UM	160	220	28	25	No	12625753
B71932-E-T-P4S-K5-UL	160	220	28	25	No	12625747
B71932-E-T-P4S-UL	160	220	28	25	No	12625751
B71932-E-T-P4S-K5-UM	160	220	28	25	No	13251066
B71932-E-T-P4S-DUL	160	220	56	25	No	12625745
B71932-E-T-P4S-TUL	160	220	84	25	No	12625749
B71934-E-T-P4S-UL	170	230	28	25	No	23713104
B71934-E-T-P4S-K5-UL	170	230	28	25	No	12625761
B71934-E-T-P4S-UM	170	230	28	25	No	12625763
B71934-E-T-P4S-DUL	170	230	56	25	No	12625759
B71934-E-T-P4S-DBL	170	230	56	25	No	13251070
B71936-E-T-P4S-UL	180	250	33	25	No	12625779
B71936-E-T-P4S-UM	180	250	33	25	No	12625781
B71936-E-T-P4S-K5-UL	180	250	33	25	No	12625775
B71936-E-T-P4S-DUM	180	250	66	25	No	12625773
B71936-E-T-P4S-DUL	180	250	66	25	No	12625771
B71936-E-T-P4S-TUL	180	250	99	25	No	13251077
B71936-E-T-P4S-TBTM	180	250	99	25	No	13251076
B71938-E-T-P4S-UL	190	260	33	25	No	23713105
B71938-E-T-P4S-UM	190	260	33	25	No	12625793
B71938-E-T-P4S-DUL	190	260	66	25	No	12625788
B71940-E-T-P4S-UM	200	280	38	25	No	12625807
B71940-E-T-P4S-UL	200	280	38	25	No	12625805
B71940-E-T-P4S-DUL	200	280	76	25	No	12625801
B71940-E-T-P4S-QUL	200	280	152	25	No	12625803
B71944-E-T-P4S-K5-UL	220	300	38	25	No	13251088
B71944-E-T-P4S-UL	220	300	38	25	No	13251089
B71944-E-T-P4S-UM	220	300	38	25	No	13251090
B71944-E-T-P4S-DUL	220	300	76	25	No	13251087
B71948-E-T-P4S-UM	240	320	38	25	No	13251094
B71948-E-T-P4S-UL	240	320	38	25	No	13251093
B71952-E-T-P4S-UL	260	360	46	25	No	14179181
B71956-E-T-P4S-UM	280	380	46	25	No	14179661
B71956-E-T-P4S-UL	280	380	46	25	No	14178897
B71960-EDLR-T-P4S-UL	300	420	56	25	No	14180383
B71960-E-T-P4S-UL	300	420	56	25	No	14179800

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.