



SKF CARB® Toroidal bearing Cylindrical bore

CARB® bearings are single row bearings with long, slightly barrel-shaped symmetrical rollers. The outer ring has a torus-shaped raceway with a profile radius extending beyond the centre of the bearing. The inner ring raceway is shaped accordingly. CARB® toroidal roller bearings combine the self-aligning capability of spherical roller bearings with the axial displacement ability of cylindrical roller bearings. CARB® bearings can also have the compact cross section and high load carrying capacity normally associated with needle roller bearings.

They are intended exclusively as non-locating bearings. They can simplify locating/non-locating bearing arrangements because thermal expansion of the shaft can be accommodated within the bearing virtually without friction. Bearing arrangements consisting of a spherical roller bearing in the locating position and a CARB® bearing in the non-locating position provide a space- and weight-saving bearing arrangement with a low cost of ownership. CARB® bearings can reduce noise and vibration levels, for example, in paper machines and fans.

Non-sealed basic design CARB® bearings

Depending on their series and size, standard CARB toroidal roller bearings are manufactured to one of the following basic designs: bearings with a cage and full complement bearings. The load carrying capacity of full complement CARB bearings is considerably higher than that of same-sized bearings with a cage. The majority of CARB bearings are available with either a cylindrical or tapered bore. Depending on the bearing series, the tapered bore has a taper of either 1:12 [designation suffix K] or 1:30 [designation suffix K30].

Characteristics

Series: CARB®

Bore: Cylindrical bore

With sealing: No

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Internal clearance	Cage	Article
C 2206 TN9/C3	30	62	20	C3	Polyamide	23760321
C 2206 TN9	30	62	20	CN (normal)	Polyamide	23760320
C 2207 TN9/C3	35	72	23	C3	Polyamide	23760327
C 2207 TN9	35	72	23	CN (normal)	Polyamide	23760326
C 2208 TN9	40	80	23	CN (normal)	Polyamide	23760331
C 2209 TN9/C3	45	85	23	C3	Polyamide	23760337
C 2209 TN9	45	85	23	CN (normal)	Polyamide	23760336
C 4010 TN9	50	80	30	CN (normal)	Polyamide	13199593
C 2210 TN9/C3	50	90	23	C3	Polyamide	23760343
C 2210 TN9	50	90	23	CN (normal)	Polyamide	23760342
C 2211 TN9/C3	55	100	25	C3	Polyamide	23760349
C 2211 TN9	55	100	25	CN (normal)	Polyamide	23760348
C 2212 TN9/C3	60	110	28	C3	Polyamide	23760356
C 2212 TN9	60	110	28	CN (normal)	Polyamide	23760355
C 2213 TN9/C3	65	120	31	C3	Polyamide	23760364
C 2213 TN9	65	120	31	CN (normal)	Polyamide	23760363
C 2214 TN9/C3	70	125	31	C3	Polyamide	23760369
C 2214 TN9	70	125	31	CN (normal)	Polyamide	23760368
C 2314/C3	70	150	51	C3	Steel	23760425
C 2314/C4	70	150	51	C4	Steel	24003202
C 2314	70	150	51	CN (normal)	Steel	23760424
C 2215/C3	75	130	31	C3	Steel	23760377
C 2215/C4	75	130	31	C4	Steel	24003189
C 2215	75	130	31	CN (normal)	Steel	23760372
C 2315/C3	75	160	55	C3	Steel	23760429
C 2315/C4VG114	75	160	55	C4	Steel	24003205

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Outer diameter	Width	Internal clearance	Cage	Article
	mm	mm	mm			
C 2315/C4	75	160	55	C4	Steel	24003204
C 2315	75	160	55	CN (normal)	Steel	23760426
C 2216/C3	80	140	33	C3	Steel	23760383
C 2216/C4	80	140	33	C4	Steel	24003192
C 2216	80	140	33	CN (normal)	Steel	23760378
C 2316/C3	80	170	58	C3	Steel	23760433
C 2316/C4	80	170	58	C4	Steel	24003207
C 2316	80	170	58	CN (normal)	Steel	23760430
C 2217/C3	85	150	36	C3	Steel	23760387
C 2217	85	150	36	CN (normal)	Steel	23760384
C 2218/C3	90	160	40	C3	Steel	23760391
C 2218/C4	90	160	40	C4	Steel	24003195
C 2218	90	160	40	CN (normal)	Steel	23760388
C 2318/C3	90	190	64	C3	Steel	23760437
C 2318/C4	90	190	64	C4	Steel	24003209
C 2318	90	190	64	CN (normal)	Steel	23760434
C 2220/C3	100	180	46	C3	Steel	23760395
C 2220/C4	100	180	46	C4	Steel	24003197
C 2220	100	180	46	CN (normal)	Steel	23760392
C 2320/C3	100	215	73	C3	Steel	23760441
C 2320	100	215	73	CN (normal)	Steel	23760438
C 4022 MB	110	170	60	CN (normal)	Brass	13199595
C 2222/C3	110	200	53	C3	Steel	23760399
C 2222/C4	110	200	53	C4	Steel	24003199
C 2222	110	200	53	CN (normal)	Steel	23760396
C 3224/C3	120	215	76	C3	Steel	23760486
C 3224/C4	120	215	76	C4	Steel	24003239
C 3224	120	215	76	CN (normal)	Steel	23760483
C 4026/C3	130	200	69	C3	Steel	24003247
C 4026/C4	130	200	69	C4	Steel	24003248
C 4026	130	200	69	CN (normal)	Steel	24003244
C 2226/C3	130	230	64	C3	Steel	23760403
C 2226/C4	130	230	64	C4	Steel	24003201
C 2226	130	230	64	CN (normal)	Steel	23760400
C 2228/C3	140	250	68	C3	Steel	23760407
C 2228	140	250	68	CN (normal)	Steel	23227858
C 2230/C3	150	270	73	C3	Steel	24206186
C 2230	150	270	73	CN (normal)	Steel	13530017
C 4032/C3	160	240	80	C3	Steel	24003263
C 4032	160	240	80	CN (normal)	Steel	24003253
C 3232/C3	160	290	104	C3	Steel	23760487
C 3232	160	290	104	CN (normal)	Steel	13199589
C 3036/C3	180	280	74	C3	Steel	23760445
C 3036/C4	180	280	74	C4	Steel	24003212
C 3036	180	280	74	CN (normal)	Steel	23760442
C 3236/C3	180	290	104	C3	Steel	23760490
C 3136/C3	180	300	96	C3	Steel	24003224
C 3136	180	300	96	CN (normal)	Steel	24003220
C 3236	180	320	112	CN (normal)	Steel	23760488
C 3038/C3	190	290	75	C3	Steel	23760449
C 3038	190	290	75	CN (normal)	Steel	23760446
C 3040/C3	200	310	82	C3	Steel	23760453
C 3040	200	310	82	CN (normal)	Steel	23760450

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Outer diameter mm	Width mm	Internal clearance	Cage	Article
C 3140/C3	200	340	112	C3	Steel	23760466
C 3140	200	340	112	CN (normal)	Steel	23760463
C 3044/C3	220	340	90	C3	Steel	23760457
C 3044/C4	220	340	90	C4	Steel	24003217
C 3044	220	340	90	CN (normal)	Steel	23760454
C 3144/C3	220	370	120	C3	Steel	23760470
C 3144	220	370	120	CN (normal)	Steel	23760467
C 3148/C3	240	400	128	C3	Steel	24003235
C 3148	240	400	128	CN (normal)	Steel	24003230
C 3156/C3	280	460	146	C3	Steel	23760478
C 3160	300	500	160	CN (normal)	Steel	23760479

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.