




SKF Single row tapered roller bearing Metric

Tapered roller bearings have tapered inner and outer ring raceways and tapered rollers. They are designed to accommodate combined loads, i.e. simultaneously acting radial and axial loads. The projection lines of the raceways meet at a common point on the bearing axis to provide true rolling and low friction. Single row tapered roller bearings are separable, i.e. the inner ring with roller and cage assembly (cone) can be mounted separately from the outer ring (cup).

Characteristics

Series: 302



Manufacturer ID	Inner diameter mm	Cup Outer diameter mm	Total width mm	Article
30302	15	42	14.25	13529499
30203	17	40	13.25	13529474
30303	17	47	15.25	13529500
30303/VE197	17	47	15.46	13535743
32303	17	47	20.25	13529609
32004 X	20	42	15	13529541
30304	20	52	16.25	13529501
32304	20	52	22.25	13529610
33005/Q	25	47	17	13196926
30205	25	52	16.25	13529476
32205 B	25	52	19.25	13529585
33205	25	52	22	13529660
30305	25	62	18.25	13457736
31305	25	62	18.25	13529525
32305	25	62	25.25	13529611
BT1-1751/Q	25.4	57.15	20.191	12256228
320/28 X	28	52	16	13529539
322/28 B	28	58	20.25	13529582
32006 X	30	55	17	13529543
30206	30	62	17.25	13529477
32206	30	62	21.25	13529588
33206	30	62	25	13529661
33206/VK318	30	62	26.49	13635780
30206 J2/QDFVQ417	30	62	34.5	13196743
30306	30	72	20.75	13529502
31306	30	72	20.75	13529526
32306	30	72	28.75	13529612
320/32 X	32	58	17	13529540
32007 X	35	62	18	13529544
32207	35	72	24.25	13529592
33207	35	72	28	13529662
31307	35	80	22.75	13529527
30307	35	80	22.75	13529503

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Cup Outer diameter mm	Total width mm	Article Max. 200 articles in the table
32307 B	35	80	32.75	13529614
JL 69349/310	38	63	17	13530042
32008 X	40	68	19	13529545
33108	40	75	26	13529647
30208	40	80	19.75	13529479
32208	40	80	24.75	13529593
33208	40	80	32	13529663
30308	40	90	25.25	13529504
32308	40	90	35.25	13529615
331257	40	95	27.25	13196951
33109	45	80	26	13529648
30209	45	85	20.75	13529480
32209	45	85	24.75	13529594
33209	45	85	32	13529664
31309	45	100	27.25	13529528
30309	45	100	27.25	13529505
32309	45	100	38.25	13529616
331753/Q	48	90	25.3	13196955
32010 X	50	80	20	13529547
32010 X/CLN	50	80	21.65	13535726
33110	50	85	26	13529649
30210	50	90	21.75	13529481
32210	50	90	24.75	13535744
33210	50	90	32	13529666
T2ED 050	50	100	36	13530230
30310	50	110	29.25	13529506
32310	50	110	42.25	13529617
32011 X	55	90	23	13529548
33011	55	90	27	13529626
30211	55	100	22.75	13529482
32211	55	100	26.75	13529595
33211	55	100	35	13529667
T7FC 055	55	115	34	13530233
30311	55	120	31.5	13529507
31311	55	120	31.5	13529529
32311	55	120	45.5	13529618
BT2-0067 C	55	140	50	13199551
BT2-0067 B	55	140	50	13199550
BT2-0067 A	55	140	50	13199549
32012 X/CL7C	60	95	24.58	13635775
33012	60	95	27	13529627
33112	60	100	30	13529651
30212	60	110	23.75	13529483
32212	60	110	29.75	13529596
33212	60	110	38	13529668
T2EE 060	60	115	40	13530232
T7FC 060	60	125	37	13530234
31312	60	130	33.5	13529530
32312	60	130	48.5	13529619
33013	65	100	27	13529628
33113	65	110	34	13529652
30213	65	120	24.75	13529484
32213	65	120	32.75	13529597

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
33213	65	120	41	13529669
T7FC 065/QCL7C	65	130	37	11532120
30313	65	140	36	13457737
32313	65	140	51	13529620
32014 X	70	110	25	13529549
33114	70	120	37	13529653
32214	70	125	33.25	13529598
33214	70	125	41	13529670
31314	70	150	38	13529532
30314	70	150	38	13529509
32314	70	150	54	13529621
32015 X	75	115	25	13529550
33015	75	115	31	13529629
JM 714249/210	75	120	31	13635845
33115	75	125	37	13529654
30215	75	130	27.25	13529486
32215	75	130	33.25	13529599
33215	75	130	41	13529671
30315	75	160	40	13529510
31315	75	160	40	13529533
31315/CLN7C	75	160	40.73	13635774
32315	75	160	58	13457770
32315 B/CL7C	75	160	58.89	13635777
639058 A/Q	78	106	18.09	13406200
32016 X	80	125	29	13529551
33016	80	125	36	13529630
33116	80	130	37	13529655
33116 TN9/Q	80	130	39	13196946
30216	80	140	28.25	13529487
32216	80	140	35.25	13529600
33216	80	140	46	13529672
30316	80	170	42.5	13529511
BT2-0075 A	80	175	61	13199552
BT2-0075 B	80	175	61	13199553
BT2-0075 C	80	175	61	13199554
BT2-0075 D	80	175	61	13199555
32017 X	85	130	29	13529553
33017	85	130	36	13457775
33117	85	140	41	13529656
30217	85	150	30.5	13529488
32217	85	150	38.5	13529601
33217	85	150	49	13529683
31317	85	180	44.5	13529535
30317	85	180	44.5	13529512
32018 X	90	140	32	13529555
33018	90	140	39	13529631
33118	90	150	45	13529657
30218	90	160	32.5	13529489
32218	90	160	42.5	13529602
30318	90	190	46.5	13457738
31318	90	190	46.5	13457742
32318	90	190	67.5	13457771
32019 X	95	145	32	13529557

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter	Cup Outer diameter	Total width	Article
	mm	mm	mm	Max. 200 articles in the table
33019	95	145	39	13529632
30219	95	170	34.5	13529490
31319	95	200	49.5	13457744
32319	95	200	71.5	13457772
HM 220149	100	149.228	42	13635843
32020 X	100	150	32	13529558
32020 X/P5	100	150	34.35	13635776
33020	100	150	39	13529634
30220	100	180	37	13529491
32220	100	180	49	13457757
30320	100	215	51.5	13529523
31320 XJ2/QCL7CVQ051	100	215	57.25	13196817
32320	100	215	77.5	13529624
32021 X	105	160	35	13529559
33021	105	160	43	13529635
33021/VB401	105	160	45.36	13635778
30221	105	190	39	13529492
32221	105	190	53	13529603
32321	105	225	81.5	13457773
331974 A	106	160	37.11	13635779
32022 X	110	170	38	13529560
32222	110	200	56	13457759
30322	110	240	54.5	13457739
32024 X/P5	120	180	40.28	13196871
30224	120	215	43.5	13529495
32224	120	215	61.5	13529607
30324	120	260	59.5	13457740
32324	120	260	90.5	13457774
32026 X/P5	130	200	47.46	13196872
30226	130	230	43.75	13529497
32226	130	230	67.75	13529608
30326	130	280	63.75	13457741
HM 220110	135.3	157	34	13635842
30228	140	250	45.75	13410779
32228	140	250	71.75	13457761
32230	150	270	77	13457763
30232	160	290	52	13457712
32232	160	290	84	13406198
32034 X/P5	170	260	59.97	13196877
32034T162 X/DB31VS118	170	260	162	13196879
30234	170	310	57	13457733
32234	170	310	91	13457764
32936/VE141	180	250	47.93	13196923
30236	180	320	57	13457734
32236	180	320	91	13457765
30238	190	340	60	13529498
32238	190	340	97	13457766
330710 A	200	300	54.5	13196937
32040 X/VB519	200	310	73.11	13196881
30240	200	360	64	13457735
32240	200	360	104	13457767
BT4-0021 G/HA1	206.375	282.575	190.5	11615375
T2DC 220/VE679	220	285	43.74	13201666

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Inner diameter mm	Cup Outer diameter mm	Total width mm	Article Max. 200 articles in the table
T2DC 220/VG237	220	285	43.74	13201667
30244	220	400	72	13535732
32244	220	400	114	13457768
32948/DFC470	240	320	102	13196925
32248	240	440	127	13457769
32960	300	420	76	12146492
BT4-0004 G/HA1	304.942	412.699	266.7	11615374

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.