



ECOPARTS Pressure filter element H.D

Characteristics

Series: H

Temperature range [°C]: -10 / 120 °C

Code digit	Filter element material	Filter fineness µm	Differential pressure bar	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
H 0330 DH 2 003	Fiber glass	3	210 bar		163.5	48.1	90.5	13519684
H 0110 DH 2 003 FKM	Fiber glass	3	210 bar		151.7	22.1	45	13519469
H 0030 DN 2 003	Fiber glass	3	30 bar		94.2	12.3	35	13519353
H 0140 DN 2 003	Fiber glass	3	30 bar		192.8	22.6	45	13519521
H 0660 DH 2 003	Fiber glass	3	210 bar		328	48.1	90.5	13519763
H 0660 DN 2 003	Fiber glass	3	30 bar		325	48.1	90	13519771
H 0240 DH 2 003	Fiber glass	3	210 bar		172.5	34.1	70	13519601
H 0280 DN 2 003	Fiber glass	3	30 bar		355.4	34.1	69	13519671
H 0240 DN 2 003	Fiber glass	3	30 bar		173.4	34.1	69	13519612
H 0240 DN 2 003 FKM	Fiber glass	3	30 bar		173.4	34.1	69	13519614
H 0030 DH 2 003	Fiber glass	3	210 bar		94.2	12.3	35	13519343
H 0140 DH 2 003	Fiber glass	3	210 bar		193.2	22.1	45	13519515
H 0160 DN 2 003	Fiber glass	3	30 bar		116.4	34.1	69	13519543
H 0330 DN 2 003	Fiber glass	3	30 bar		160.5	48.1	90	13519696
H 0110 DN 2 003	Fiber glass	3	30 bar		152.3	22.6	45	13519478
H 0160 DH 2 003	Fiber glass	3	210 bar		114.5	34.1	70	13519530
H 0060 DN 2 003	Fiber glass	3	30 bar		83.3	22.6	45	13519389
H 0110 DH 2 003	Fiber glass	3	210 bar		151.7	22.1	45	13519467
H 0500 DH 2 006	Fiber glass	6	210 bar		252.5	48.1	90.5	13519746
H 0330 DN 2 006	Fiber glass	6	30 bar		160.5	48.1	90	13519698
H 0330 DH 2 006	Fiber glass	6	210 bar		163.5	48.1	90.5	13519687
H 0075 DN 2 006	Fiber glass	6	20 bar		172.3	25.8	56	13519435
H 0500 DN 2 006	Fiber glass	6	30 bar		249.5	48.1	90	13519751
H 0240 DH 2 006 FKM	Fiber glass	6	210 bar		172.5	34.1	70	13519604
H 0055 DN 2 006	Fiber glass	6	30 bar		115.5	25.8	56	13519376
H 0060 DN 2 006	Fiber glass	6	30 bar		83.3	22.6	45	13519393
H 0030 DH 2 006	Fiber glass	6	210 bar		94.2	12.3	35	13519345
H 0140 DN 2 006	Fiber glass	6	30 bar		192.8	22.6	45	13519522
H 0110 DH 2 006	Fiber glass	6	210 bar		151.7	22.1	45	13519470
H 0660 DH 2 006	Fiber glass	6	210 bar		328	48.1	90.5	13519765
H 0095 DN 2 006 FKM	Fiber glass	6	20 bar		206.3	25.8	56	13519458
H 0280 DN 2 006	Fiber glass	6	30 bar		355.4	34.1	69	13519672
H 0095 DN 2 006	Fiber glass	6	20 bar		206.3	25.8	56	13519456
H 0660 DN 2 006	Fiber glass	6	30 bar		325	48.1	90	13519774
H 0110 DH 2 006 FKM	Fiber glass	6	210 bar		151.7	22.1	45	13519471
H 0240 DH 2 006	Fiber glass	6	210 bar		172.5	34.1	70	13519603
H 0110 DN 2 006	Fiber glass	6	30 bar		152.3	22.6	45	13519479
H 0280 DH 2 006	Fiber glass	6	210 bar		354.5	34.1	70	13519667
H 0160 DH 2 006	Fiber glass	6	210 bar		114.5	34.1	70	13519533
H 0140 DN 2 010	Fiber glass	10	30 bar		192.8	22.6	45	13519523

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
H 0160 DH 2 010	Fiber glass	10	210 bar		114.5	34.1	70	13519534
H 0256 DN 2 010	Fiber glass	10	30 bar		242	34.2	69	13519662
H 0110 DH 2 010	Fiber glass	10	210 bar		151.7	22.1	45	13519472
H 0330 DN 2 010	Fiber glass	10	30 bar		160.5	48.1	90	13519700
H 0060 DN 2 010	Fiber glass	10	30 bar		83.3	22.6	45	13519395
H 0030 DH 2 010 FKM	Fiber glass	10	210 bar		94.2	12.3	35	13519348
H 0330 DH 2 010	Fiber glass	10	210 bar		163.5	48.1	90.5	13519689
H 0500 DN 2 010	Fiber glass	10	30 bar		249.5	48.1	90	13519752
H 0060 DH 2 010 FKM	Fiber glass	10	210 bar		82.7	22.1	45	13519386
H 0660 DN 2 010	Fiber glass	10	30 bar		325	48.1	90	13519776
H 0110 DN 2 010	Fiber glass	10	30 bar		152.3	22.6	45	13519480
H 0240 DN 2 010	Fiber glass	10	30 bar		171	34.1	70	13519617
H 0095 DN 2 010 FKM	Fiber glass	10	20 bar		206.3	25.8	56	13519459
H 0280 DH 2 010	Fiber glass	10	210 bar		354.5	34.1	70	13519668
H 0060 DH 2 010	Fiber glass	10	210 bar		82.7	22.1	45	13519385
H 0280 DN 2 010	Fiber glass	10	30 bar		355.4	34.1	69	13519673
H 0160 DN 2 010 FKM	Fiber glass	10	30 bar		116.4	34.1	69	13519548
H 0015 DN 2 010	Fiber glass	10	30 bar		43	12.5	35	13519340
H 0140 DH 2 010	Fiber glass	10	210 bar		193.2	22.1	45	13519517
H 0160 DN 2 010	Fiber glass	10	30 bar		116.4	34.1	69	13519546
H 0030 DN 2 010	Fiber glass	10	30 bar		94.2	12.3	35	13519356
H 0660 DH 2 010	Fiber glass	10	210 bar		328	48.1	90.5	13519767
H 0035 DN 2 010	Fiber glass	10	30 bar		72	25.5	56.3	13519373
H 0055 DN 2 010	Fiber glass	10	30 bar		115.5	25.8	56	13519378
H 0240 DH 2 010	Fiber glass	10	210 bar		172.5	34.1	70	13519605
H 0030 DH 2 010	Fiber glass	10	210 bar		94.2	12.3	35	13519347
H 0110 DH 2 010 FKM	Fiber glass	10	210 bar		151.7	22.1	45	13519473
H 0140 DN 2 020	Fiber glass	20	30 bar		192.8	22.6	45	13519525
H 0280 DN 2 020	Fiber glass	20	30 bar		355.4	34.1	69	13519675
H 0110 DH 2 020	Fiber glass	20	210 bar		151.7	22.1	45	13519476
H 0110 DN 2 020	Fiber glass	20	30 bar		152.3	22.6	45	13519483
H 0330 DN 2 020	Fiber glass	20	30 bar		160.5	48.1	90	13519705
H 0095 DN 2 020	Fiber glass	20	20 bar		206.3	25.8	56	13519461
H 0160 DN 2 020	Fiber glass	20	30 bar		116.4	34.1	69	13519550
H 0075 DN 2 020	Fiber glass	20	20 bar		172.3	25.8	56	13519438
H 0305 DN 2 020 V2,0	Fiber glass	20	30 bar	2	244	26.5	85	13519683
H 0055 DN 2 020	Fiber glass	20	30 bar		115.5	25.8	56	13519381
H 0660 DH 2 020	Fiber glass	20	210 bar		328	48.1	90.5	13519769
H 0240 DH 2 020	Fiber glass	20	210 bar		172.5	34.1	70	13519608
H 0030 DN 2 020	Fiber glass	20	30 bar		94.2	12.3	35	13519358
H 0240 DN 2 020	Fiber glass	20	30 bar		171	34.1	70	13519620
H 0660 DN 2 020	Fiber glass	20	30 bar		325	48.1	90.5	13519780
H 0160 DH 2 020	Fiber glass	20	210 bar		114.5	34.1	70	13519537
H 0500 DN 2 020	Fiber glass	20	30 bar		249.5	48.1	90	13519753
	Filter paper	6			128.4	34.1	60	13519541
	Filter paper	10			128.4	34.1	60	13519542
	Inorganic glass fibre	3			231.3	48.1	90.5	13519750
	Inorganic glass fibre	3			171	34.1	70	13519613

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
	Inorganic glass fibre	3			152.2	22.1	47	13519468
	Inorganic glass fibre	3			162.3	48.1	90.5	13519697
	Inorganic glass fibre	3			252.5	45.1	90.5	13519745
	Inorganic glass fibre	3			485.5	48.1	90.5	13519836
	Inorganic glass fibre	3			485.5	48.1	90.5	13519837
	Inorganic glass fibre	3			328	48.1	90.5	13519764
	Inorganic glass fibre	3			326.8	48.1	90.5	13519773
	Inorganic glass fibre	3			326.8	48.1	90.5	13519772
	Inorganic glass fibre	3			172.5	34.1	70	13519602
	Inorganic glass fibre	3			84	22.1	47	13519391
	Inorganic glass fibre	3			83.2	22.1	47	13519382
	Inorganic glass fibre	3			206.3	25.8	56	13519455
	Inorganic glass fibre	3			163.5	48.1	90.5	13519685
	Inorganic glass fibre	3			84	22.1	47	13519392
	Inorganic glass fibre	3			83.2	22.1	47	13519383
	Inorganic glass fibre	3			354.5	34.1	70	13519666
	Inorganic glass fibre	3			163.5	48.1	90.5	13519686
	Inorganic glass fibre	3			113	34.1	70	13519532
	Inorganic glass fibre	3			86.8	22.6	45	13519390
	Inorganic glass fibre	3						13519531
	Inorganic glass fibre	6			113	34.1	70	13519544
	Inorganic glass fibre	6			93	12.5	35	13519354
	Inorganic glass fibre	6			163.5	48.1	90.5	13519688
	Inorganic glass fibre	6			162.3	48.1	90.5	13519699
	Inorganic glass fibre	6			93	12.1	35	13519346
	Inorganic glass fibre	6			83.2	22.1	47	13519384
	Inorganic glass fibre	6			113	34.1	70	13519545
	Inorganic glass fibre	6			171	34.1	70	13519616
	Inorganic glass fibre	6			328	48.1	90.5	13519766
	Inorganic glass fibre	6			84	22.1	47	13519394
	Inorganic glass fibre	6			193.7	22.1	47	13519516
	Inorganic glass fibre	6			171	34.1	70	13519615
	Inorganic glass fibre	6			326.8	48.1	90.5	13519775
	Inorganic glass fibre	6			93	12.5	35	13519355
	Inorganic glass fibre	10			193.7	22.1	47	13519518

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
	Inorganic glass fibre	10		172.3	25.8	56	13519436
	Inorganic glass fibre	10		86.8	22.6	45	13519396
	Inorganic glass fibre	10		326.8	48.1	90.5	13519779
	Inorganic glass fibre	10		172.5	34.1	70	13519606
	Inorganic glass fibre	10		93	12.5	35	13519357
	Inorganic glass fibre	10		84	22.1	47	13519397
	Inorganic glass fibre	10		171	34.1	70	13519619
	Inorganic glass fibre	10		149.1	22.6	47	13519481
	Inorganic glass fibre	10		326.8	48.1	90.5	13519778
	Inorganic glass fibre	10		118	25.5	56.3	13519379
	Inorganic glass fibre	10		326.8	48.1	90.5	13519777
	Inorganic glass fibre	10		162.3	48.1	90.5	13519702
	Inorganic glass fibre	10		187.4	34.1	60	13519618
	Inorganic glass fibre	10					13519535
	Inorganic glass fibre	10		252.5	45.1	90.5	13519747
	Inorganic glass fibre	10		163.5	48.1	90.5	13519690
	Inorganic glass fibre	10		113	34.1	70	13519536
	Inorganic glass fibre	16		83.2	22.1	47	13519387
	Inorganic glass fibre	16		193.7	22.1	47	13519519
	Inorganic glass fibre	20		171	34.1	70	13519622
	Inorganic glass fibre	20		93	12.1	35	13519349
	Inorganic glass fibre	20		84	22.1	47	13519399
	Inorganic glass fibre	20		354.5	34.1	70	13519669
	Inorganic glass fibre	20		252.5	45.1	90.5	13519748
	Inorganic glass fibre	20		72	25.5	56.3	13519374
	Inorganic glass fibre	20		177.9	48.1	76.6	13519704
	Inorganic glass fibre	20		163.5	48.1	90.5	13519692
	Inorganic glass fibre	20		193.7	22.1	47	13519520
	Inorganic glass fibre	25		171	34.1	70	13519623
	Inorganic glass fibre	25		93	12.1	35	13519350
	Metal fleece	3		163.5	48.1	90.5	13519694
	Metal fleece	3					13519770
	Metal fleece	10		172.5	34.1	70	13519609
	Metal fleece	10		113	34.1	70	13519540
	Metal fleece	10		83.2	22.1	47	13519388
	Metal fleece	16		84	22.1	47	13519414
	Metal fleece	25		172.5	34.1	70	13519610

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Code digit	Filter element material	Filter fineness µm	Differential pressure bar	Filter head material bar	Length of filter element mm	Internal diameter mm	Outer diameter mm	Article
H 0030 DH 4 010	Metal mesh	10	210 bar		93	12.1	35	13519352
H 0160 DN 3 025	Metal mesh	25	30 bar		116.4	34.1	69	13519551
	Metal mesh	25			84	22.1	47	13519400
	Metal mesh	25			86.8	22.6	45	13519401
	Metal mesh	25			93	12.5	35	13519360
	Metal mesh	25			177.9	48.1	76.6	13519708
	Metal mesh	25			187.4	34.1	60	13519627
H 0110 DN 3 025	Metal mesh	25	30 bar		152.3	22.6	45	13519484
H 0660 DN 3 025	Metal mesh	25	30 bar		325	48.1	90	13519782
H 0160 DN 3 025 AV	Metal mesh	25	30 bar		128.4	34.1	60	13519552
	Metal mesh	25			93	12.5	35	13519359
H 0240 DN 3 025	Metal mesh	25	30 bar		173.4	34.1	69	13519626
H 0110 DN 3 025 AV	Metal mesh	25	20 bar		154.8	22.6	45	13519485
	Metal mesh	25			326.8	48.1	90.5	13519783
H 0330 DN 3 025	Metal mesh	25	30 bar		160.5	48.1	90	13519707
H 0060 DN 3 040	Metal mesh	40	30 bar		83.3	22.6	45	13519402
	Metal mesh	40			93	12.5	35	13519362
H 0110 DN 3 050	Metal mesh	50	30 bar		152.3	22.6	45	13519487
H 0240 DN 3 050	Metal mesh	50	30 bar		173.4	34.1	69	13519628
H 0030 DN 3 050	Metal mesh	50	30 bar		94.2	12.3	35	13519361
	Metal mesh	50			187.4	34.1	60	13519629
	Metal mesh	50			326.8	48.1	90.5	13519784
H 0330 DN 3 050	Metal mesh	50	30 bar		160.5	48.1	90	13519709
H 0160 DN 3 050 AV	Metal mesh	50	30 bar		128.4	34.1	60	13519553
	Metal mesh	50			171	34.1	70	13519630
	Metal mesh	60			93	12.5	35	13519364
H 0160 DN 3 060	Metal mesh	60	30 bar		116.4	34.1	69	13519554
	Metal mesh	100			162.3	48.1	90.5	13519710
H 0110 DN 3 100 AV	Metal mesh	100	20 bar		154.8	22.6	45	13519489
	Metal mesh	100			187.4	34.1	60	13519631
	Metal mesh	100			113	34.1	70	13519555
H 0110 DN 3 100	Metal mesh	100	30 bar		152.3	22.6	45	13519488
H 0030 DN 3 100	Metal mesh	100	30 bar		94.2	12.3	35	13519365
H 0240 DN 3 200	Metal mesh	200	30 bar		173.4	34.1	69	13519632
	Metal mesh	200			353	34.1	70	13519678
	Metal mesh	200			113	34.1	70	13519539
	Metal mesh	200			113	34.1	70	13519556
	Metal mesh	200			162	48.1	90.5	13519693
	Metal mesh	250			187.4	34.1	60	13519633

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.