

Grommet CR type DA


Cable grommet of CR type DA, a high-grade flexible material for simple mounting. Colour: black. Hardness: 50-60 Shore A.

Indication of use

Not REACH compliant, may contain ETU CAS 96-45-7

Characteristics

Series: DA



Size table:

b mm	B1 mm	B2 mm	d mm	D mm	i mm
1	3	3	14	19	11
1.5	3	3	14	19	11
2	3	3	14	19	11
3	3	3	14	19	11
1	3	3	15	19	11
1.5	3	3	15	19	11
2	3	3	15	19	11
2.5	3	3	15	19	11
3	3	3	15	19	11
1	2.5	2.5	18	25	12
1.5	2.5	2.5	18	25	12
2	2.5	2.5	18	25	12
3	2.5	2.5	18	25	12
4	2.5	2.5	18	25	12
1	2.5	2.5	20	25	12
1.5	2.5	2.5	20	25	12
2	2.5	2.5	20	25	12
3	2.5	2.5	20	25	12
4	2.5	2.5	20	25	12
1	4	4	17	23	13
2	4	4	17	23	13
3	4	4	17	23	13

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

b	B1	B2	d	D	i
5	4	4	17	23	13
6	4	4	17	23	13
4	4	4	20	28	14
1	4.5	4.5	22	26	15
3	4.5	4.5	22	26	15
8	4.5	4.5	22	26	15
1.5	4	4	22	29.5	16
2	4	4	22	29.5	16
3	4	4	22	29.5	16
1	2	2	6.5	11	2
1.5	2	2	6.5	11	2
2	2	2	6.5	11	2
1	5	5	28	36	20
1.5	5	5	28	36	20
2	5	5	28	36	20
3	5	5	28	36	20
4	5	5	28	36	20
6	5	5	28	36	20
1	1.5	3	5	10	3
1	1.5	3	7	10	3
1.5	1.5	3	7	10	3
2	1.5	3	7	10	3
3	1.5	3	7	10	3
1.5	4	4	35	40	30
2	4	4	35	40	30
3	4	4	35	40	30
1.5	4.5	4.5	9.5	13	4.5
2	4.5	4.5	9.5	13	4.5
3	1.5	1.5	8.5	12	4.8
1.5	1.5	1.5	8	12	4.8
2	1.5	1.5	8	12	4.8
3	1.5	1.5	8	12	4.8
1.5	2	2	8	11	4
2	2	2	8	11	4
1	2	2	8	11	5.5
1.5	2	2	8	11	5.5
2	2	2	8	11	5.5
1.5	3.75	3.75	10	16	5.8
1	2.75	2.75	7	11	5

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

b	B1	B2	d	D	i
1.5	2.75	2.75	7	11	5
2	2.75	2.75	7	11	5
3	2.75	2.75	7	11	5
1	3	8	9	15	5
1.5	3	8	9	15	5
1	3	3	10	14	6
1.5	3	3	10	14	6
2	3	3	10	14	6
3	3	3	10	14	6
1	1.75	1.75	11	16	6
2	1.75	1.75	11	16	6
3	1.75	1.75	11	16	6
3	1.75	1.75	12	16	6
1	3	3	9	14	6
1.5	3	3	9	14	6
3	3	3	9	14	6
1	3.5	3.5	12	20	7.5
1.5	3.5	3.5	12	20	7.5
2	3.5	3.5	12	20	7.5
3	3.5	3.5	12	20	7.5
6	3.5	3.5	12	20	7.5
1	3.25	3.25	12	16	7
1.5	3.25	3.25	12	16	7
2	3.25	3.25	12	16	7
3	3.25	3.25	12	16	7
1	3.5	3.5	10	15	8
1.5	3.5	3.5	10	15	8
2	3.5	3.5	10	15	8
3	3.5	3.5	10	15	8
4	3.5	3.5	10	15	8
1	3.5	3.5	11	15	8
1.5	3.5	3.5	11	15	8
2	3.5	3.5	11	15	8
3	3.5	3.5	11	15	8
4	3.5	3.5	11	15	8
1	3	3	13	17.5	9.5
1.5	3	3	13	17.5	9.5
2	3	3	13	17.5	9.5
3	3	3	13	17.5	9.5

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Size table:

b	B1	B2	d	D	i
4	3	3	13	17.5	9.5
5	3	3	13	17.5	9.5
8	3	3	13	17.5	9.5
1	2.75	2.75	11	16	9
1.5	2.75	2.75	11	16	9
2	2.75	2.75	11	16	9
3	2.75	2.75	11	16	9
4	2.75	2.75	11	16	9
1	4	4	16	22	9
1.5	4	4	16	22	9
2	4	4	16	22	9
3	4	4	16	22	9
4	4	4	16	22	9
2	3.25	3.25	20	27	9
3	3.25	3.25	20	27	9
4	3.25	3.25	20	27	9
1.5	4.5	4.5	25	32.5	18.5

Material	b mm	B1 mm	B2 mm	d mm	D mm	i mm	Colour	Article
CR	1	3	3	14	19	11	Black	12731174
CR	1.5	3	3	14	19	11	Black	12731175
CR	2	3	3	14	19	11	Black	12731176
CR	3	3	3	14	19	11	Black	12731177
CR	1	3	3	15	19	11	Black	12731178
CR	1.5	3	3	15	19	11	Black	12731179
CR	2	3	3	15	19	11	Black	12731180
CR	2.5	3	3	15	19	11	Black	12731181
CR	3	3	3	15	19	11	Black	12731182
CR	1	2.5	2.5	18	25	12	Black	12731184
CR	1.5	2.5	2.5	18	25	12	Black	12731185
CR	2	2.5	2.5	18	25	12	Black	12731186
CR	3	2.5	2.5	18	25	12	Black	12731187
CR	4	2.5	2.5	18	25	12	Black	12731188
CR	1	2.5	2.5	20	25	12	Black	12731189
CR	1.5	2.5	2.5	20	25	12	Black	12731190
CR	2	2.5	2.5	20	25	12	Black	12731191
CR	3	2.5	2.5	20	25	12	Black	12731192
CR	4	2.5	2.5	20	25	12	Black	12731193
CR	1	4	4	17	23	13	Black	12731194
CR	2	4	4	17	23	13	Black	12731196
CR	3	4	4	17	23	13	Black	12731197
CR	5	4	4	17	23	13	Black	12731199
CR	6	4	4	17	23	13	Black	12731200
CR	4	4	4	20	28	14	Black	12731201
CR	1	4.5	4.5	22	26	15	Black	12731202

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	b mm	B1 mm	B2 mm	d mm	D mm	i mm	Colour	Article
CR	3	4.5	4.5	22	26	15	Black	12731204
CR	8	4.5	4.5	22	26	15	Black	12731205
CR	1.5	4	4	22	29.5	16	Black	12731206
CR	2	4	4	22	29.5	16	Black	12731207
CR	3	4	4	22	29.5	16	Black	12731208
CR	1	2	2	6.5	11	2	Black	12731094
CR	1.5	2	2	6.5	11	2	Black	12731095
CR	2	2	2	6.5	11	2	Black	12731096
CR	1	5	5	28	36	20	Black	12731210
CR	1.5	5	5	28	36	20	Black	12731211
CR	2	5	5	28	36	20	Black	12731212
CR	3	5	5	28	36	20	Black	12731213
CR	4	5	5	28	36	20	Black	12731214
CR	6	5	5	28	36	20	Black	12731215
CR	1	1.5	3	5	10	3	Black	12731097
CR	1	1.5	3	7	10	3	Black	12731098
CR	1.5	1.5	3	7	10	3	Black	12731099
CR	2	1.5	3	7	10	3	Black	12731100
CR	3	1.5	3	7	10	3	Black	12731101
CR	1.5	4	4	35	40	30	Black	12731216
CR	2	4	4	35	40	30	Black	12731217
CR	3	4	4	35	40	30	Black	12731218
CR	1.5	4.5	4.5	9.5	13	4.5	Black	12731105
CR	2	4.5	4.5	9.5	13	4.5	Black	12731106
CR	3	1.5	1.5	8.5	12	4.8	Black	12731110
CR	1.5	1.5	1.5	8	12	4.8	Black	12731107
CR	2	1.5	1.5	8	12	4.8	Black	12731108
CR	3	1.5	1.5	8	12	4.8	Black	12731109
CR	1.5	2	2	8	11	4	Black	12731103
CR	2	2	2	8	11	4	Black	12731104
CR	1	2	2	8	11	5.5	Black	12731118
CR	1.5	2	2	8	11	5.5	Black	12731119
CR	2	2	2	8	11	5.5	Black	12731120
CR	1.5	3.75	3.75	10	16	5.8	Black	12731121
CR	1	2.75	2.75	7	11	5	Black	12731111
CR	1.5	2.75	2.75	7	11	5	Black	12731112
CR	2	2.75	2.75	7	11	5	Black	12731113
CR	3	2.75	2.75	7	11	5	Black	12731114
CR	1	3	8	9	15	5	Black	12731115
CR	1.5	3	8	9	15	5	Black	12731116
CR	1	3	3	10	14	6	Black	12731126
CR	1.5	3	3	10	14	6	Black	12731127
CR	2	3	3	10	14	6	Black	12731128
CR	3	3	3	10	14	6	Black	12731129
CR	1	1.75	1.75	11	16	6	Black	12731130
CR	2	1.75	1.75	11	16	6	Black	12731131
CR	3	1.75	1.75	11	16	6	Black	12731132
CR	3	1.75	1.75	12	16	6	Black	12731134
CR	1	3	3	9	14	6	Black	12731122
CR	1.5	3	3	9	14	6	Black	12731123
CR	3	3	3	9	14	6	Black	12731125
CR	1	3.5	3.5	12	20	7.5	Black	12731140
CR	1.5	3.5	3.5	12	20	7.5	Black	12731141

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	b mm	B1 mm	B2 mm	d mm	D mm	i mm	Colour	Article
CR	2	3.5	3.5	12	20	7.5	Black	12731142
CR	3	3.5	3.5	12	20	7.5	Black	12731143
CR	6	3.5	3.5	12	20	7.5	Black	12731144
CR	1	3.25	3.25	12	16	7	Black	12731135
CR	1.5	3.25	3.25	12	16	7	Black	12731136
CR	2	3.25	3.25	12	16	7	Black	12731138
CR	3	3.25	3.25	12	16	7	Black	12731139
CR	1	3.5	3.5	10	15	8	Black	12731145
CR	1.5	3.5	3.5	10	15	8	Black	12731146
CR	2	3.5	3.5	10	15	8	Black	12731147
CR	3	3.5	3.5	10	15	8	Black	12731148
CR	4	3.5	3.5	10	15	8	Black	12731149
CR	1	3.5	3.5	11	15	8	Black	12731150
CR	1.5	3.5	3.5	11	15	8	Black	12731151
CR	2	3.5	3.5	11	15	8	Black	12731152
CR	3	3.5	3.5	11	15	8	Black	12731153
CR	4	3.5	3.5	11	15	8	Black	12731154
CR	1	3	3	13	17.5	9.5	Black	12731168
CR	1.5	3	3	13	17.5	9.5	Black	12731169
CR	2	3	3	13	17.5	9.5	Black	12411061
CR	3	3	3	13	17.5	9.5	Black	12731170
CR	4	3	3	13	17.5	9.5	Black	12731171
CR	5	3	3	13	17.5	9.5	Black	12731172
CR	8	3	3	13	17.5	9.5	Black	12731173
CR	1	2.75	2.75	11	16	9	Black	12731155
CR	1.5	2.75	2.75	11	16	9	Black	12731156
CR	2	2.75	2.75	11	16	9	Black	12731157
CR	3	2.75	2.75	11	16	9	Black	12731158
CR	4	2.75	2.75	11	16	9	Black	12731159
CR	1	4	4	16	22	9	Black	12731160
CR	1.5	4	4	16	22	9	Black	12731161
CR	2	4	4	16	22	9	Black	12731162
CR	3	4	4	16	22	9	Black	12731163
CR	4	4	4	16	22	9	Black	12731164
CR	2	3.25	3.25	20	27	9	Black	12731165
CR	3	3.25	3.25	20	27	9	Black	12731166
CR	4	3.25	3.25	20	27	9	Black	12731167
CR	1.5	4.5	4.5	25	32.5	18.5	Black	12731209

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.