


INA Carriage series KWVE...-B-EC



Characteristics

Series: KWVE...-B

Construction type: EC

Construction width: Standard

Construction length: Short

Construction height: Standard

Material: Steel

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE15-B-EC-V0-G1	15	V0	G1		52	24	44.5	12633568
KWVE15-B-EC-V0-G2	15	V0	G2		52	24	44.5	12633569
KWVE15-B-EC-V0-G3	15	V0	G3		52	24	44.5	24207080
KWVE15-B-EC-V0-G4	15	V0	G4		52	24	44.5	12633570
KWVE15-B-EC-V1-G1	15	V1	G1		52	24	44.5	12633571
KWVE15-B-EC-V1-G2	15	V1	G2		52	24	44.5	12633572
KWVE15-B-EC-V1-G3	15	V1	G3		52	24	44.5	12633573
KWVE15-B-EC-RROC-V1-G3	15	V1	G3	Corrotect®	52	24	44.5	12635735
KWVE15-B-EC-V1-G4	15	V1	G4		52	24	44.5	12633574
KWVE15-B-EC-V2-G1	15	V2	G1		52	24	44.5	12633575
KWVE15-B-EC-V2-G2	15	V2	G2		52	24	44.5	12633576
KWVE15-B-EC-V2-G3	15	V2	G3		52	24	44.5	12633577
KWVE15-B-EC-RROC-V2-G3	15	V2	G3	Corrotect®	52	24	44.5	12635736
KWVE15-B-EC-V2-G4	15	V2	G4		52	24	44.5	12633578
KWVE20-B-EC-V0-G1	20	V0	G1		59	28	50.4	12633639
KWVE20-B-EC-V0-G2	20	V0	G2		59	28	50.4	12633640
KWVE20-B-EC-V0-G3	20	V0	G3		59	28	50.4	12633641
KWVE20-B-EC-V0-G4	20	V0	G4		59	28	50.4	12633642
KWVE20-B-EC-V1-G1	20	V1	G1		59	28	50.4	12633643
KWVE20-B-EC-V1-G2	20	V1	G2		59	28	50.4	12633644
KWVE20-B-EC-V1-G3	20	V1	G3		59	28	50.4	12633645
KWVE20-B-EC-RROC-V1-G3	20	V1	G3	Corrotect®	59	28	50.4	12635755
KWVE20-B-EC-V1-G4	20	V1	G4		59	28	50.4	12633646
KWVE20-B-EC-V2-G1	20	V2	G1		59	28	50.4	12633647
KWVE20-B-EC-V2-G2	20	V2	G2		59	28	50.4	12633648
KWVE20-B-EC-V2-G3	20	V2	G3		59	28	50.4	12633649
KWVE20-B-EC-RROC-V2-G3	20	V2	G3	Corrotect®	59	28	50.4	12635756
KWVE20-B-EC-V2-G4	20	V2	G4		59	28	50.4	12633650

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE25-B-EC-V0-G1	25	V0	G1		73	33	58.2	12633888
KWVE25-B-EC-V0-G2	25	V0	G2		73	33	58.2	12633889
KWVE25-B-EC-V0-G3	25	V0	G3		73	33	58.2	12633890
KWVE25-B-EC-V0-G4	25	V0	G4		73	33	58.2	12633891
KWVE25-B-EC-V1-G1	25	V1	G1		73	33	58.2	12633892
KWVE25-B-EC-V1-G2	25	V1	G2		73	33	58.2	12633893
KWVE25-B-EC-V1-G3	25	V1	G3		73	33	58.2	12633894
KWVE25-B-EC-RROC-V1-G3	25	V1	G3	Corrotect®	73	33	58.2	12633876
KWVE25-B-EC-V1-G4	25	V1	G4		73	33	58.2	12633895
KWVE25-B-EC-UG-V2-G1	25	V2	G1		73	33	58.2	12633884
KWVE25-B-EC-V2-G1	25	V2	G1		73	33	58.2	12633896
KWVE25-B-EC-V2-G2	25	V2	G2		73	33	58.2	12633897
KWVE25-B-EC-V2-G3	25	V2	G3		73	33	58.2	12633898
KWVE25-B-EC-RROC-V2-G3	25	V2	G3	Corrotect®	73	33	58.2	12633877
KWVE25-B-EC-V2-G4	25	V2	G4		73	33	58.2	12633899
KWVE30-B-EC-V0-G1	30	V0	G1		90	42	69	12634277
KWVE30-B-EC-V0-G2	30	V0	G2		90	42	69	12634278
KWVE30-B-EC-V0-G3	30	V0	G3		90	42	69	12634279
KWVE30-B-EC-V0-G4	30	V0	G4		90	42	69	12634280
KWVE30-B-EC-V1-G1	30	V1	G1		90	42	69	12634281
KWVE30-B-EC-V1-G2	30	V1	G2		90	42	69	12634282
KWVE30-B-EC-V1-G3	30	V1	G3		90	42	69	12634283
KWVE30-B-EC-RROC-V1-G3	30	V1	G3	Corrotect®	90	42	69	12634275
KWVE30-B-EC-V1-G4	30	V1	G4		90	42	69	12634284
KWVE30-B-EC-V2-G1	30	V2	G1		90	42	69	12634285
KWVE30-B-EC-V2-G2	30	V2	G2		90	42	69	12634286
KWVE30-B-EC-V2-G3	30	V2	G3		90	42	69	12634287
KWVE30-B-EC-RROC-V2-G3	30	V2	G3	Corrotect®	90	42	69	12634276
KWVE30-B-EC-V2-G4	30	V2	G4		90	42	69	12634288
KWVE35-B-EC-V0-G1	35	V0	G1		100	48	76.2	12634545
KWVE35-B-EC-V0-G2	35	V0	G2		100	48	76.2	12634546
KWVE35-B-EC-V0-G3	35	V0	G3		100	48	76.2	12634547
KWVE35-B-EC-V0-G4	35	V0	G4		100	48	76.2	12634548
KWVE35-B-EC-V1-G1	35	V1	G1		100	48	76.2	12634549
KWVE35-B-EC-V1-G2	35	V1	G2		100	48	76.2	12634550

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Size	Preload class	Accuracy class	Coating	Width mm	Height mm	Length mm	Article
KWVE35-B-EC-VI-G3	35	V1	G3		100	48	76.2	12634551
KWVE35-B-EC-RROC-V1-G3	35	V1	G3	Corrotect®	100	48	76.2	12634543
KWVE35-B-EC-VI-G4	35	V1	G4		100	48	76.2	12634552
KWVE35-B-EC-V2-G1	35	V2	G1		100	48	76.2	12634553
KWVE35-B-EC-V2-G2	35	V2	G2		100	48	76.2	12634554
KWVE35-B-EC-V2-G3	35	V2	G3		100	48	76.2	12634555
KWVE35-B-EC-RROC-V2-G3	35	V2	G3	Corrotect®	100	48	76.2	12634544
KWVE35-B-EC-V2-G4	35	V2	G4		100	48	76.2	12634556
KWVE45-B-EC-V0-G1	45	V0	G1		120	60	97.8	12634796
KWVE45-B-EC-V0-G2	45	V0	G2		120	60	97.8	12634797
KWVE45-B-EC-V0-G3	45	V0	G3		120	60	97.8	12634798
KWVE45-B-EC-V0-G4	45	V0	G4		120	60	97.8	12634799
KWVE45-B-EC-VI-G1	45	V1	G1		120	60	97.8	12634800
KWVE45-B-EC-VI-G2	45	V1	G2		120	60	97.8	12634801
KWVE45-B-EC-VI-G3	45	V1	G3		120	60	97.8	12634802
KWVE45-B-EC-RROC-V1-G3	45	V1	G3	Corrotect®	120	60	97.8	12634794
KWVE45-B-EC-VI-G4	45	V1	G4		120	60	97.8	12634803
KWVE45-B-EC-V2-G1	45	V2	G1		120	60	97.8	12634804
KWVE45-B-EC-V2-G2	45	V2	G2		120	60	97.8	12634805
KWVE45-B-EC-V2-G3	45	V2	G3		120	60	97.8	12634806
KWVE45-B-EC-RROC-V2-G3	45	V2	G3	Corrotect®	120	60	97.8	12634795
KWVE45-B-EC-V2-G4	45	V2	G4		120	60	97.8	12634807

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.