



FESTO Guided drive DFM

Characteristics

- Series: DFM
- Function: Double acting
- Magnetic: Yes
- Housing material: Aluminium alloy
- Operating temperature: -5 / 60 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm				
							13653676
							14099754
							14099796
							14165925
							14165918
							14165930
							14165942
							14165937
	16	10			2 / 10		14526707
	16	20			2 / 10		14526708
	16	25			2 / 10		14526709
	16	30			2 / 10		14526710
	16	40			2 / 10		14526711
	16	50			2 / 10		14526712
	16	80			2 / 10		14526713
	16				2 / 10		14526714
	20	20			2 / 10		14526715
	20	25			2 / 10		14526716
	20	30			2 / 10		14526717
	20	40			2 / 10		14526718
	20	50			2 / 10		14526719
	20	80			2 / 10		14526720
	20				2 / 10		14526721
	25	20	G1/8		2 / 10		14526722
	25	25	G1/8		2 / 10		14526723
	25	30	G1/8		2 / 10		14526724
	25	40	G1/8		2 / 10		14526725
	25	50	G1/8		2 / 10		14526726
	25	80	G1/8		2 / 10		14526727
	25		G1/8		2 / 10		14526728
	40	25	G1/8		2 / 10		14526729
	40	50	G1/8		2 / 10		14526730
	40	80	G1/8		2 / 10		14526731
	40	125	G1/8		2 / 10		14526733
	40	160	G1/8		2 / 10		14526734
	40	200	G1/8		2 / 10		14526735
	40		G1/8		2 / 10		14526732
DFM-12-10-P-A-GF	Mechanical	12	10	M 5		2 / 10	11633443
DFM-12-10-P-A-KF	Mechanical	12	10	M 5		2 / 10	11633505
DFM-12-20-P-A-GF	Mechanical	12	20	M 5		2 / 10	11633444
DFM-12-20-P-A-KF	Mechanical	12	20	M 5		2 / 10	11633506
DFM-12-25-P-A-GF	Mechanical	12	25	M 5		2 / 10	11633445

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DFM-12-25-P-A-KF	Mechanical	12	25	M 5		2 / 10	11633507
DFM-12-30-P-A-GF	Mechanical	12	30	M 5		2 / 10	11633446
DFM-12-30-P-A-KF	Mechanical	12	30	M 5		2 / 10	11633508
DFM-12-40-P-A-KF	Mechanical	12	40	M 5		2 / 10	11633509
DFM-12-40-P-A-GF	Mechanical	12	40	M 5		2 / 10	11633447
DFM-12-50-P-A-KF	Mechanical	12	50	M 5		2 / 10	11633510
DFM-12-100-P-A-KF	Mechanical	12	100	M 5		2 / 10	11633511
DFM-12-100-P-A-GF	Mechanical	12	100	M 5		2 / 10	11633448
DFM-16-20-P-A-KF	Mechanical	16	20	M 5		2 / 10	11633512
DFM-16-25-P-A-GF	Mechanical	16	25	M 5		2 / 10	11633449
DFM-16-30-P-A-KF	Mechanical	16	30	M 5		2 / 10	11633513
DFM-16-30-P-A-GF	Mechanical	16	30	M 5		2 / 10	11633450
DFM-16-40-P-A-GF	Mechanical	16	40	M 5		2 / 10	11633451
DFM-16-50-P-A-GF	Mechanical	16	50	M 5		2 / 10	11633452
DFM-16-100-P-A-GF	Mechanical	16	100	M 5		2 / 10	11633453
DFM-16-100-P-A-KF	Mechanical	16	100	M 5		2 / 10	11633514
DFM-20-20-P-A-GF	Mechanical	20	20	M 5		2 / 10	11633454
DFM-20-25-P-A-KF	Mechanical	20	25	M 5		2 / 10	11633515
DFM-20-25-P-A-GF	Mechanical	20	25	M 5		2 / 10	11633455
DFM-20-30-P-A-GF	Mechanical	20	30	M 5		2 / 10	11633456
DFM-20-40-P-A-GF	Mechanical	20	40	M 5		2 / 10	11633457
DFM-20-40-P-A-KF	Mechanical	20	40	M 5		2 / 10	11633516
DFM-20-50-P-A-KF	Mechanical	20	50	M 5		2 / 10	11633517
DFM-20-50-P-A-GF	Mechanical	20	50	M 5		2 / 10	11633458
DFM-20-80-P-A-KF	Mechanical	20	80	M 5		2 / 10	11633518
DFM-20-80-P-A-GF	Mechanical	20	80	M 5		2 / 10	11633459
DFM-20-100-P-A-GF	Mechanical	20	100	M 5		2 / 10	11633460
DFM-25-20-P-A-KF	Mechanical	25	20		G1/8	1.5 / 10	11633519
DFM-25-30-P-A-KF	Mechanical	25	30		G1/8	1.5 / 10	11633520
DFM-25-30-P-A-GF	Mechanical	25	30		G1/8	1.5 / 10	11633461
DFM-25-40-P-A-KF	Mechanical	25	40		G1/8	1.5 / 10	11633521
DFM-25-40-P-A-GF	Mechanical	25	40		G1/8	1.5 / 10	11633462
DFM-25-100-P-A-GF	Mechanical	25	100		G1/8	1.5 / 10	11633463
DFM-25-100-P-A-KF	Mechanical	25	100		G1/8	1.5 / 10	11633522
DFM-32-20-P-A-GF	Mechanical	32	20		G1/8	1.5 / 10	11633464
DFM-32-25-P-A-GF	Mechanical	32	25		G1/8	1.5 / 10	11633465
DFM-32-25-P-A-KF	Mechanical	32	25		G1/8	1.5 / 10	11633523
DFM-32-30-P-A-GF	Mechanical	32	30		G1/8	1.5 / 10	11633466
DFM-32-40-P-A-KF	Mechanical	32	40		G1/8	1.5 / 10	11633524
DFM-32-50-P-A-GF	Mechanical	32	50		G1/8	1.5 / 10	11633467
DFM-32-50-P-A-KF	Mechanical	32	50		G1/8	1.5 / 10	11633525
DFM-32-80-P-A-GF	Mechanical	32	80		G1/8	1.5 / 10	11633468
DFM-32-100-P-A-GF	Mechanical	32	100		G1/8	1.5 / 10	11633469
DFM-32-100-P-A-KF	Mechanical	32	100		G1/8	1.5 / 10	11633526
DFM-32-160-P-A-KF	Mechanical	32	160		G1/8	1.5 / 10	11633527
DFM-32-160-P-A-GF	Mechanical	32	160		G1/8	1.5 / 10	11607007
DFM-32-200-P-A-GF	Mechanical	32	200		G1/8	1.5 / 10	11633470
DFM-32-200-P-A-KF	Mechanical	32	200		G1/8	1.5 / 10	11633528
DFM-40-25-P-A-KF	Mechanical	40	25		G1/8	1.5 / 10	11633529
DFM-40-25-P-A-GF	Mechanical	40	25		G1/8	1.5 / 10	11633471
DFM-40-50-P-A-KF	Mechanical	40	50		G1/8	1.5 / 10	11633530
DFM-40-50-P-A-GF	Mechanical	40	50		G1/8	1.5 / 10	11633472

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DFM-40-80-P-A-GF	Mechanical	40	80		G1/8	1.5 / 10	11633474
DFM-40-80-P-A-KF	Mechanical	40	80		G1/8	1.5 / 10	11633531
DFM-40-125-P-A-GF	Mechanical	40	125		G1/8	1.5 / 10	11633475
DFM-40-125-P-A-KF	Mechanical	40	125		G1/8	1.5 / 10	11633532
DFM-40-160-P-A-GF	Mechanical	40	160		G1/8	1.5 / 10	11633476
DFM-40-160-P-A-KF	Mechanical	40	160		G1/8	1.5 / 10	11633533
DFM-40-200-P-A-KF	Mechanical	40	200		G1/8	1.5 / 10	11633534
DFM-40-200-P-A-GF	Mechanical	40	200		G1/8	1.5 / 10	11633477
DFM-50-25-P-A-KF	Mechanical	50	25		G1/4	1 / 10	11633535
DFM-50-25-P-A-GF	Mechanical	50	25		G1/4	1 / 10	11633478
DFM-50-50-P-A-KF	Mechanical	50	50		G1/4	1 / 10	11633536
DFM-50-50-P-A-GF	Mechanical	50	50		G1/4	1 / 10	11633479
DFM-50-80-P-A-GF	Mechanical	50	80		G1/4	1 / 10	11633480
DFM-50-80-P-A-KF	Mechanical	50	80		G1/4	1 / 10	11633537
DFM-50-100-P-A-KF	Mechanical	50	100		G1/4	1 / 10	11633538
DFM-50-100-P-A-GF	Mechanical	50	100		G1/4	1 / 10	11633481
DFM-50-125-P-A-GF	Mechanical	50	125		G1/4	1 / 10	11633482
DFM-50-125-P-A-KF	Mechanical	50	125		G1/4	1 / 10	11633539
DFM-50-160-P-A-KF	Mechanical	50	160		G1/4	1 / 10	11633540
DFM-50-160-P-A-GF	Mechanical	50	160		G1/4	1 / 10	11633483
DFM-50-200-P-A-GF	Mechanical	50	200		G1/4	1 / 10	11633484
DFM-50-200-P-A-KF	Mechanical	50	200		G1/4	1 / 10	11633541
DFM-63-25-P-A-KF	Mechanical	63	25		G1/4	1 / 10	11633542
DFM-63-25-P-A-GF	Mechanical	63	25		G1/4	1 / 10	11633485
DFM-63-50-P-A-KF	Mechanical	63	50		G1/4	1 / 10	11633543
DFM-63-50-P-A-GF	Mechanical	63	50		G1/4	1 / 10	11633486
DFM-63-80-P-A-KF	Mechanical	63	80		G1/4	1 / 10	11633544
DFM-63-80-P-A-GF	Mechanical	63	80		G1/4	1 / 10	11633487
DFM-63-100-P-A-GF	Mechanical	63	100		G1/4	1 / 10	11633488
DFM-63-100-P-A-KF	Mechanical	63	100		G1/4	1 / 10	11633545
DFM-63-125-P-A-GF	Mechanical	63	125		G1/4	1 / 10	11633489
DFM-63-125-P-A-KF	Mechanical	63	125		G1/4	1 / 10	11633546
DFM-63-160-P-A-GF	Mechanical	63	160		G1/4	1 / 10	11553133
DFM-63-160-P-A-KF	Mechanical	63	160		G1/4	1 / 10	11633547
DFM-63-200-P-A-KF	Mechanical	63	200		G1/4	1 / 10	11633548
DFM-63-200-P-A-GF	Mechanical	63	200		G1/4	1 / 10	11633490
DFM-80-25-P-A-KF	Mechanical	80	25		G3/8	0.5 / 10	11633549
DFM-80-25-P-A-GF	Mechanical	80	25		G3/8	0.5 / 10	11633491
DFM-80-50-P-A-GF	Mechanical	80	50		G3/8	0.5 / 10	11633492
DFM-80-50-P-A-KF	Mechanical	80	50		G3/8	0.5 / 10	11633550
DFM-80-80-P-A-GF	Mechanical	80	80		G3/8	0.5 / 10	11633493
DFM-80-80-P-A-KF	Mechanical	80	80		G3/8	0.5 / 10	11633551
DFM-80-100-P-A-GF	Mechanical	80	100		G3/8	0.5 / 10	11633494
DFM-80-100-P-A-KF	Mechanical	80	100		G3/8	0.5 / 10	11633552
DFM-80-125-P-A-GF	Mechanical	80	125		G3/8	0.5 / 10	11633495
DFM-80-125-P-A-KF	Mechanical	80	125		G3/8	0.5 / 10	11633553
DFM-80-160-P-A-GF	Mechanical	80	160		G3/8	0.5 / 10	11633496
DFM-80-160-P-A-KF	Mechanical	80	160		G3/8	0.5 / 10	11633554
DFM-80-200-P-A-GF	Mechanical	80	200		G3/8	0.5 / 10	11633497
DFM-80-200-P-A-KF	Mechanical	80	200		G3/8	0.5 / 10	11633555

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
DFM-100-25-P-A-GF	Mechanical	100	25		G3/8	0.5 / 10	11633498
DFM-100-25-P-A-KF	Mechanical	100	25		G3/8	0.5 / 10	11633556
DFM-100-50-P-A-GF	Mechanical	100	50		G3/8	0.5 / 10	11633499
DFM-100-50-P-A-KF	Mechanical	100	50		G3/8	0.5 / 10	11633557
DFM-100-80-P-A-KF	Mechanical	100	80		G3/8	0.5 / 10	11633558
DFM-100-80-P-A-GF	Mechanical	100	80		G3/8	0.5 / 10	11633500
DFM-100-100-P-A-GF	Mechanical	100	100		G3/8	0.5 / 10	11633501
DFM-100-100-P-A-KF	Mechanical	100	100		G3/8	0.5 / 10	11633559
DFM-100-125-P-A-KF	Mechanical	100	125		G3/8	0.5 / 10	11633560
DFM-100-125-P-A-GF	Mechanical	100	125		G3/8	0.5 / 10	11633502
DFM-100-160-P-A-KF	Mechanical	100	160		G3/8	0.5 / 10	11633561
DFM-100-160-P-A-GF	Mechanical	100	160		G3/8	0.5 / 10	11633503
DFM-100-200-P-A-GF	Mechanical	100	200		G3/8	0.5 / 10	11633504
DFM-100-200-P-A-KF	Mechanical	100	200		G3/8	0.5 / 10	11633562
	Pneumatic	16	10	M5		2 / 10	14526706
	Pneumatic	16	20			2 / 10	14526681
	Pneumatic	16	25			2 / 10	14526702
	Pneumatic	16	25			2 / 10	14526081
	Pneumatic	16	30			2 / 10	14526703
	Pneumatic	16	30			2 / 10	14526682
	Pneumatic	16	40			2 / 10	14526704
	Pneumatic	16	40			2 / 10	14526082
	Pneumatic	16	50			2 / 10	14526705
	Pneumatic	16	50			2 / 10	14526083
	Pneumatic	16	80			2 / 10	14526084
	Pneumatic	20	20			2 / 10	14526684
	Pneumatic	20	20			2 / 10	14526687
	Pneumatic	20	30			2 / 10	14526683
	Pneumatic	20	40			2 / 10	14526085
	Pneumatic	20	50			2 / 10	14526086
	Pneumatic	20	80			2 / 10	14526087
	Pneumatic	20	160			2 / 10	14509471
	Pneumatic	20	160			2 / 10	14471842
	Pneumatic	20	200			2 / 10	14526088
	Pneumatic	25	20	G1/8		2 / 10	14526685
	Pneumatic	25	20	G1/8		2 / 10	14526688
	Pneumatic	25	30	G1/8		2 / 10	14526679
	Pneumatic	25	30	G1/8		2 / 10	14526689
	Pneumatic	25	40	G1/8		2 / 10	14526690
	Pneumatic	25	50	G1/8		2 / 10	14526090
	Pneumatic	32	20	G1/8		2 / 10	14526691
	Pneumatic	32	25	G1/8		2 / 10	14526692
	Pneumatic	32	30	G1/8		2 / 10	14526694
	Pneumatic	32	30	G1/8		2 / 10	14526693
	Pneumatic	32	200	G1/8		2 / 10	14526695
	Pneumatic	32	250	G1/8		2 / 10	14526696
	Pneumatic	32		G1/8		2 / 10	14526089
	Pneumatic	40	25	G1/8		2 / 10	14526697
	Pneumatic	40	50	G1/8		2 / 10	14526698

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Port Size	Operating pressure	Article
		mm	mm	mm	in	bar	
	Pneumatic	40	50	G1/8		2 / 10	14526680
	Pneumatic	40	80	G1/8		2 / 10	14526699
	Pneumatic	50	25	G1/4		2 / 10	14422299
	Pneumatic	50	50	G1/4		2 / 10	14526686
	Pneumatic	50	80	G1/4		2 / 10	14526700
	Pneumatic	50		G1/4		2 / 10	14526701

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.