

FESTO Standard cylinder DSBF



Characteristics

Series: DSBF

Function: Double acting

Magnetic: Yes

Operating temperature: -20 / 80 °C

Manufacturer ID	Cushioning	Bore diameter mm	Stroke length mm	Port Size in	Operating pressure bar	Article
DSBF-C-32-25-PPVA-N3-R	Adjustable	32	25	G1/8	0.6 / 12	12575751
DSBF-C-32-40-PPVA-N3-R	Adjustable	32	40	G1/8	0.6 / 12	12575760
DSBF-C-32-50-PPVA-N3-R	Adjustable	32	50	G1/8	0.6 / 12	12575764
DSBF-C-32-80-PPVA-N3-R	Adjustable	32	80	G1/8	0.6 / 12	12575766
DSBF-C-32-100-PPVA-N3-R	Adjustable	32	100	G1/8	0.6 / 12	12575733
DSBF-C-32-125-PPVA-N3-R	Adjustable	32	125	G1/8	0.6 / 12	12575736
DSBF-C-32-160-PPVA-N3-R	Adjustable	32	160	G1/8	0.6 / 12	12575738
DSBF-C-32-200-PPVA-N3-R	Adjustable	32	200	G1/8	0.6 / 12	12575747
DSBF-C-32-250-PPVA-N3-R	Adjustable	32	250	G1/8	0.6 / 12	12575749
DSBF-C-32-320-PPVA-N3-R	Adjustable	32	320	G1/8	0.6 / 12	12575755
DSBF-C-32-400-PPVA-N3-R	Adjustable	32	400	G1/8	0.6 / 12	12575758
DSBF-C-32-500-PPVA-N3-R	Adjustable	32	500	G1/8	0.6 / 12	12575762
DSBF-C-40-25-PPVA-N3-R	Adjustable	40	25	G1/4	0.6 / 12	12575778
DSBF-C-40-40-PPVA-N3-R	Adjustable	40	40	G1/4	0.6 / 12	12575948
DSBF-C-40-50-PPVA-N3-R	Adjustable	40	50	G1/4	0.6 / 12	12575951
DSBF-C-40-80-PPVA-N3-R	Adjustable	40	80	G1/4	0.6 / 12	12575953
DSBF-C-40-100-PPVA-N3-R	Adjustable	40	100	G1/4	0.6 / 12	12575768
DSBF-C-40-125-PPVA-N3-R	Adjustable	40	125	G1/4	0.6 / 12	12575770
DSBF-C-40-160-PPVA-N3-R	Adjustable	40	160	G1/4	0.6 / 12	12575772
DSBF-C-40-200-PPVA-N3-R	Adjustable	40	200	G1/4	0.6 / 12	12575774
DSBF-C-40-250-PPVA-N3-R	Adjustable	40	250	G1/4	0.6 / 12	12575776
DSBF-C-40-320-PPVA-N3-R	Adjustable	40	320	G1/4	0.6 / 12	12575944
DSBF-C-40-400-PPVA-N3-R	Adjustable	40	400	G1/4	0.6 / 12	12575946
DSBF-C-40-500-PPVA-N3-R	Adjustable	40	500	G1/4	0.6 / 12	12604709
DSBF-C-50-25-PPVA-N3-R	Adjustable	50	25	G1/4	0.4 / 12	12575966
DSBF-C-50-40-PPVA-N3-R	Adjustable	50	40	G1/4	0.4 / 12	12575972
DSBF-C-50-50-PPVA-N3-R	Adjustable	50	50	G1/4	0.4 / 12	12575976
DSBF-C-50-80-PPVA-N3-R	Adjustable	50	80	G1/4	0.4 / 12	12575978

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter mm	Stroke length mm	Port Size in	Operating pressure bar	Article
DSBF-C-50-100-PPVA-N3-R	Adjustable	50	100	G1/4	0.4 / 12	12575956
DSBF-C-50-125-PPVA-N3-R	Adjustable	50	125	G1/4	0.4 / 12	12575958
DSBF-C-50-160-PPVA-N3-R	Adjustable	50	160	G1/4	0.4 / 12	12575960
DSBF-C-50-200-PPVA-N3-R	Adjustable	50	200	G1/4	0.4 / 12	12575962
DSBF-C-50-250-PPVA-N3-R	Adjustable	50	250	G1/4	0.4 / 12	12575964
DSBF-C-50-320-PPVA-N3-R	Adjustable	50	320	G1/4	0.4 / 12	12575968
DSBF-C-50-400-PPVA-N3-R	Adjustable	50	400	G1/4	0.4 / 12	12575970
DSBF-C-50-500-PPVA-N3-R	Adjustable	50	500	G1/4	0.4 / 12	12575974
DSBF-C-63-25-PPVA-N3-R	Adjustable	63	25	G3/8	0.4 / 12	12575990
DSBF-C-63-40-PPVA-N3-R	Adjustable	63	40	G3/8	0.4 / 12	12575997
DSBF-C-63-50-PPVA-N3-R	Adjustable	63	50	G3/8	0.4 / 12	12576001
DSBF-C-63-80-PPVA-N3-R	Adjustable	63	80	G3/8	0.4 / 12	12576003
DSBF-C-63-100-PPVA-N3-R	Adjustable	63	100	G3/8	0.4 / 12	12575980
DSBF-C-63-125-PPVA-N3-R	Adjustable	63	125	G3/8	0.4 / 12	12575982
DSBF-C-63-160-PPVA-N3-R	Adjustable	63	160	G3/8	0.4 / 12	12575984
DSBF-C-63-200-PPVA-N3-R	Adjustable	63	200	G3/8	0.4 / 12	12575986
DSBF-C-63-250-PPVA-N3-R	Adjustable	63	250	G3/8	0.4 / 12	12575988
DSBF-C-63-320-PPVA-N3-R	Adjustable	63	320	G3/8	0.4 / 12	12575992
DSBF-C-63-400-PPVA-N3-R	Adjustable	63	400	G3/8	0.4 / 12	12575994
DSBF-C-63-500-PPVA-N3-R	Adjustable	63	500	G3/8	0.4 / 12	12575999
DSBF-C-80-25-PPVA-N3-R	Adjustable	80	25	G3/8	0.4 / 12	12576019
DSBF-C-80-40-PPVA-N3-R	Adjustable	80	40	G3/8	0.4 / 12	12576025
DSBF-C-80-50-PPVA-N3-R	Adjustable	80	50	G3/8	0.4 / 12	12576030
DSBF-C-80-80-PPVA-N3-R	Adjustable	80	80	G3/8	0.4 / 12	12576032
DSBF-C-80-100-PPVA-N3-R	Adjustable	80	100	G3/8	0.4 / 12	12576006
DSBF-C-80-125-PPVA-N3-R	Adjustable	80	125	G3/8	0.4 / 12	12576008
DSBF-C-80-160-PPVA-N3-R	Adjustable	80	160	G3/8	0.4 / 12	12576011
DSBF-C-80-200-PPVA-N3-R	Adjustable	80	200	G3/8	0.4 / 12	12576014
DSBF-C-80-250-PPVA-N3-R	Adjustable	80	250	G3/8	0.4 / 12	12576017
DSBF-C-80-320-PPVA-N3-R	Adjustable	80	320	G3/8	0.4 / 12	12576021
DSBF-C-80-400-PPVA-N3-R	Adjustable	80	400	G3/8	0.4 / 12	12576023
DSBF-C-80-500-PPVA-N3-R	Adjustable	80	500	G3/8	0.4 / 12	12576027
DSBF-C-100-25-PPVA-N3-R	Adjustable	100	25	G1/2	0.4 / 12	12575685
DSBF-C-100-40-PPVA-N3-R	Adjustable	100	40	G1/2	0.4 / 12	12575693
DSBF-C-100-50-PPVA-N3-R	Adjustable	100	50	G1/2	0.4 / 12	12575699

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter mm	Stroke length mm	Port Size in	Operating pressure bar	Article
DSBF-C-100-80-PPVA-N3-R	Adjustable	100	80	G1/2	0.4 / 12	12575702
DSBF-C-100-100-PPVA-N3-R	Adjustable	100	100	G1/2	0.4 / 12	12575675
DSBF-C-100-125-PPVA-N3-R	Adjustable	100	125	G1/2	0.4 / 12	12575677
DSBF-C-100-160-PPVA-N3-R	Adjustable	100	160	G1/2	0.4 / 12	12575679
DSBF-C-100-200-PPVA-N3-R	Adjustable	100	200	G1/2	0.4 / 12	12575681
DSBF-C-100-250-PPVA-N3-R	Adjustable	100	250	G1/2	0.4 / 12	12575683
DSBF-C-100-320-PPVA-N3-R	Adjustable	100	320	G1/2	0.4 / 12	12575687
DSBF-C-100-400-PPVA-N3-R	Adjustable	100	400	G1/2	0.4 / 12	12575691
DSBF-C-100-500-PPVA-N3-R	Adjustable	100	500	G1/2	0.4 / 12	12575695
DSBF-C-125-25-PPVA-N3-R	Adjustable	125	25	G1/2	0.2 / 10	12575716
DSBF-C-125-40-PPVA-N3-R	Adjustable	125	40	G1/2	0.2 / 10	12575725
DSBF-C-125-50-PPVA-N3-R	Adjustable	125	50	G1/2	0.2 / 10	12575729
DSBF-C-125-80-PPVA-N3-R	Adjustable	125	80	G1/2	0.2 / 10	12575731
DSBF-C-125-100-PPVA-N3-R	Adjustable	125	100	G1/2	0.2 / 10	12575705
DSBF-C-125-125-PPVA-N3-R	Adjustable	125	125	G1/2	0.2 / 10	12575707
DSBF-C-125-160-PPVA-N3-R	Adjustable	125	160	G1/2	0.2 / 10	12575709
DSBF-C-125-200-PPVA-N3-R	Adjustable	125	200	G1/2	0.2 / 10	12575711
DSBF-C-125-250-PPVA-N3-R	Adjustable	125	250	G1/2	0.2 / 10	12575713
DSBF-C-125-320-PPVA-N3-R	Adjustable	125	320	G1/2	0.2 / 10	12575720
DSBF-C-125-400-PPVA-N3-R	Adjustable	125	400	G1/2	0.2 / 10	12575722
DSBF-C-125-500-PPVA-N3-R	Adjustable	125	500	G1/2	0.2 / 10	12575727
DSBF-C-32-25-PPSA-N3-R	Self-adjusting	32	25	G1/8	0.6 / 12	12575750
DSBF-C-32-40-PPSA-N3-R	Self-adjusting	32	40	G1/8	0.6 / 12	12575759
DSBF-C-32-50-PPSA-N3-R	Self-adjusting	32	50	G1/8	0.6 / 12	12575763
DSBF-C-32-80-PPSA-N3-R	Self-adjusting	32	80	G1/8	0.6 / 12	12575765
DSBF-C-32-100-PPSA-N3-R	Self-adjusting	32	100	G1/8	0.6 / 12	12575732
DSBF-C-32-125-PPSA-N3-R	Self-adjusting	32	125	G1/8	0.6 / 12	12575735
DSBF-C-32-160-PPSA-N3-R	Self-adjusting	32	160	G1/8	0.6 / 12	12575737
DSBF-C-32-200-PPSA-N3-R	Self-adjusting	32	200	G1/8	0.6 / 12	12575740
DSBF-C-32-250-PPSA-N3-R	Self-adjusting	32	250	G1/8	0.6 / 12	12575748
DSBF-C-32-320-PPSA-N3-R	Self-adjusting	32	320	G1/8	0.6 / 12	12575754
DSBF-C-32-400-PPSA-N3-R	Self-adjusting	32	400	G1/8	0.6 / 12	12575756
DSBF-C-32-500-PPSA-N3-R	Self-adjusting	32	500	G1/8	0.6 / 12	12575761
DSBF-C-40-25-PPSA-N3-R	Self-adjusting	40	25	G1/4	0.6 / 12	12575777
DSBF-C-40-40-PPSA-N3-R	Self-adjusting	40	40	G1/4	0.6 / 12	12575947

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter mm	Stroke length mm	Port Size in	Operating pressure bar	Article
DSBF-C-40-50-PPSA-N3-R	Self-adjusting	40	50	G1/4	0.6 / 12	12575950
DSBF-C-40-80-PPSA-N3-R	Self-adjusting	40	80	G1/4	0.6 / 12	12575952
DSBF-C-40-100-PPSA-N3-R	Self-adjusting	40	100	G1/4	0.6 / 12	12575767
DSBF-C-40-125-PPSA-N3-R	Self-adjusting	40	125	G1/4	0.6 / 12	12575769
DSBF-C-40-160-PPSA-N3-R	Self-adjusting	40	160	G1/4	0.6 / 12	12575771
DSBF-C-40-200-PPSA-N3-R	Self-adjusting	40	200	G1/4	0.6 / 12	12575773
DSBF-C-40-250-PPSA-N3-R	Self-adjusting	40	250	G1/4	0.6 / 12	12575775
DSBF-C-40-320-PPSA-N3-R	Self-adjusting	40	320	G1/4	0.6 / 12	12575779
DSBF-C-40-400-PPSA-N3-R	Self-adjusting	40	400	G1/4	0.6 / 12	12575945
DSBF-C-40-500-PPSA-N3-R	Self-adjusting	40	500	G1/4	0.6 / 12	12575949
DSBF-C-50-25-PPSA-N3-R	Self-adjusting	50	25	G1/4	0.4 / 12	12575965
DSBF-C-50-40-PPSA-N3-R	Self-adjusting	50	40	G1/4	0.4 / 12	12575971
DSBF-C-50-50-PPSA-N3-R	Self-adjusting	50	50	G1/4	0.4 / 12	12575975
DSBF-C-50-80-PPSA-N3-R	Self-adjusting	50	80	G1/4	0.4 / 12	12575977
DSBF-C-50-100-PPSA-N3-R	Self-adjusting	50	100	G1/4	0.4 / 12	12575955
DSBF-C-50-125-PPSA-N3-R	Self-adjusting	50	125	G1/4	0.4 / 12	12575957
DSBF-C-50-160-PPSA-N3-R	Self-adjusting	50	160	G1/4	0.4 / 12	12575959
DSBF-C-50-200-PPSA-N3-R	Self-adjusting	50	200	G1/4	0.4 / 12	12575961
DSBF-C-50-250-PPSA-N3-R	Self-adjusting	50	250	G1/4	0.4 / 12	12575963
DSBF-C-50-320-PPSA-N3-R	Self-adjusting	50	320	G1/4	0.4 / 12	12575967
DSBF-C-50-400-PPSA-N3-R	Self-adjusting	50	400	G1/4	0.4 / 12	12575969
DSBF-C-50-500-PPSA-N3-R	Self-adjusting	50	500	G1/4	0.4 / 12	12575973
DSBF-C-63-25-PPSA-N3-R	Self-adjusting	63	25	G3/8	0.4 / 12	12575989
DSBF-C-63-40-PPSA-N3-R	Self-adjusting	63	40	G3/8	0.4 / 12	12575996
DSBF-C-63-50-PPSA-N3-R	Self-adjusting	63	50	G3/8	0.4 / 12	12576000
DSBF-C-63-80-PPSA-N3-R	Self-adjusting	63	80	G3/8	0.4 / 12	12576002
DSBF-C-63-100-PPSA-N3-R	Self-adjusting	63	100	G3/8	0.4 / 12	12575979
DSBF-C-63-125-PPSA-N3-R	Self-adjusting	63	125	G3/8	0.4 / 12	12575981
DSBF-C-63-160-PPSA-N3-R	Self-adjusting	63	160	G3/8	0.4 / 12	12575983
DSBF-C-63-200-PPSA-N3-R	Self-adjusting	63	200	G3/8	0.4 / 12	12575985
DSBF-C-63-250-PPSA-N3-R	Self-adjusting	63	250	G3/8	0.4 / 12	12575987
DSBF-C-63-320-PPSA-N3-R	Self-adjusting	63	320	G3/8	0.4 / 12	12575991
DSBF-C-63-400-PPSA-N3-R	Self-adjusting	63	400	G3/8	0.4 / 12	12575993
DSBF-C-63-500-PPSA-N3-R	Self-adjusting	63	500	G3/8	0.4 / 12	12575998
DSBF-C-80-25-PPSA-N3-R	Self-adjusting	80	25	G3/8	0.4 / 12	12576018

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter mm	Stroke length mm	Port Size in	Operating pressure bar	Article
DSBF-C-80-40-PPSA-N3-R	Self-adjusting	80	40	G3/8	0.4 / 12	12576024
DSBF-C-80-50-PPSA-N3-R	Self-adjusting	80	50	G3/8	0.4 / 12	12576029
DSBF-C-80-80-PPSA-N3-R	Self-adjusting	80	80	G3/8	0.4 / 12	12576031
DSBF-C-80-100-PPSA-N3-R	Self-adjusting	80	100	G3/8	0.4 / 12	12576004
DSBF-C-80-125-PPSA-N3-R	Self-adjusting	80	125	G3/8	0.4 / 12	12576007
DSBF-C-80-160-PPSA-N3-R	Self-adjusting	80	160	G3/8	0.4 / 12	12576010
DSBF-C-80-200-PPSA-N3-R	Self-adjusting	80	200	G3/8	0.4 / 12	12576013
DSBF-C-80-250-PPSA-N3-R	Self-adjusting	80	250	G3/8	0.4 / 12	12576015
DSBF-C-80-320-PPSA-N3-R	Self-adjusting	80	320	G3/8	0.4 / 12	12576020
DSBF-C-80-400-PPSA-N3-R	Self-adjusting	80	400	G3/8	0.4 / 12	12576022
DSBF-C-80-500-PPSA-N3-R	Self-adjusting	80	500	G3/8	0.4 / 12	12576026
DSBF-C-100-25-PPSA-N3-R	Self-adjusting	100	25	G1/2	0.4 / 12	12575684
DSBF-C-100-40-PPSA-N3-R	Self-adjusting	100	40	G1/2	0.4 / 12	12575692
DSBF-C-100-50-PPSA-N3-R	Self-adjusting	100	50	G1/2	0.4 / 12	12575698
DSBF-C-100-80-PPSA-N3-R	Self-adjusting	100	80	G1/2	0.4 / 12	12575701
DSBF-C-100-100-PPSA-N3-R	Self-adjusting	100	100	G1/2	0.4 / 12	12575672
DSBF-C-100-125-PPSA-N3-R	Self-adjusting	100	125	G1/2	0.4 / 12	12575676
DSBF-C-100-160-PPSA-N3-R	Self-adjusting	100	160	G1/2	0.4 / 12	12575678
DSBF-C-100-200-PPSA-N3-R	Self-adjusting	100	200	G1/2	0.4 / 12	12575680
DSBF-C-100-250-PPSA-N3-R	Self-adjusting	100	250	G1/2	0.4 / 12	12575682
DSBF-C-100-320-PPSA-N3-R	Self-adjusting	100	320	G1/2	0.4 / 12	12575686
DSBF-C-100-400-PPSA-N3-R	Self-adjusting	100	400	G1/2	0.4 / 12	12575688
DSBF-C-100-500-PPSA-N3-R	Self-adjusting	100	500	G1/2	0.4 / 12	12575694
DSBF-C-125-25-PPSA-N3-R	Self-adjusting	125	25	G1/2	0.2 / 10	12575715
DSBF-C-125-40-PPSA-N3-R	Self-adjusting	125	40	G1/2	0.2 / 10	12575724
DSBF-C-125-50-PPSA-N3-R	Self-adjusting	125	50	G1/2	0.2 / 10	12575728
DSBF-C-125-80-PPSA-N3-R	Self-adjusting	125	80	G1/2	0.2 / 10	12575730
DSBF-C-125-100-PPSA-N3-R	Self-adjusting	125	100	G1/2	0.2 / 10	12575703
DSBF-C-125-125-PPSA-N3-R	Self-adjusting	125	125	G1/2	0.2 / 10	12575706
DSBF-C-125-160-PPSA-N3-R	Self-adjusting	125	160	G1/2	0.2 / 10	12575708
DSBF-C-125-200-PPSA-N3-R	Self-adjusting	125	200	G1/2	0.2 / 10	12575710
DSBF-C-125-250-PPSA-N3-R	Self-adjusting	125	250	G1/2	0.2 / 10	12575712
DSBF-C-125-320-PPSA-N3-R	Self-adjusting	125	320	G1/2	0.2 / 10	12575719
DSBF-C-125-400-PPSA-N3-R	Self-adjusting	125	400	G1/2	0.2 / 10	12575721
DSBF-C-125-500-PPSA-N3-R	Self-adjusting	125	500	G1/2	0.2 / 10	12575726

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.