


FESTO Standard cylinder DSBG



Characteristics

Series: DSBG

Function: Double acting

Magnetic: Yes

Operating temperature: -20 / 80 °C

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Operating pressure	Article
		mm	mm	in	bar	
DSBG-32-25-PPVA-N3	Adjustable	32	25	G1/8	0.6 / 12	12448309
DSBG-32-40-PPVA-N3	Adjustable	32	40	G1/8	0.6 / 12	12474453
DSBG-32-50-PPVA-N3	Adjustable	32	50	G1/8	0.6 / 12	12474454
DSBG-32-80-PPVA-N3	Adjustable	32	80	G1/8	0.6 / 12	12474455
DSBG-32-100-PPVA-N3	Adjustable	32	100	G1/8	0.6 / 12	12474456
DSBG-32-125-PPVA-N3	Adjustable	32	125	G1/8	0.6 / 12	12474457
DSBG-32-160-PPVA-N3	Adjustable	32	160	G1/8	0.6 / 12	12474458
DSBG-32-200-PPVA-N3	Adjustable	32	200	G1/8	0.6 / 12	12474459
DSBG-32-250-PPVA-N3	Adjustable	32	250	G1/8	0.6 / 12	12474460
DSBG-32-320-PPVA-N3	Adjustable	32	320	G1/8	0.6 / 12	12474461
DSBG-32-400-PPVA-N3	Adjustable	32	400	G1/8	0.6 / 12	12474462
DSBG-32-500-PPVA-N3	Adjustable	32	500	G1/8	0.6 / 12	12474463
DSBG-40-25-PPVA-N3	Adjustable	40	25	G1/4	0.6 / 12	12474476
DSBG-40-40-PPVA-N3	Adjustable	40	40	G1/4	0.6 / 12	12474477
DSBG-40-50-PPVA-N3	Adjustable	40	50	G1/4	0.6 / 12	12474478
DSBG-40-80-PPVA-N3	Adjustable	40	80	G1/4	0.4 / 12	12474480
DSBG-40-100-PPVA-N3	Adjustable	40	100	G1/4	0.6 / 12	12474481
DSBG-40-125-PPVA-N3	Adjustable	40	125	G1/4	0.6 / 12	12474483
DSBG-40-160-PPVA-N3	Adjustable	40	160	G1/4	0.6 / 12	12474484
DSBG-40-200-PPVA-N3	Adjustable	40	200	G1/4	0.6 / 12	12474485
DSBG-40-250-PPVA-N3	Adjustable	40	250	G1/4	0.6 / 12	12474486
DSBG-40-320-PPVA-N3	Adjustable	40	320	G1/4	0.6 / 12	12474488
DSBG-40-400-PPVA-N3	Adjustable	40	400	G1/4	0.6 / 12	12474489
DSBG-40-500-PPVA-N3	Adjustable	40	500	G1/4	0.6 / 12	12474491
DSBG-50-25-PPVA-N3	Adjustable	50	25	G1/4	0.4 / 12	12474505
DSBG-50-40-PPVA-N3	Adjustable	50	40	G1/4	0.4 / 12	12474506
DSBG-50-50-PPVA-N3	Adjustable	50	50	G1/4	0.4 / 12	12474507
DSBG-50-80-PPVA-N3	Adjustable	50	80	G1/4	0.4 / 12	12474508
DSBG-50-100-PPVA-N3	Adjustable	50	100	G1/4	0.4 / 12	12474509
DSBG-50-125-PPVA-N3	Adjustable	50	125	G1/4	0.4 / 12	12474510
DSBG-50-160-PPVA-N3	Adjustable	50	160	G1/4	0.4 / 12	12474511
DSBG-50-200-PPVA-N3	Adjustable	50	200	G1/4	0.4 / 12	12474512
DSBG-50-250-PPVA-N3	Adjustable	50	250	G1/4	0.4 / 12	12474513
DSBG-50-320-PPVA-N3	Adjustable	50	320	G1/4	0.4 / 12	12474514
DSBG-50-400-PPVA-N3	Adjustable	50	400	G1/4	0.4 / 12	12474561
DSBG-50-500-PPVA-N3	Adjustable	50	500	G1/4	0.4 / 12	12474602
DSBG-63-25-PPVA-N3	Adjustable	63	25	G3/8	0.4 / 12	12474618
DSBG-63-40-PPVA-N3	Adjustable	63	40	G3/8	0.4 / 12	12474620
DSBG-63-50-PPVA-N3	Adjustable	63	50	G3/8	0.4 / 12	12474623
DSBG-63-80-PPVA-N3	Adjustable	63	80	G3/8	0.4 / 12	12474624
DSBG-63-100-PPVA-N3	Adjustable	63	100	G3/8	0.4 / 12	12474625

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Operating pressure	Article
		mm	mm	in	bar	
DSBG-63-125-PPVA-N3	Adjustable	63	125	G3/8	0.4 / 12	12474626
DSBG-63-160-PPVA-N3	Adjustable	63	160	G3/8	0.4 / 12	12474627
DSBG-63-200-PPVA-N3	Adjustable	63	200	G3/8	0.4 / 12	12474629
DSBG-63-250-PPVA-N3	Adjustable	63	250	G3/8	0.4 / 12	12474630
DSBG-63-320-PPVA-N3	Adjustable	63	320	G3/8	0.4 / 12	12474631
DSBG-63-400-PPVA-N3	Adjustable	63	400	G3/8	0.4 / 12	12474633
DSBG-63-500-PPVA-N3	Adjustable	63	500	G3/8	0.4 / 12	12474634
DSBG-80-25-PPVA-N3	Adjustable	80	25	G3/8	0.4 / 12	12474650
DSBG-80-40-PPVA-N3	Adjustable	80	40	G3/8	0.4 / 12	12474651
DSBG-80-50-PPVA-N3	Adjustable	80	50	G3/8	0.4 / 12	12474652
DSBG-80-80-PPVA-N3	Adjustable	80	80	G3/8	0.4 / 12	12474653
DSBG-80-100-PPVA-N3	Adjustable	80	100	G3/8	0.4 / 12	12474654
DSBG-80-125-PPVA-N3	Adjustable	80	125	G3/8	0.4 / 12	12474655
DSBG-80-160-PPVA-N3	Adjustable	80	160	G3/8	0.4 / 12	12474657
DSBG-80-200-PPVA-N3	Adjustable	80	200	G3/8	0.4 / 12	12474658
DSBG-80-250-PPVA-N3	Adjustable	80	250	G3/8	0.4 / 12	12397512
DSBG-80-320-PPVA-N3	Adjustable	80	320	G3/8	0.4 / 12	12474660
DSBG-80-400-PPVA-N3	Adjustable	80	400	G3/8	0.4 / 12	12405310
DSBG-80-500-PPVA-N3	Adjustable	80	500	G3/8	0.4 / 12	12474662
DSBG-100-25-PPVA-N3	Adjustable	100	25	G1/2	0.4 / 12	12474689
DSBG-100-40-PPVA-N3	Adjustable	100	40	G1/2	0.4 / 12	12474690
DSBG-100-50-PPVA-N3	Adjustable	100	50	G1/2	0.4 / 12	12474691
DSBG-100-80-PPVA-N3	Adjustable	100	80	G1/2	0.4 / 12	12474694
DSBG-100-100-PPVA-N3	Adjustable	100	100	G1/2	0.4 / 12	12474695
DSBG-100-125-PPVA-N3	Adjustable	100	125	G1/2	0.4 / 12	12474696
DSBG-100-160-PPVA-N3	Adjustable	100	160	G1/2	0.4 / 12	12474698
DSBG-100-200-PPVA-N3	Adjustable	100	200	G1/2	0.4 / 12	12474700
DSBG-100-250-PPVA-N3	Adjustable	100	250	G1/2	0.4 / 12	12474701
DSBG-100-320-PPVA-N3	Adjustable	100	320	G1/2	0.4 / 12	12474703
DSBG-100-400-PPVA-N3	Adjustable	100	400	G1/2	0.4 / 12	12474705
DSBG-100-500-PPVA-N3	Adjustable	100	500	G1/2	0.4 / 12	12474707
DSBG-125-25-PPVA-N3	Adjustable	125	25	G1/2	0.2 / 10	12668344
DSBG-125-40-PPVA-N3	Adjustable	125	40	G1/2	0.2 / 10	12668349
DSBG-125-50-PPVA-N3	Adjustable	125	50	G1/2	0.2 / 10	12668353
DSBG-125-80-PPVA-N3	Adjustable	125	80	G1/2	0.2 / 10	12668355
DSBG-125-100-PPVA-N3	Adjustable	125	100	G1/2	0.2 / 10	12568946
DSBG-125-125-PPVA-N3	Adjustable	125	125	G1/2	0.2 / 10	12668336
DSBG-125-160-PPVA-N3	Adjustable	125	160	G1/2	0.2 / 10	12668338
DSBG-125-200-PPVA-N3	Adjustable	125	200	G1/2	0.2 / 10	12668340
DSBG-125-250-PPVA-N3	Adjustable	125	250	G1/2	0.2 / 10	12668342
DSBG-125-320-PPVA-N3	Adjustable	125	320	G1/2	0.2 / 10	12668346
DSBG-125-400-PPVA-N3	Adjustable	125	400	G1/2	0.2 / 10	12660940
DSBG-125-500-PPVA-N3	Adjustable	125	500	G1/2	0.2 / 10	12668351
DSBG-160-25-PPVA-N3	Adjustable	160	25	G3/4	0.6 / 10	12668366

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Operating pressure	Article
		mm	mm	in	bar	
DSBG-160-40-PPVA-N3	Adjustable	160	40	G3/4	0.6 / 10	12668372
DSBG-160-50-PPVA-N3	Adjustable	160	50	G3/4	0.6 / 10	12668376
DSBG-160-80-PPVA-N3	Adjustable	160	80	G3/4	0.6 / 10	12668378
DSBG-160-100-PPVA-N3	Adjustable	160	100	G3/4	0.6 / 10	12668357
DSBG-160-125-PPVA-N3	Adjustable	160	125	G3/4	0.6 / 10	12668359
DSBG-160-160-PPVA-N3	Adjustable	160	160	G3/4	0.6 / 10	12668361
DSBG-160-200-PPVA-N3	Adjustable	160	200	G3/4	0.6 / 10	12668363
DSBG-160-250-PPVA-N3	Adjustable	160	250	G3/4	0.6 / 10	12660939
DSBG-160-320-PPVA-N3	Adjustable	160	320	G3/4	0.6 / 10	12668368
DSBG-160-400-PPVA-N3	Adjustable	160	400	G3/4	0.6 / 10	12668370
DSBG-160-500-PPVA-N3	Adjustable	160	500	G3/4	0.6 / 10	12668374
DSBG-200-100-PPVA-N3	Adjustable	200	100	G3/4	0.6 / 10	12668380
DSBG-200-125-PPVA-N3	Adjustable	200	125	G3/4	0.6 / 10	12668382
DSBG-200-160-PPVA-N3	Adjustable	200	160	G3/4	0.6 / 10	12668384
DSBG-160-25-P-N3	Mechanical	160	25	G3/4	0.6 / 10	12668365
DSBG-160-40-P-N3	Mechanical	160	40	G3/4	0.6 / 10	12668371
DSBG-160-50-P-N3	Mechanical	160	50	G3/4	0.6 / 10	12668375
DSBG-160-80-P-N3	Mechanical	160	80	G3/4	0.6 / 10	12668377
DSBG-160-100-P-N3	Mechanical	160	100	G3/4	0.6 / 10	12668356
DSBG-160-125-P-N3	Mechanical	160	125	G3/4	0.6 / 10	12668358
DSBG-160-160-P-N3	Mechanical	160	160	G3/4	0.6 / 10	12668360
DSBG-160-200-P-N3	Mechanical	160	200	G3/4	0.6 / 10	12668362
DSBG-160-250-P-N3	Mechanical	160	250	G3/4	0.6 / 10	12668364
DSBG-160-320-P-N3	Mechanical	160	320	G3/4	0.6 / 10	12668367
DSBG-160-400-P-N3	Mechanical	160	400	G3/4	0.6 / 10	12668369
DSBG-160-500-P-N3	Mechanical	160	500	G3/4	0.6 / 10	12668373
DSBG-200-100-P-N3	Mechanical	200	100	G3/4	0.6 / 10	12668379
DSBG-200-125-P-N3	Mechanical	200	125	G3/4	0.6 / 10	12668381
DSBG-200-160-P-N3	Mechanical	200	160	G3/4	0.6 / 10	12668383
DSBG-200-200-P-N3	Mechanical	200	200	G3/4	0.6 / 10	12668385
DSBG-32-25-PPSA-N3	Self-adjusting	32	25	G1/8	0.6 / 12	12474464
DSBG-32-40-PPSA-N3	Self-adjusting	32	40	G1/8	0.6 / 12	12474465
DSBG-32-50-PPSA-N3	Self-adjusting	32	50	G1/8	0.6 / 12	12474466
DSBG-32-80-PPSA-N3	Self-adjusting	32	80	G1/8	0.6 / 12	12474467
DSBG-32-100-PPSA-N3	Self-adjusting	32	100	G1/8	0.6 / 12	12474468
DSBG-32-125-PPSA-N3	Self-adjusting	32	125	G1/8	0.6 / 12	12474469
DSBG-32-160-PPSA-N3	Self-adjusting	32	160	G1/8	0.6 / 12	12474470
DSBG-32-200-PPSA-N3	Self-adjusting	32	200	G1/8	0.6 / 12	12474471
DSBG-32-250-PPSA-N3	Self-adjusting	32	250	G1/8	0.6 / 12	12474472
DSBG-32-320-PPSA-N3	Self-adjusting	32	320	G1/8	0.6 / 12	12474473
DSBG-32-400-PPSA-N3	Self-adjusting	32	400	G1/8	0.6 / 12	12474474
DSBG-32-500-PPSA-N3	Self-adjusting	32	500	G1/8	0.6 / 12	12474475
DSBG-40-25-PPSA-N3	Self-adjusting	40	25	G1/4	0.6 / 12	12474492
DSBG-40-40-PPSA-N3	Self-adjusting	40	40	G1/4	0.6 / 12	12474493
DSBG-40-50-PPSA-N3	Self-adjusting	40	50	G1/4	0.6 / 12	12474494
DSBG-40-80-PPSA-N3	Self-adjusting	40	80	G1/4	0.6 / 12	12474496
DSBG-40-100-PPSA-N3	Self-adjusting	40	100	G1/4	0.6 / 12	12474497

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Operating pressure	Article
		mm	mm	in	bar	
Max. 200 articles in the table						
DSBG-40-125-PPSA-N3	Self-adjusting	40	125	G1/4	0.6 / 12	12474498
DSBG-40-160-PPSA-N3	Self-adjusting	40	160	G1/4	0.6 / 12	12474499
DSBG-40-200-PPSA-N3	Self-adjusting	40	200	G1/4	0.6 / 12	12474500
DSBG-40-250-PPSA-N3	Self-adjusting	40	250	G1/4	0.6 / 12	12474501
DSBG-40-320-PPSA-N3	Self-adjusting	40	320	G1/4	0.6 / 12	12474502
DSBG-40-400-PPSA-N3	Self-adjusting	40	400	G1/4	0.6 / 12	12474503
DSBG-40-500-PPSA-N3	Self-adjusting	40	500	G1/4	0.6 / 12	12474504
DSBG-50-25-PPSA-N3	Self-adjusting	50	25	G1/4	0.4 / 12	12474603
DSBG-50-40-PPSA-N3	Self-adjusting	50	40	G1/4	0.4 / 12	12474604
DSBG-50-50-PPSA-N3	Self-adjusting	50	50	G1/4	0.4 / 12	12474606
DSBG-50-80-PPSA-N3	Self-adjusting	50	80	G1/4	0.4 / 12	12474607
DSBG-50-100-PPSA-N3	Self-adjusting	50	100	G1/4	0.4 / 12	12474608
DSBG-50-125-PPSA-N3	Self-adjusting	50	125	G1/4	0.4 / 12	12474609
DSBG-50-160-PPSA-N3	Self-adjusting	50	160	G1/4	0.4 / 12	12474610
DSBG-50-200-PPSA-N3	Self-adjusting	50	200	G1/4	0.4 / 12	12474611
DSBG-50-250-PPSA-N3	Self-adjusting	50	250	G1/4	0.4 / 12	12474613
DSBG-50-320-PPSA-N3	Self-adjusting	50	320	G1/4	0.4 / 12	12474614
DSBG-50-400-PPSA-N3	Self-adjusting	50	400	G1/4	0.4 / 12	12474615
DSBG-50-500-PPSA-N3	Self-adjusting	50	500	G1/4	0.4 / 12	12474616
DSBG-63-25-PPSA-N3	Self-adjusting	63	25	G3/8	0.4 / 12	12474635
DSBG-63-40-PPSA-N3	Self-adjusting	63	40	G3/8	0.4 / 12	12474636
DSBG-63-50-PPSA-N3	Self-adjusting	63	50	G3/8	0.4 / 12	12474637
DSBG-63-80-PPSA-N3	Self-adjusting	63	80	G3/8	0.4 / 12	12474638
DSBG-63-100-PPSA-N3	Self-adjusting	63	100	G3/8	0.4 / 12	12474639
DSBG-63-125-PPSA-N3	Self-adjusting	63	125	G3/8	0.4 / 12	12474641
DSBG-63-160-PPSA-N3	Self-adjusting	63	160	G3/8	0.4 / 12	12474642
DSBG-63-200-PPSA-N3	Self-adjusting	63	200	G3/8	0.4 / 12	12474643
DSBG-63-250-PPSA-N3	Self-adjusting	63	250	G3/8	0.4 / 12	12474644
DSBG-63-320-PPSA-N3	Self-adjusting	63	320	G3/8	0.4 / 12	12474646
DSBG-63-400-PPSA-N3	Self-adjusting	63	400	G3/8	0.4 / 12	12474648
DSBG-63-500-PPSA-N3	Self-adjusting	63	500	G3/8	0.4 / 12	12474649
DSBG-80-25-PPSA-N3	Self-adjusting	80	25	G3/8	0.4 / 12	12474663
DSBG-80-40-PPSA-N3	Self-adjusting	80	40	G3/8	0.4 / 12	12474664
DSBG-80-50-PPSA-N3	Self-adjusting	80	50	G3/8	0.4 / 12	12474666
DSBG-80-80-PPSA-N3	Self-adjusting	80	80	G3/8	0.4 / 12	12474668
DSBG-80-100-PPSA-N3	Self-adjusting	80	100	G3/8	0.4 / 12	12474669
DSBG-80-125-PPSA-N3	Self-adjusting	80	125	G3/8	0.4 / 12	12474671
DSBG-80-160-PPSA-N3	Self-adjusting	80	160	G3/8	0.4 / 12	12474672
DSBG-80-200-PPSA-N3	Self-adjusting	80	200	G3/8	0.4 / 12	12474683
DSBG-80-250-PPSA-N3	Self-adjusting	80	250	G3/8	0.4 / 12	12474684
DSBG-80-320-PPSA-N3	Self-adjusting	80	320	G3/8	0.4 / 12	12474685
DSBG-80-400-PPSA-N3	Self-adjusting	80	400	G3/8	0.4 / 12	12474687
DSBG-80-500-PPSA-N3	Self-adjusting	80	500	G3/8	0.4 / 12	12474688
DSBG-100-25-PPSA-N3	Self-adjusting	100	25	G1/2	0.4 / 12	12474710
DSBG-100-40-PPSA-N3	Self-adjusting	100	40	G1/2	0.4 / 12	12474711
DSBG-100-50-PPSA-N3	Self-adjusting	100	50	G1/2	0.4 / 12	12474712
DSBG-100-80-PPSA-N3	Self-adjusting	100	80	G1/2	0.4 / 12	12474713
DSBG-100-100-PPSA-N3	Self-adjusting	100	100	G1/2	0.4 / 12	12474714
DSBG-100-125-PPSA-N3	Self-adjusting	100	125	G1/2	0.4 / 12	12474715
DSBG-100-160-PPSA-N3	Self-adjusting	100	160	G1/2	0.4 / 12	12474716
DSBG-100-200-PPSA-N3	Self-adjusting	100	200	G1/2	0.4 / 12	12474717

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Manufacturer ID	Cushioning	Bore diameter	Stroke length	Port Size	Operating pressure	Article
		mm	mm	in	bar	
DSBG-100-250-PPSA-N3	Self-adjusting	100	250	G1/2	0.4 / 12	12474719
DSBG-100-320-PPSA-N3	Self-adjusting	100	320	G1/2	0.4 / 12	12474720
DSBG-100-400-PPSA-N3	Self-adjusting	100	400	G1/2	0.4 / 12	12474722
DSBG-100-500-PPSA-N3	Self-adjusting	100	500	G1/2	0.4 / 12	12474724
DSBG-125-25-PPSA-N3	Self-adjusting	125	25	G1/2	0.2 / 10	12668343
DSBG-125-40-PPSA-N3	Self-adjusting	125	40	G1/2	0.2 / 10	12668348
DSBG-125-50-PPSA-N3	Self-adjusting	125	50	G1/2	0.2 / 10	12668352
DSBG-125-80-PPSA-N3	Self-adjusting	125	80	G1/2	0.2 / 10	12668354
DSBG-125-100-PPSA-N3	Self-adjusting	125	100	G1/2	0.2 / 10	12668334
DSBG-125-125-PPSA-N3	Self-adjusting	125	125	G1/2	0.2 / 10	12668335
DSBG-125-160-PPSA-N3	Self-adjusting	125	160	G1/2	0.2 / 10	12668337
DSBG-125-200-PPSA-N3	Self-adjusting	125	200	G1/2	0.2 / 10	12668339
DSBG-125-250-PPSA-N3	Self-adjusting	125	250	G1/2	0.2 / 10	12668341
DSBG-125-320-PPSA-N3	Self-adjusting	125	320	G1/2	0.2 / 10	12668345
DSBG-125-400-PPSA-N3	Self-adjusting	125	400	G1/2	0.2 / 10	12668347
DSBG-125-500-PPSA-N3	Self-adjusting	125	500	G1/2	0.2 / 10	12668350

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.