SKF Pillow block housing Series: SNL/SE 2

SNL and SE plummer (pillow) block housings in the 2, 3, 5 and 6 series are the most popular SKF bearing housings on the market. Different housing variants and seal designs are available, making the use of tailored housings virtually unnecessary and enabling costeffective bearing arrangements to be made. The plummer block housings are split housings and as standard they have two holes cast into the base for attachment bolts. The plummer block housings can als be supplied in a four cast bolt hole configuration. These housings are designated with a prefix F.

The split plummer block housings are typically used with self-aligning ball bearings, spherical roller bearings or CARB toroidal roller bearings fitted on straight or stepped shafts; the bearings can be mounted on adapter or withdrawal sleeves or directly on cylindrical shaft seats.

The plummer block housings are made of high quality, grey cast iron to provide high tensile strength. For applications where additional strength is required, housings made of spheroidal graphite cast iron are available. These types of housings are supplied with a solid base (no holes for attachment bolts) as standard (type SSNLD or SSED).

Characteristics

Series: SNL/SE 2

Manufacturer ID	Outer dimension bearing	Length	Height	Shaft height	Centre distance of mounting holes	Housing material	Article
	mm	mm	mm	mm	mm		
SNL 205	52	165	74	40	130	Cast iron	23769799
SNL 206-305	62	185	89	50	150	Cast iron	23769800
SNL 208-307	80	205	108	60	170	Cast iron	14202878
SE 209	85	205	109	60	170	Cast iron	14622024
SNL 211	100	225	128	70	210	Cast iron	13457799
SNL 212	110	255	134	70	210	Cast iron	13406208
SNL 213 V	120	275	149	80	230	Cast iron	13406193
SNL 213	120	275	149	80	230	Cast iron	13406209
SNL 215 V	130					Cast iron	13310568
SNL 215	130					Cast iron	13310567
SNL 216	140	315	177	95	260	Cast iron	23769809
SNL 216 V	140	315	177	95	260	Cast iron	13200983
SNL 217	150	320	183	95	260	Cast iron	23769810
SNL 218	160	345	194	100	290	Cast iron	23769811
SNL 218 V	160	345	194	100	290	Cast iron	23769812

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

PR472253996620768_EN_29.04.2024