



DIN912 Hex socket head cap screw Steel 10.9



Characteristics

- Series: DIN 912
- Material quality: 10.9 [steel]
- Surface protection: Untreated
- Kind of thread: Metric
- Head form: Cheese head
- DIN standard: 912
- ISO standard: 4762
- Screwing system: Internal hexagon



Material	Thread size metric [M..]	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	3	0.5	6				11766271
Carbon steel	3	0.5	20				11766277
Carbon steel	4	0.7	10				11766282
Carbon steel	4	0.7	12				11766283
Carbon steel	4	0.7	16				11766285
Carbon steel	4	0.7	20				11766287
Carbon steel	4	0.7	25				11766289
Carbon steel	4	0.7	40				11766292
Carbon steel	5	0.8	6				11766299
Carbon steel	5	0.8	8				11766300
Carbon steel	5	0.8	10	5	8.5	25	23694698
Carbon steel	5	0.8	16				23694700
Carbon steel	5	0.8	20	5	8.5	25	23239730
Carbon steel	5	0.8	25	5	8.5	25	23694702
Carbon steel	5	0.8	35	5	8.5	25	23694704
Carbon steel	5	0.8	40				23694705
Carbon steel	5	0.8	45				23694706
Carbon steel	5	0.8	50				23694707
Carbon steel	5	0.8	70				11766306
Carbon steel	5	0.8	70				12764394
Carbon steel	5	0.8	80				11766308
Carbon steel	5	0.8	90				12764397
Carbon steel	5	0.8	90				11766310
Carbon steel	5	0.8	100				11766312
Carbon steel	6	1	20				23239741
Carbon steel	6	1	25	6	10	30	23694713
Carbon steel	6	1	30				23694714
Carbon steel	6	1	35	6	10	30	23694715
Carbon steel	6	1	50				23694718
Carbon steel	6	1	55				11766328
Carbon steel	6	1	70	6	10	30	23694720
Carbon steel	6	1	90				23694722

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric [M..]	Pitch thread mm	Length mm	Head height mm	Head width mm	Screw-in length mm	Article
Carbon steel	8	1.25	10				11766350
Carbon steel	8	1.25	16				23694723
Carbon steel	8	1.25	20	8	13	35	23239753
Carbon steel	8	1.25	30				23694726
Carbon steel	8	1.25	55				11766355
Carbon steel	8	1.25	60				23694731
Carbon steel	8	1.25	70				23694732
Carbon steel	8	1.25	80	8	13	35	23694733
Carbon steel	8	1.25	90				11766359
Carbon steel	8	1.25	100				11766361
Carbon steel	8	1.25	110				11766362
Carbon steel	10	1.5	16				11766383
Carbon steel	10	1.5	20	10	16	40	23694734
Carbon steel	10	1.5	30				23694736
Carbon steel	10	1.5	35				11766386
Carbon steel	10	1.5	40				23694737
Carbon steel	10	1.5	45				11766387
Carbon steel	10	1.5	50				23694738
Carbon steel	10	1.5	55				11766388
Carbon steel	10	1.5	65				11766389
Carbon steel	10	1.5	70				23694740
Carbon steel	10	1.5	75				11766390
Carbon steel	10	1.5	80				23694741
Carbon steel	10	1.5	90				11766392
Carbon steel	10	1.5	100				23694742
Carbon steel	10	1.5	110				11766394
Carbon steel	10	1.5	120				11766396
Carbon steel	10	1.5	140				11766399
Carbon steel	10	1.5	150				11766401
Carbon steel	10	1.5	160				11766402
Carbon steel	12	1.75	20				11766426
Carbon steel	12	1.75	25				11766427
Carbon steel	12	1.75	30				23694743
Carbon steel	12	1.75	35				11766428
Carbon steel	12	1.75	40	12	18	50	23694744
Carbon steel	12	1.75	45				11766429
Carbon steel	12	1.75	50	12	18	50	23239774
Carbon steel	12	1.75	55				11766430
Carbon steel	12	1.75	60				23239775
Carbon steel	12	1.75	70	12	18	50	23694747
Carbon steel	12	1.75	75				11766432
Carbon steel	12	1.75	80				23694748
Carbon steel	12	1.75	90				23694749
Carbon steel	12	1.75	100	12	18	50	23694750
Carbon steel	12	1.75	110				23694751
Carbon steel	12	1.75	120	12	18	50	23694752
Carbon steel	12	1.75	130				11766436
Carbon steel	12	1.75	160				11766440
Carbon steel	12	1.75	180				11766442
Carbon steel	14	2	60				11766471
Carbon steel	14	2	90				11766476
Carbon steel	16	2	25				11766491

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Pitch thread	Length	Head height	Head width	Screw-in length	Article
		mm	mm	mm	mm	mm	
Carbon steel	16	2	30	16	24	60	23694753
Carbon steel	16	2	35				11766492
Carbon steel	16	2	60	16	24	60	23239785
Carbon steel	16	2	65				11766495
Carbon steel	16	2	70				23694757
Carbon steel	16	2	80				23694758
Carbon steel	16	2	90	16	24	60	23694759
Carbon steel	16	2	100				23694760
Carbon steel	16	2	110				11766498
Carbon steel	16	2	120				23694761
Carbon steel	16	2	130				11766500
Carbon steel	16	2	140				11766501
Carbon steel	16	2	150				11766502
Carbon steel	16	2	180				11766505
Carbon steel	20	2.5	40				23694763
Carbon steel	20	2.5	50				23694764
Carbon steel	20	2.5	65				11766556
Carbon steel	20	2.5	70				23694766
Carbon steel	20	2.5	80				23694767
Carbon steel	20	2.5	90				23694768
Carbon steel	20	2.5	110				11766560
Carbon steel	20	2.5	150				11766566
Carbon steel	20	2.5	200				11766571
Carbon steel	24	3	70				23694773
Carbon steel	24	3	80				23694774
Carbon steel	24	3	120				23694777
Carbon steel	24	3	160				23688452
Carbon steel	30	3.5	70				11766696
Carbon steel	30	3.5	120				11766704

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.