


DIN601/555 Hex head bolt with nut, steel 4.6, zinc plated



Characteristics
Series: DIN 601/555
Material quality: 4.6 (steel)
Surface protection: Galvanic/electrolytic zinc plated
Kind of thread: Metric
DIN standard: 601/555
With nut: Yes
Head form: Hexagon head

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Carbon steel	5	16	8	0.8	23691158
Carbon steel	5	20	8	0.8	23691159
Carbon steel	5	25	8	0.8	23691160
Carbon steel	5	35	8	0.8	23691162
Carbon steel	5	40	8	0.8	23691163
Carbon steel	5	60	8	0.8	11764470
Carbon steel	6	10	10	1	23691165
Carbon steel	6	12	10	1	23691166
Carbon steel	6	16	10	1	23691167
Carbon steel	6	20	10	1	23691168
Carbon steel	6	25	10	1	23691169
Carbon steel	6	30	10	1	23691170
Carbon steel	6	35	10	1	23691171
Carbon steel	6	40	10	1	23691172
Carbon steel	6	45	10	1	23691173
Carbon steel	6	50	10	1	23691174
Carbon steel	6	55	10	1	23691175
Carbon steel	6	60	10	1	23691176
Carbon steel	6	70	10	1	23691178
Carbon steel	6	80	10	1	23691180
Carbon steel	6	90	10	1	23691181
Carbon steel	6	100	10	1	11764472
Carbon steel	8	16	13	1.25	23691182
Carbon steel	8	20	13	1.25	23691183
Carbon steel	8	25	13	1.25	23691184
Carbon steel	8	30	13	1.25	23691185
Carbon steel	8	40	13	1.25	23691187
Carbon steel	8	45	13	1.25	23691188
Carbon steel	8	50	13	1.25	23691189
Carbon steel	8	55	13	1.25	23691190
Carbon steel	8	60	13	1.25	23691191
Carbon steel	8	65	13	1.25	23691192
Carbon steel	8	70	13	1.25	23691193
Carbon steel	8	75	13	1.25	23691194
Carbon steel	8	80	13	1.25	23691195
Carbon steel	8	90	13	1.25	23691196
Carbon steel	8	100	13	1.25	23691197
Carbon steel	8	110	13	1.25	23691198
Carbon steel	10	16	17	1.5	23691203
Carbon steel	10	20	17	1.5	23691204

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Carbon steel	10	25	17	1.5	23691205
Carbon steel	10	30	17	1.5	23691206
Carbon steel	10	35	17	1.5	23691207
Carbon steel	10	40	17	1.5	23691208
Carbon steel	10	50	17	1.5	23691210
Carbon steel	10	55	17	1.5	23691211
Carbon steel	10	60	17	1.5	23691212
Carbon steel	10	70	17	1.5	23691213
Carbon steel	10	75	17	1.5	23691214
Carbon steel	10	80	17	1.5	23691215
Carbon steel	10	90	17	1.5	23691216
Carbon steel	10	100	17	1.5	23691217
Carbon steel	10	110	17	1.5	23691218
Carbon steel	10	120	17	1.5	23691219
Carbon steel	10	130	17	1.5	23691220
Carbon steel	10	140	17	1.5	23691221
Carbon steel	10	150	17	1.5	23691222
Carbon steel	10	160	17	1.5	11764475
Carbon steel	12	30	19	1.75	23691226
Carbon steel	12	40	19	1.75	23691228
Carbon steel	12	45	19	1.75	23691229
Carbon steel	12	50	19	1.75	23691230
Carbon steel	12	60	19	1.75	23691232
Carbon steel	12	65	19	1.75	23691233
Carbon steel	12	70	19	1.75	23691234
Carbon steel	12	75	19	1.75	23691235
Carbon steel	12	80	19	1.75	23691236
Carbon steel	12	90	19	1.75	23691237
Carbon steel	12	110	19	1.75	23691239
Carbon steel	12	130	19	1.75	23691241
Carbon steel	14	30	22	2	23691250
Carbon steel	14	40	22	2	23691252
Carbon steel	14	45	22	2	23691253
Carbon steel	14	50	22	2	23691254
Carbon steel	14	60	22	2	23691255
Carbon steel	14	65	22	2	11764506
Carbon steel	14	70	22	2	23691256
Carbon steel	14	80	22	2	23691257
Carbon steel	14	100	22	2	11764508
Carbon steel	14	120	22	2	23691259
Carbon steel	16	35	24	2	23691264
Carbon steel	16	40	24	2	23691265
Carbon steel	16	45	24	2	23691266
Carbon steel	16	50	24	2	23691267
Carbon steel	16	55	24	2	23691268
Carbon steel	16	60	24	2	23691269
Carbon steel	16	65	24	2	23691270
Carbon steel	16	70	24	2	23691271
Carbon steel	16	80	24	2	23691273
Carbon steel	16	90	24	2	23691274
Carbon steel	20	40	30	2.5	23691289
Carbon steel	20	50	30	2.5	23691291
Carbon steel	20	60	30	2.5	23691293

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Carbon steel	20	70	30	2.5	23691295
Carbon steel	20	75	30	2.5	23691296
Carbon steel	20	80	30	2.5	23691297
Carbon steel	20	90	30	2.5	23691299
Carbon steel	20	100	30	2.5	23691300
Carbon steel	20	110	30	2.5	23691301
Carbon steel	20	120	30	2.5	23691302
Carbon steel	20	130	30	2.5	23691303
Carbon steel	20	140	30	2.5	23691304
Carbon steel	20	150	30	2.5	23691305
Carbon steel	24	80	36	3	23691324
Carbon steel	24	90	36	3	23691325
Carbon steel	24	100	36	3	23691326
Carbon steel	24	110	36	3	23691327
Carbon steel	24	130	36	3	23691329
Carbon steel	24	140	36	3	23691330
Carbon steel	24	150	36	3	23691331
Carbon steel	24	180	36	3	23691333
Carbon steel	24	200	36	3	23691334
Carbon steel	24	220	36	3	23691335
Carbon steel	27	140	41	3	23691343
Carbon steel	30	100	46	3.5	23691350
Carbon steel	30	120	46	3.5	23691352

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.