

DIN931 Hex head bolt Stainless steel A4



Characteristics

Series: DIN 931
Material quality: Stainless steel A4
Surface protection: Untreated
Kind of thread: Metric
DIN standard: 931
ISO standard: 4014
With nut: No
Head form: Hexagon head

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Carbon steel	10	65	19	1.5	23727553
Stainless steel	5	30	8	0.8	23727719
Stainless steel	5	35	8	0.8	23727720
Stainless steel	5	40	8	0.8	23727721
Stainless steel	5	45	8	0.8	23727722
Stainless steel	5	50	8	0.8	23727723
Stainless steel	5	60	8	0.8	23727718
Stainless steel	5	70	8	0.8	11744459
Stainless steel	6	35	10	1	23727735
Stainless steel	6	40	10	1	23727736
Stainless steel	6	70	10	1	23727742
Stainless steel	6	75	10	1	11744471
Stainless steel	6	80	10	1	23727743
Stainless steel	6	110	10	1	23727726
Stainless steel	6	120	10	1	23727727
Stainless steel	6	130	10	1	23727728
Stainless steel	6	170	10	1	23727732
Stainless steel	8	30	13	1.25	11744476
Stainless steel	8	50	13	1.25	23727759
Stainless steel	8	55	13	1.25	23727760
Stainless steel	8	90	13	1.25	23727766
Stainless steel	8	100	13	1.25	23727745
Stainless steel	8	110	13	1.25	23727746
Stainless steel	8	200	13	1.25	23727754
Stainless steel	10	45	17	1.5	23727549
Stainless steel	10	50	17	1.5	23727550
Stainless steel	10	55	17	1.5	23727551
Stainless steel	10	110		1.5	23727537
Stainless steel	10	120	17	1.5	23727538
Stainless steel	10	130	17	1.5	23727539
Stainless steel	10	150	17	1.5	23727541
Stainless steel	12	60	19	1.75	23727575
Stainless steel	12	100	19	1.75	23727558
Stainless steel	12	160	19	1.75	23727564
Stainless steel	12	190	19	1.75	23727567
Stainless steel	14	55	22	2	11744313
Stainless steel	14	60	22	2	23727588
Stainless steel	14	80	22	2	23727590
Stainless steel	14	90	22	2	23727591

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	14	100	22	2	23727581
Stainless steel	14	120	22	2	23727582
Stainless steel	14	130	22	2	11744309
Stainless steel	14	140	22	2	23727596
Stainless steel	14	150	22	2	23727584
Stainless steel	14	160	22	2	23727585
Stainless steel	16	50	24	2	11744331
Stainless steel	16	85	24	2	23727612
Stainless steel	16	130	24	2	23727595
Stainless steel	16	150	24	2	23727597
Stainless steel	16	170	24	2	11744323
Stainless steel	16	180	24	2	23727599
Stainless steel	16	190	24	2	11744325
Stainless steel	16	200	24	2	23727600
Stainless steel	18	65	27	2.5	23727618
Stainless steel	18	75	27	2.5	11744346
Stainless steel	18	80	27	2.5	23727620
Stainless steel	18	90	27	2.5	23727621
Stainless steel	18	100	27	2.5	23727614
Stainless steel	18	110	27	2.5	23727615
Stainless steel	18	130	27	2.5	11744338
Stainless steel	18	160	27	2.5	11744340
Stainless steel	18	170	27	2.5	11744341
Stainless steel	18	180	27	2.5	11744342
Stainless steel	18	200	27	2.5	11744344
Stainless steel	20	60	30	2.5	11744364
Stainless steel	20	80	30	2.5	23268653
Stainless steel	20	85	30	2.5	11744367
Stainless steel	20	120	30	2.5	23727624
Stainless steel	20	130	30	2.5	23727625
Stainless steel	20	140	30	2.5	23727626
Stainless steel	20	150	30	2.5	23727627
Stainless steel	20	190	30	2.5	11744357
Stainless steel	20	200	30	2.5	23727630
Stainless steel	20	220	30	2.5	23727631
Stainless steel	20	250	30	2.5	11744360
Stainless steel	22	100	32	2.5	23727641
Stainless steel	22	150	32	2.5	23727645
Stainless steel	24	75	36	3	11744388
Stainless steel	24	80	36	3	23727661
Stainless steel	24	90	36	3	23727663
Stainless steel	24	100	36	3	23727648
Stainless steel	24	110	36	3	23727649
Stainless steel	24	120	36	3	23727650
Stainless steel	24	130	36	3	23727651
Stainless steel	24	140	36	3	23727652
Stainless steel	24	150	36	3	23727653
Stainless steel	24	160	36	3	23727654
Stainless steel	24	180	36	3	23727655
Stainless steel	24	200	36	3	23727656
Stainless steel	27	80	41	3	23727675
Stainless steel	27	90	41	3	23727676
Stainless steel	27	100	41	3	23727664

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width mm	Pitch thread mm	Article
Stainless steel	27	120	41	3	23727666
Stainless steel	27	140	41	3	23727668
Stainless steel	27	250	41	3	11744397
Stainless steel	30	110	46	3.5	23727678
Stainless steel	30	120	46	3.5	23727679
Stainless steel	30	130	46	3.5	11744404
Stainless steel	30	160	46	3.5	23727682
Stainless steel	30	170	46	3.5	11744405
Stainless steel	30	190	46	3.5	11744406
Stainless steel	30	260	46	3.5	11744408

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.