



DIN471 external circlip, Carbon steel

Characteristics

Series: DIN 471

Surface protection: Untreated

DIN standard: 471

Type: Circlip



Material	Inner diameter mm	Thickness mm	Model	Dimension mm	Article
					23541995
Spring steel	2.7	0.4	Axle [outside]	3	11762802
Spring steel	3.7	0.4	Axle [outside]	4	23690396
Spring steel	4.7	0.6	Axle [outside]	5	11762803
Spring steel	4.7	0.6	Axle [outside]	5	11762906
Spring steel	5.6	0.7	Axle [outside]	6	11762804
Spring steel	6.5	0.8	Axle [outside]	7	11762805
Spring steel	7.4	0.8	Axle [outside]	8	23690397
Spring steel	9.3	1	Axle [outside]	10	23690399
Spring steel	10.2	1	Axle [outside]	11	11762806
Spring steel	11.9	1	Axle [outside]	13	11762807
Spring steel	11.9	1	Axle [outside]	13	23542039
Spring steel	12.9	1	Axle [outside]	14	11762808
Spring steel	16.5	1.2	Axle [outside]	18	23690403
Spring steel	17.5	1.2	Axle [outside]	19	11762810
Spring steel	18.5	1.2	Axle [outside]	20	23690404
Spring steel	19.5	1.2	Axle [outside]	21	11762811
Spring steel	19.5	1.2	Axle [outside]	21	23542043
Spring steel	20.5	1.2	Axle [outside]	22	23690405
Spring steel	21.5	1.2	Axle [outside]	23	23541963
Spring steel	21.5	1.2	Axle [outside]	23	11762812
Spring steel	21.5	1.2	Axle [outside]	23	11344968
Spring steel	22.2	1.2	Axle [outside]	24	23542044
Spring steel	22.2	1.2	Axle [outside]	24	11762813
Spring steel	23.2	1.2	Axle [outside]	25	23690406
Spring steel	24.2	1.2	Axle [outside]	26	11762814
Spring steel	24.2	1.2	Axle [outside]	26	23542045
Spring steel	24.2	1.2	Axle [outside]	26	11762927
Spring steel	24.9	1.2	Axle [outside]	27	11762815
Spring steel	24.9	1.2	Axle [outside]	27	23541964
Spring steel	25.9	1.5	Axle [outside]	28	11762816
Spring steel	26.9	1.5	Axle [outside]	29	11762817
Spring steel	26.9	1.5	Axle [outside]	29	23541965

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Inner diameter	Thickness	Model	Dimension	Article
	mm	mm		mm	
Spring steel	29.6	1.5	Axle [outside]	32	23690408
Spring steel	31.5	1.5	Axle [outside]	34	23542047
Spring steel	31.5	1.5	Axle [outside]	34	11762820
Spring steel	33.2	1.75	Axle [outside]	36	11762821
Spring steel	34.2	1.75	Axle [outside]	37	11762822
Spring steel	34.2	1.75	Axle [outside]	37	23541970
Spring steel	35.2	1.75	Axle [outside]	38	11762823
Spring steel	36.5	1.75	Axle [outside]	40	23690410
Spring steel	38.5	1.75	Axle [outside]	42	11762826
Spring steel	38.5	1.75	Axle [outside]	42	11762943
Spring steel	40.5	1.75	Axle [outside]	44	23541974
Spring steel	43.5	1.75	Axle [outside]	46	11762828
Spring steel	43.5	1.75	Axle [outside]	46	23541975
Spring steel	43.5	1.75	Axle [outside]	47	11762829
Spring steel	43.5	1.75	Axle [outside]	47	23541976
Spring steel	44.5	1.75	Axle [outside]	48	11762830
Spring steel	47.8	2	Axle [outside]	52	11762831
Spring steel	49.8	2	Axle [outside]	54	11762832
Spring steel	50.8	2	Axle [outside]	55	11762833
Spring steel	52.8	2	Axle [outside]	57	11762835
Spring steel	53.8	2	Axle [outside]	58	11762836
Spring steel	53.8	2	Axle [outside]	58	23541983
Spring steel	57.8	2	Axle [outside]	62	23254145
Spring steel	57.8	2	Axle [outside]	62	11762838
Spring steel	58.8	2	Axle [outside]	63	11762839
Spring steel	62.5	2.5	Axle [outside]	67	11762841
Spring steel	63.5	2.5	Axle [outside]	68	11762842
Spring steel	67.5	2.5	Axle [outside]	72	23541991
Spring steel	70.5	2.5	Axle [outside]	75	11762845
Spring steel	72.5	2.5	Axle [outside]	77	11762846
Spring steel	74.5	2.5	Axle [outside]	80	11762848
Spring steel	76.5	2.5	Axle [outside]	82	11762849
Spring steel	84.5	3	Axle [outside]	90	11762853
Spring steel	89.5	3	Axle [outside]	95	11762855
Spring steel	92.5	3	Axle [outside]	98	23690413
Spring steel	94.5	3	Axle [outside]	100	11762857
Spring steel	95	4	Axle [outside]	102	11762858
Spring steel	98	4	Axle [outside]	105	11762859
Spring steel	100	4	Axle [outside]	108	11762861
Spring steel	103	4	Axle [outside]	110	11762862
Spring steel	105	4	Axle [outside]	112	11762863
Spring steel	108	4	Axle [outside]	115	11762864
Spring steel	110	4	Axle [outside]	118	11762866
Spring steel	113	4	Axle [outside]	120	11762867
Spring steel	123	4	Axle [outside]	130	23690414
Spring steel	133	4	Axle [outside]	140	11762876
Spring steel	138	4	Axle [outside]	145	11762878
Spring steel	142	4	Axle [outside]	150	23542013
Spring steel	142	4	Axle [outside]	150	11762881
Spring steel	151	4	Axle [outside]	160	11762883
Spring steel	155.5	4	Axle [outside]	165	11762884
Spring steel	160.5	4	Axle [outside]	170	11762885
Spring steel	165.5	4	Axle [outside]	175	11762886

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Inner diameter mm	Thickness mm	Model	Dimension mm	Article
Spring steel	170.5	4	Axle (outside)	180	11762887
Spring steel	180.5	4	Axle (outside)	190	11762889
Spring steel	185.5	4	Axle (outside)	195	11762890
Spring steel	198	5	Axle (outside)	210	11762892
Spring steel	208	5	Axle (outside)	220	11762894
Spring steel	245	5	Axle (outside)	260	11762899
Spring steel	265	5	Axle (outside)	280	11762901
Spring steel	285	5	Axle (outside)	300	11762903

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.