

DIN933 Hex head cap screw Stainless steel A4



Characteristics

Series: DIN 933

Material quality: Stainless steel A4

Surface protection: Untreated

Kind of thread: Metric

DIN standard: 933

ISO standard: 4017

Head form: Hexagon head

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Stainless steel	2	16		0.4	1.4	11745028
Stainless steel	2.5	14		0.45	1.7	11745070
Stainless steel	3	8		0.5	2	23728214
Stainless steel	3	10		0.5	2	23728208
Stainless steel	3	12		0.5	2	23728209
Stainless steel	3	16		0.5	2	23728210
Stainless steel	3	20		0.5	2	23728211
Stainless steel	3	25		0.5	2	23728212
Stainless steel	3	30		0.5	2	23728213
Stainless steel	3	50		0.5	2	11745087
Stainless steel	4	5		0.7	2.8	11745108
Stainless steel	4	8		0.7	2.8	23728243
Stainless steel	4	10		0.7	2.8	23728234
Stainless steel	4	12		0.7	2.8	23728235
Stainless steel	4	16		0.7	2.8	23728236
Stainless steel	4	20		0.7	2.8	23728237
Stainless steel	4	25		0.7	2.8	23728238
Stainless steel	4	30		0.7	2.8	23728239
Stainless steel	4	60		0.7	2.8	11745110
Stainless steel	5	6		0.8	3.5	11745127
Stainless steel	5	8		0.8	3.5	23728256
Stainless steel	5	10		0.8	3.5	23728244
Stainless steel	5	12		0.8	3.5	23728245
Stainless steel	5	16		0.8	3.5	23728246
Stainless steel	5	20		0.8	3.5	23728248
Stainless steel	6	8		1	4	23728272
Stainless steel	6	10		1	4	23728257
Stainless steel	6	12		1	4	23728259
Stainless steel	6	65		1	4	23728275
Stainless steel	6	75		1	4	11745153
Stainless steel	6	90		1	4	23728274
Stainless steel	6	110		1	4	11745141
Stainless steel	6	120		1	4	11745142
Stainless steel	8	14		1.25	5.3	11745158
Stainless steel	8	16		1.25	5.3	23728282
Stainless steel	8	22		1.25	5.3	11745164
Stainless steel	8	75		1.25	5.3	11745173
Stainless steel	8	110		1.25	5.3	23728278
Stainless steel	8	120		1.25	5.3	23728280
Stainless steel	8	130		1.25	5.3	11745157

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length	Wrench width	Pitch thread	Head height	Article
		mm		mm	mm	
Stainless steel	8	140	22	1.25	5.3	23728281
Stainless steel	8	150		1.25	5.3	11745159
Stainless steel	8	160		1.25	5.3	23728283
Stainless steel	10	10		1.5	6.4	11744962
Stainless steel	10	90		1.5	6.4	23728092
Stainless steel	10	100		1.5	6.4	23728071
Stainless steel	10	110		1.5	6.4	23728072
Stainless steel	10	120		1.5	6.4	23728074
Stainless steel	10	130		1.5	6.4	11744965
Stainless steel	10	160		1.5	6.4	23728077
Stainless steel	10	200		1.5	6.4	23728080
Stainless steel	12	75		1.75	7.5	11744997
Stainless steel	12	130		1.75	7.5	11744986
Stainless steel	12	150		1.75	7.5	23728097
Stainless steel	12	190		1.75	7.5	11744988
Stainless steel	14	45		2	8.8	23728122
Stainless steel	14	55		2	8.8	11745002
Stainless steel	14	65		2	8.8	23728125
Stainless steel	14	75		2	8.8	11745003
Stainless steel	14	80		2	8.8	23728127
Stainless steel	14	90		2	8.8	23728128
Stainless steel	14	100		2	8.8	23728115
Stainless steel	14	110		2	8.8	11744998
Stainless steel	14	120		2	8.8	23728116
Stainless steel	14	130		2	8.8	11744999
Stainless steel	14	140		2	8.8	23728117
Stainless steel	14	150		2	8.8	11745000
Stainless steel	16	20		2	10	11745006
Stainless steel	16	75		2	10	23728149
Stainless steel	16	90		2	10	23728151
Stainless steel	16	100		2	10	23728129
Stainless steel	16	110		2	10	23728130
Stainless steel	16	120		2	10	23728131
Stainless steel	16	130		2	10	23728132
Stainless steel	16	140		2	10	23728133
Stainless steel	16	150		2	10	23728134
Stainless steel	16	160		2	10	23728135
Stainless steel	16	170		2	10	11745004
Stainless steel	16	190		2	10	11745005
Stainless steel	18	35		2.5	11.5	23728153
Stainless steel	18	40		2.5	11.5	23728154
Stainless steel	18	55		2.5	11.5	11745022
Stainless steel	18	65		2.5	11.5	11745023
Stainless steel	18	75		2.5	11.5	11745024
Stainless steel	18	80		2.5	11.5	23728159
Stainless steel	18	90		2.5	11.5	23728160
Stainless steel	20	75		2.5	12.5	23728179
Stainless steel	20	80		2.5	12.5	23728180
Stainless steel	20	100		2.5	12.5	23728161
Stainless steel	20	110		2.5	12.5	23728162
Stainless steel	20	120		2.5	12.5	23728163
Stainless steel	20	130		2.5	12.5	23728164

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Thread size metric (M..)	Length mm	Wrench width	Pitch thread mm	Head height mm	Article
Stainless steel	20	140		2.5	12.5	23728165
Stainless steel	20	150		2.5	12.5	23728166
Stainless steel	20	160		2.5	12.5	23728167
Stainless steel	20	200		2.5	12.5	23728169
Stainless steel	22	50		2.5	14	23728182
Stainless steel	22	60		2.5	14	23728183
Stainless steel	22	70		2.5	14	23728184
Stainless steel	22	80		2.5	14	23728185
Stainless steel	22	100		2.5	14	11745044
Stainless steel	24	50		3	15	23728194
Stainless steel	24	55		3	15	23728195
Stainless steel	24	60		3	15	23728196
Stainless steel	24	70		3	15	23728198
Stainless steel	24	80		3	15	23728199
Stainless steel	24	90		3	15	23728200
Stainless steel	24	100		3	15	23728186
Stainless steel	24	120		3	15	23728187
Stainless steel	24	130		3	15	23728188
Stainless steel	27	50		3	17	23728203
Stainless steel	27	65		3	17	11745082
Stainless steel	27	70		3	17	23728205
Stainless steel	27	110		3	17	11745077
Stainless steel	27	150		3	17	11745080
Stainless steel	30	60		3.5	18.7	23728219
Stainless steel	30	130		3.5	18.7	11745089
Stainless steel	30	140		3.5	18.7	11745090
Stainless steel	33	110		3.5	21	23728224
Stainless steel	33	120		3.5	21	23728225
Stainless steel	36	80		4	22.5	23728232

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.