


DIN94 / ISO1234 Cotter pin, steel, zinc plated

Characteristics

Series: DIN 94 - ISO 1234
Surface protection: Galvanic/electrolytic zinc plated
ISO standard: 1234
DIN standard: 94



Material	Surface protection	Diameter mm	Length mm	ISO standard	DIN standard	Article
Steel	Galvanic/electrolytic zinc plated	1	10	1234	94	11759593
Steel	Galvanic/electrolytic zinc plated	1	16	1234	94	11759595
Steel	Galvanic/electrolytic zinc plated	1	20	1234	94	11759597
Steel	Galvanic/electrolytic zinc plated	1	25	1234	94	23698841
Steel	Galvanic/electrolytic zinc plated	1	32	1234	94	23698842
Steel	Galvanic/electrolytic zinc plated	1	40	1234	94	11759601
Steel	Galvanic/electrolytic zinc plated	1.2	20	1234	94	11759609
Steel	Galvanic/electrolytic zinc plated	1.2	32	1234	94	11759613
Steel	Galvanic/electrolytic zinc plated	1.6	14	1234	94	11759619
Steel	Galvanic/electrolytic zinc plated	1.6	16	1234	94	23698845
Steel	Galvanic/electrolytic zinc plated	1.6	18	1234	94	23698846
Steel	Galvanic/electrolytic zinc plated	1.6	20	1234	94	23698847
Steel	Galvanic/electrolytic zinc plated	1.6	22	1234	94	11759620
Steel	Galvanic/electrolytic zinc plated	1.6	25	1234	94	23698848
Steel	Galvanic/electrolytic zinc plated	1.6	28	1234	94	11759621

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Surface protection	Diameter mm	Length mm	ISO standard	DIN standard	Article
Steel	Galvanic/electrolytic zinc plated	1.6	32	1234	94	23698849
Steel	Galvanic/electrolytic zinc plated	1.6	40	1234	94	23698850
Steel	Galvanic/electrolytic zinc plated	1.6	50	1234	94	23698851
Steel	Galvanic/electrolytic zinc plated	2	14	1234	94	11759627
Steel	Galvanic/electrolytic zinc plated	2	16	1234	94	23698852
Steel	Galvanic/electrolytic zinc plated	2	18	1234	94	23698853
Steel	Galvanic/electrolytic zinc plated	2	20	1234	94	23698855
Steel	Galvanic/electrolytic zinc plated	2	22	1234	94	23698856
Steel	Galvanic/electrolytic zinc plated	2	25	1234	94	23698857
Steel	Galvanic/electrolytic zinc plated	2	28	1234	94	23698858
Steel	Galvanic/electrolytic zinc plated	2	32	1234	94	23698860
Steel	Galvanic/electrolytic zinc plated	2	36	1234	94	23698861
Steel	Galvanic/electrolytic zinc plated	2	40	1234	94	23698862
Steel	Galvanic/electrolytic zinc plated	2	50	1234	94	23698863
Steel	Galvanic/electrolytic zinc plated	2.5	12	1234	94	11759631
Steel	Galvanic/electrolytic zinc plated	2.5	18	1234	94	23698865
Steel	Galvanic/electrolytic zinc plated	2.5	20	1234	94	23698866
Steel	Galvanic/electrolytic zinc plated	2.5	22	1234	94	11759633
Steel	Galvanic/electrolytic zinc plated	2.5	25	1234	94	23698867
Steel	Galvanic/electrolytic zinc plated	2.5	28	1234	94	11759634
Steel	Galvanic/electrolytic zinc plated	2.5	32	1234	94	23698869
Steel	Galvanic/electrolytic zinc plated	2.5	36	1234	94	23698870
Steel	Galvanic/electrolytic zinc plated	2.5	45	1234	94	23698873
Steel	Galvanic/electrolytic zinc plated	2.5	50	1234	94	23698875
Steel	Galvanic/electrolytic zinc plated	2.5	56	1234	94	11759635
Steel	Galvanic/electrolytic zinc plated	2.5	63	1234	94	23698876
Steel	Galvanic/electrolytic zinc plated	3.2	16	1234	94	23698877
Steel	Galvanic/electrolytic zinc plated	3.2	18	1234	94	11759640
Steel	Galvanic/electrolytic zinc plated	3.2	20	1234	94	23698878
Steel	Galvanic/electrolytic zinc plated	3.2	22	1234	94	11759641
Steel	Galvanic/electrolytic zinc plated	3.2	25	1234	94	23698880
Steel	Galvanic/electrolytic zinc plated	3.2	28	1234	94	11759642
Steel	Galvanic/electrolytic zinc plated	3.2	32	1234	94	23698881
Steel	Galvanic/electrolytic zinc plated	3.2	40	1234	94	23698885
Steel	Galvanic/electrolytic zinc plated	3.2	45	1234	94	23698887

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Surface protection	Diameter mm	Length mm	ISO standard	DIN standard	Article
Steel	Galvanic/electrolytic zinc plated	3.2	50	1234	94	23698888
Steel	Galvanic/electrolytic zinc plated	3.2	56	1234	94	23698889
Steel	Galvanic/electrolytic zinc plated	3.2	63	1234	94	23698890
Steel	Galvanic/electrolytic zinc plated	3.2	71	1234	94	11759643
Steel	Galvanic/electrolytic zinc plated	4	15	1234	94	11759644
Steel	Galvanic/electrolytic zinc plated	4	18	1234	94	23698891
Steel	Galvanic/electrolytic zinc plated	4	20	1234	94	23698892
Steel	Galvanic/electrolytic zinc plated	4	25	1234	94	23698893
Steel	Galvanic/electrolytic zinc plated	4	28	1234	94	23698895
Steel	Galvanic/electrolytic zinc plated	4	32	1234	94	23698896
Steel	Galvanic/electrolytic zinc plated	4	36	1234	94	23698897
Steel	Galvanic/electrolytic zinc plated	4	40	1234	94	23698898
Steel	Galvanic/electrolytic zinc plated	4	45	1234	94	23698900
Steel	Galvanic/electrolytic zinc plated	4	56	1234	94	23698903
Steel	Galvanic/electrolytic zinc plated	4	63	1234	94	23698904
Steel	Galvanic/electrolytic zinc plated	4	71	1234	94	23698905
Steel	Galvanic/electrolytic zinc plated	4	80	1234	94	23698906
Steel	Galvanic/electrolytic zinc plated	4	100	1234	94	11759647
Steel	Galvanic/electrolytic zinc plated	5	20	1234	94	11759650
Steel	Galvanic/electrolytic zinc plated	5	25	1234	94	23698907
Steel	Galvanic/electrolytic zinc plated	5	28	1234	94	23698909
Steel	Galvanic/electrolytic zinc plated	5	32	1234	94	23698910
Steel	Galvanic/electrolytic zinc plated	5	36	1234	94	23698911
Steel	Galvanic/electrolytic zinc plated	5	45	1234	94	23698913
Steel	Galvanic/electrolytic zinc plated	5	50	1234	94	23698915
Steel	Galvanic/electrolytic zinc plated	5	56	1234	94	23698916
Steel	Galvanic/electrolytic zinc plated	5	63	1234	94	23698917
Steel	Galvanic/electrolytic zinc plated	5	71	1234	94	23698918
Steel	Galvanic/electrolytic zinc plated	5	80	1234	94	23698920
Steel	Galvanic/electrolytic zinc plated	5	90	1234	94	23698921
Steel	Galvanic/electrolytic zinc plated	5	100	1234	94	23698922
Steel	Galvanic/electrolytic zinc plated	5.5	50	1234	94	11759655
Steel	Galvanic/electrolytic zinc plated	6.3	32	1234	94	23698923
Steel	Galvanic/electrolytic zinc plated	6.3	36	1234	94	23698924
Steel	Galvanic/electrolytic zinc plated	6.3	45	1234	94	23698926

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Surface protection	Diameter mm	Length mm	ISO standard	DIN standard	Article
Steel	Galvanic/electrolytic zinc plated	6.3	50	1234	94	23698927
Steel	Galvanic/electrolytic zinc plated	6.3	56	1234	94	23698928
Steel	Galvanic/electrolytic zinc plated	6.3	63	1234	94	23698929
Steel	Galvanic/electrolytic zinc plated	6.3	71	1234	94	23698931
Steel	Galvanic/electrolytic zinc plated	6.3	80	1234	94	23698932
Steel	Galvanic/electrolytic zinc plated	6.3	90	1234	94	23698933
Steel	Galvanic/electrolytic zinc plated	6.3	100	1234	94	23698934
Steel	Galvanic/electrolytic zinc plated	6.3	125	1234	94	11759658
Steel	Galvanic/electrolytic zinc plated	6.3	140	1234	94	11759659
Steel	Galvanic/electrolytic zinc plated	8	40	1234	94	23698935
Steel	Galvanic/electrolytic zinc plated	8	50	1234	94	23698937
Steel	Galvanic/electrolytic zinc plated	8	56	1234	94	11759660
Steel	Galvanic/electrolytic zinc plated	8	71	1234	94	23698939
Steel	Galvanic/electrolytic zinc plated	8	80	1234	94	23698940
Steel	Galvanic/electrolytic zinc plated	8	90	1234	94	23698941
Steel	Galvanic/electrolytic zinc plated	8	100	1234	94	23698942
Steel	Galvanic/electrolytic zinc plated	8	112	1234	94	23698943
Steel	Galvanic/electrolytic zinc plated	8	125	1234	94	23698944
Steel	Galvanic/electrolytic zinc plated	10	56	1234	94	23698946
Steel	Galvanic/electrolytic zinc plated	10	63	1234	94	23698947
Steel	Galvanic/electrolytic zinc plated	10	71	1234	94	23698948
Steel	Galvanic/electrolytic zinc plated	10	80	1234	94	23698949
Steel	Galvanic/electrolytic zinc plated	10	90	1234	94	23698950
Steel	Galvanic/electrolytic zinc plated	10	100	1234	94	23698951
Steel	Galvanic/electrolytic zinc plated	10	112	1234	94	23698952
Steel	Galvanic/electrolytic zinc plated	10	125	1234	94	23698953
Steel	Galvanic/electrolytic zinc plated	10	140	1234	94	23698954
Steel	Galvanic/electrolytic zinc plated	10	160	1234	94	23698955
Steel	Galvanic/electrolytic zinc plated	10	180	1234	94	11759661
Steel	Galvanic/electrolytic zinc plated	13	90	1234	94	23698957
Steel	Galvanic/electrolytic zinc plated	13	100	1234	94	23698958
Steel	Galvanic/electrolytic zinc plated	13	112	1234	94	23698959
Steel	Galvanic/electrolytic zinc plated	13	125	1234	94	23698960
Steel	Galvanic/electrolytic zinc plated	13	140	1234	94	23698961
Steel	Galvanic/electrolytic zinc plated	13	160	1234	94	23698962

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Material	Surface protection	Diameter mm	Length mm	ISO standard	DIN standard	Article
Steel	Galvanic/electrolytic zinc plated	13	180	1234	94	11759664
Steel	Galvanic/electrolytic zinc plated	13	200	1234	94	11759665
Steel	Galvanic/electrolytic zinc plated	16	160	1234	94	11759669

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.