# ECON® Drain valve Type: 573 Bronze External thread (BSPP)/Internal thread (BSPP)


Econ® self-closing faucet.

#### Field of application

- Applications on ships as a fast-actuating globe valve.
- Other applications in lubricating oil tanks and fuel tanks.

## Features

• Spring-loaded pushbutton.



1" (25)

#### **Characteristics**

Type: 573
Norm: EN (DIN)
Execution: Drain tap

Construction type: Angle Pattern Housing material: Bronze Material quality: CC491K

**Connection:** External thread (BSPP) **Connection 2:** Internal thread (BSPP)

Self-locking: No

## **Characteristics (2)**

Type of disc: Fixed disc Spindle material: Brass

Actuator material: Malleable cast iron

NBR

E-mail: valves@eriks.be

Maximum medium temperature (continuous): 50 °C

With operating key: Yes

DN	L	u
[*]	mm	mm
½ x ½	167	32
³/4 × ³/4	180	35
1 x 1	185	40

riessule fatting			remperature range		
PN10			-10°C - 50°C		
Nominal inner diameter	Pressure rating	Face to Face length	Operation	Sealing	Article
		mm			
1/2" (15)	PN10	167	Knob	NBR	12035725
3/4" (20)	PN10	180	Knob	NBR	12034041

Knob

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

PDIVE

12035724

PR\_EC010071\_0013\_MVD\_EN\_17.05.2024

PN10