


ERIKS Eri-sleeve



Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
22291	76.02	75.95 / 76.1	85.3	12.3	15.9	33.8	Stainless steel 304	12057445
99049	12	11.91 / 12.07	15.5	6	8.4	47.6	Stainless steel 304	12057237
99050	12.7	12.65 / 12.75	15.5	6.35	8.7	50.8	Stainless steel 304	12057238
99055	14	13.89 / 14	19.1	6.35	9.9	46.5	Stainless steel 304	12057239
99056	14.3	14.22 / 14.38	19.1	6.35	9.9	46.5	Stainless steel 304	12057240
99058	16	15.9 / 16	18.2	8	11.1	50.8	Stainless steel 304	12057303
99059	15	14.96 / 15.06	19.1	5	9	47.3	Stainless steel 304	12057241
99060	17.37	17.32 / 17.42	22.7	8	11.1	50.8	Stainless steel 304	12057305
99062	15.88	15.83 / 15.93	19.1	8	10.3	50.8	Stainless steel 304	12057242
99068	17	16.94 / 17.04	22.2	8	11	50.8	Stainless steel 304	12057304
99076	19.05	19 / 19.1	24	8	11.1	50.8	Stainless steel 304	12057307
99078	20	19.94 / 20.04	23.6	8	11	50.8	Stainless steel 304	12057310
99080	19.84	19.81 / 19.91	23.8	8	11.1	50.8	Stainless steel 304	12057309
99081	19.3	19.28 / 19.33	23.8	8	11.1	50.8	Stainless steel 304	12057308
99082	17.93	17.88 / 18.01	24.4	8	11	46	Stainless steel 304	12057306
99083	20.65	20.62 / 20.7	30.18	9.53	14.3	76.2	Stainless steel 304	12057311
99084	22	21.87 / 22	30.2	6.6	9.1	47.1	Stainless steel 304	12057313
99085	22	21.87 / 22	30.2	8	12	46	Stainless steel 304	12057314
99086	21.82	21.77 / 21.87	29.3	6.35	9.5	50.8	Stainless steel 304	12057312
99087	22.23	22.18 / 22.28	27.8	8	11.1	50.8	Stainless steel 304	12057315
99091	23.11	23.06 / 23.16	30.9	8	11.1	46.9	Stainless steel 304	12057316

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
99092	24	23.88 / 24	28.7	8	11.1	50.8	Stainless steel 304	12057317
99094	24.6	24.54 / 24.64	28.7	8	11.1	50.8	Stainless steel 304	12057318
99096	24.6	24.54 / 24.64	28.7	15.9	18.3	50.8	Stainless steel 304	12057319
99098	25	24.94 / 25.04	33	8	11	50.8	Stainless steel 304	12057320
99100	25.4	25.35 / 25.45	31	8	11.1	50.8	Stainless steel 304	12057321
99103	26.01	25.88 / 26.01	33.4	8	12	46	Stainless steel 304	12057322
99106	27	26.92 / 27.03	33.5	8	11.1	46.8	Stainless steel 304	12057323
99108	27.66	27.61 / 27.71	35.7	8	11.1	15.9	Stainless steel 304	12057324
99111	28	27.94 / 28.04	34.9	9.5	12.7	46.8	Stainless steel 304	12057325
99112	28.58	28.53 / 28.63	38.1	8	11.1	17.5	Stainless steel 304	12057326
99114	30	29.95 / 30.07	35.6	8	11	17.5	Stainless steel 304	12057330
99116	28.58	28.53 / 28.63	38.1	9.5	12.7	17.5	Stainless steel 304	12057327
99118	30.18	30.1 / 30.23	35.6	8	11.1	17.5	Stainless steel 304	12057331
99120	29.36	29.31 / 29.41	34.3	9.5	12.7	17.5	Stainless steel 304	12057328
99121	33	32.94 / 33.05	40.49	15.01	18	20.65	Stainless steel 304	12057336
99122	29.85	29.8 / 29.92	35.6	8	11.1	17.5	Stainless steel 304	12057329
99123	30.96	30.89 / 31.04	39.7	8	11	15.9	Stainless steel 304	12057332
99125	31.8	31.67 / 31.83	38.1	8	11.1	17.5	Stainless steel 304	12057334
99128	32	31.92 / 32.08	38.1	8	11.1	17.5	Stainless steel 304	12057335
99129	33.35	33.22 / 33.38	40.6	6.35	9.5	20.7	Stainless steel 304	12057337
99131	33.35	33.27 / 33.43	40.5	12.7	15.9	20.7	Stainless steel 304	12057338
99133	34.93	34.82 / 34.98	41.6	8	11.1	20.7	Stainless steel 304	12057340
99134	34.01	33.86 / 34.01	41.3	12.7	15.9	20.7	Stainless steel 304	12057339
99138	34.93	34.82 / 34.98	41.6	12.7	15.9	20.7	Stainless steel 304	12057341
99139	34.93	34.93 / 35.08	41.6	13	16	20.7	Stainless steel 304	12057342
99141	31.5	31.42 / 31.58	39.1	8	11.1	17.5	Stainless steel 304	12057333
99143	36.53	36.37 / 36.53	45.2	14.3	17.5	25.8	Stainless steel 304	12057344
99144	36.53	36.45 / 36.6	45.2	9.5	12.7	25.8	Stainless steel 304	12057345
99146	36	35.84 / 36	45.2	13	17	25	Stainless steel 304	12057343
99147	38	37.85 / 38	45.2	13	17	25	Stainless steel 304	12057346
99149	38.1	38.02 / 38.18	45.2	14.3	17.5	25.8	Stainless steel 304	12057347
99150	38.1	38.02 / 38.18	45.2	9.5	12.7	25.8	Stainless steel 304	12057348
99152	38.68	38.61 / 38.76	47.2	11.1	14.3	25.8	Stainless steel 304	12057349
99153	40	39.85 / 40	46.9	9.9	12.9	25.4	Stainless steel 304	12057353
99155	39.42	39.34 / 39.5	47.2	11.1	14.3	25.8	Stainless steel 304	12057350

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
99156	39.7	39.6 / 39.75	47.2	14.3	17.5	25.8	Stainless steel 304	12057351
99157	40.08	39.93 / 40.08	47	13	16	26	Stainless steel 304	12057354
99159	39.85	39.78 / 39.93	47.2	15.9	19.1	25.8	Stainless steel 304	12057352
99160	40.77	40.69 / 40.84	49.2	12.7	16.3	25.4	Stainless steel 304	12057355
99161	41.28	41.2 / 41.35	47.6	8	11.1	25.8	Stainless steel 304	12057357
99162	41.28	41.2 / 41.35	47.6	14.3	17.5	20.7	Stainless steel 304	12057358
99163	41	40.84 / 41	49.2	12.7	15.9	25.8	Stainless steel 304	12057356
99165	42.06	41.99 / 42.14	53	14	17.5	21	Stainless steel 304	12057361
99166	41.9	41.83 / 42	53	11.3	14.5	21.4	Stainless steel 304	12057359
99167	42.88	42.8 / 42.95	48.4	8	11.1	22.2	Stainless steel 304	12057362
99168	42.88	42.77 / 42.93	48.4	14.3	17.5	22.2	Stainless steel 304	12057363
99169	41.9	41.83 / 42	53	14.3	17.5	21	Stainless steel 304	12057360
99170	44.17	44.09 / 44.25	52.4	9.5	12.7	20.7	Stainless steel 304	12057366
99171	43.66	43.56 / 43.71	51.6	14.3	17.5	20.7	Stainless steel 304	12057365
99172	44.45	44.37 / 44.53	52.2	9.5	12.7	20.7	Stainless steel 304	12057367
99174	44.45	44.37 / 44.53	52.4	14.3	17.5	20.7	Stainless steel 304	12057368
99175	44.45	44.37 / 44.53	52.4	19.1	22.2	20.7	Stainless steel 304	12057369
99176	44.86	44.73 / 44.88	52.4	14.3	17.5	20.7	Stainless steel 304	12057371
99177	45	44.93 / 45.09	53	14	17	20.6	Stainless steel 304	12057372
99179	45.24	45.16 / 45.31	54	16.9	20.3	27	Stainless steel 304	12057373
99180	44.45	44.37 / 44.53	52.4	13.5	15.9	22.3	Stainless steel 304	12057370
99181	46.05	45.95 / 46.1	53.1	14.3	17.5	25.4	Stainless steel 304	12057374
99182	43	42.85 / 43	48.4	12.7	15.9	21.3	Stainless steel 304	12057364
99184	47.63	47.55 / 47.7	56	9.5	13.1	26.6	Stainless steel 304	12057377
99185	47.22	47.17 / 47.32	54.8	14.3	17.5	25.4	Stainless steel 304	12057375
99186	47.45	47.4 / 47.55	55.6	22.6	26	25.4	Stainless steel 304	12057376
99187	47.63	47.55 / 47.7	56	14.3	17.5	25.4	Stainless steel 304	12057378
99188	47.63	47.55 / 47.7	56	7.5	10.5	18.8	Stainless steel 304	12057379
99189	48.03	47.93 / 48.09	56	14	17	25	Stainless steel 304	12057381
99190	47.63	47.55 / 47.7	56	4.5	7.5	18.8	Stainless steel 304	12057380
99192	48.56	48.49 / 48.64	56.4	9.5	12.7	25.4	Stainless steel 304	12057382
99193	49.23	49.12 / 49.28	56.4	14.3	17.5	25.4	Stainless steel 304	12057383
99196	50	49.91 / 50.06	57	14	17	25	Stainless steel 304	12057384
99198	50.3	50.22 / 50.37	58.8	14.3	17.9	26.6	Stainless steel 304	12057385
99199	50.8	50.72 / 50.88	61.1	14.3	17.5	25.4	Stainless steel 304	12057386

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
99200	50.8	50.72 / 50.88	61.1	22.2	25.4	25.4	Stainless steel 304	12057387
99204	52	51.82 / 52	62.7	12.7	15.9	34.5	Stainless steel 304	12057388
99205	52.4	52.25 / 52.4	62.7	19.8	23.8	34.9	Stainless steel 304	12057389
99210	53.98	53.92 / 54.05	61.5	12.7	19.1	32.5	Stainless steel 304	12057390
99212	53.98	53.95 / 54.1	61.5	19.8	23.8	34.9	Stainless steel 304	12057391
99215	55	54.91 / 55.07	62	20	23	31.8	Stainless steel 304	12057392
99218	55.58	55.52 / 55.68	63.5	19.8	23.8	33.4	Stainless steel 304	12057393
99219	58	57.91 / 58.06	65.99	19.84	23.83	34.93	Stainless steel 304	12057401
99220	56	55.83 / 56	64.3	12.7	15.9	33.4	Stainless steel 304	12057395
99224	56	55.81 / 56	64.29	19.79	23.77	80.01	Stainless steel 304	12057394
99225	57.15	57.12 / 57.28	64.3	19.8	23.8	33.4	Stainless steel 304	12057399
99226	56.9	56.82 / 56.97	65.1	19.4	22.9	31.8	Stainless steel 304	12057398
99227	57.15	57.12 / 57.28	64.3	8	11.1	33.4	Stainless steel 304	12057400
99229	56.64	56.57 / 56.72	64.3	12.7	15.9	33.4	Stainless steel 304	12057396
99230	56.64	56.57 / 56.72	64.3	19.8	23	31.8	Stainless steel 304	12057397
99231	58.75	58.65 / 58.8	68.3	19.8	23.8	34.9	Stainless steel 304	12057402
99233	59.13	59.1 / 59.26	69.8	19.1	22.2	38.1	Stainless steel 304	12057403
99236	60.33	60.17 / 60.33	69.8	19.8	23.8	34.9	Stainless steel 304	12057406
99237	60.33	60.3 / 60.45	69.8	19.8	23.8	34.9	Stainless steel 304	12057407
99238	60.33	60.25 / 60.4	69.8	15.1	19.1	34.9	Stainless steel 304	12057408
99240	60.33	60.3 / 60.45	69.8	13.4	17.4	34.9	Stainless steel 304	12057409
99241	60	59.92 / 60.07	70.7	9.4	11.4	34.9	Stainless steel 304	12057405
99242	61.93	61.85 / 62	71.8	12.7	15.9	36.1	Stainless steel 304	12057410
99243	61.92	61.82 / 61.98	71.8	19.8	23.8	35.4	Stainless steel 304	12057411
99244	62	61.82 / 62	71.8	12.7	15.9	36.1	Stainless steel 304	12057412
99248	63.5	63.5 / 63.65	71.8	12.7	16.7	35.4	Stainless steel 304	12057414
99249	63.3	63.22 / 63.37	73	19.8	23.8	35.4	Stainless steel 304	12057413
99250	63.5	63.5 / 63.65	71.6	19.8	23.8	34.9	Stainless steel 304	12057415
99251	63.91	63.75 / 63.91	71.8	19.8	23	36.5	Stainless steel 304	12057417
99253	63.5	63.42 / 63.58	71.6	14.1	16.5	22.6	Stainless steel 304	12057416
99256	65.1	65.02 / 65.18	73.4	19.8	23.8	34.9	Stainless steel 304	12057419
99259	66	65.91 / 66.07	76	19.8	23.8	31.8	Stainless steel 304	12057420
99260	66.68	66.6 / 66.75	77.4	12.7	15.9	34.9	Stainless steel 304	12057422
99261	66.57	66.49 / 66.65	77.4	19.8	23.8	34.9	Stainless steel 304	12057421
99262	66.68	66.68 / 66.83	77.4	19.8	23.8	34.9	Stainless steel 304	12057423

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
99264	66.68	66.57 / 66.73	77.4	19.8	23	34.9	Stainless steel 304	12057424
99266	68	67.82 / 68	79.4	19.1	22.2	42.9	Stainless steel 304	12057425
99267	69.85	69.77 / 69.93	78.1	36.5	41.3	41.3	Stainless steel 304	12057428
99268	69.34	69.27 / 69.42	79.4	19.8	23	33.4	Stainless steel 304	12057426
99269	69.85	69.85 / 70	79.4	28.6	31.8	33.3	Stainless steel 304	12057430
99272	69.85	69.85 / 70	79.4	10.3	14.3	31.8	Stainless steel 304	12057431
99273	69.67	69.6 / 69.75	77.8	19.8	23.8	31.8	Stainless steel 304	12057427
99274	69.85	69.72 / 69.88	79.4	19.8	23.8	31.8	Stainless steel 304	12057432
99275	69.85	69.85 / 70	79.4	19.8	23.8	31.8	Stainless steel 304	12057433
99276	70	69.93 / 70.08	79.4	20	24	31.8	Stainless steel 304	12057434
99281	71.45	71.35 / 71.5	81	15.1	17.5	31.8	Stainless steel 304	12057435
99282	72.09	72.09 / 72.24	81.9	12.7	16.7	31.8	Stainless steel 304	12057437
99284	72	71.83 / 72	81.9	19.1	22.2	34.1	Stainless steel 304	12057436
99286	72.87	72.8 / 72.95	81	19.8	23.8	31.8	Stainless steel 304	12057438
99287	73.03	72.97 / 73.13	81.8	19.8	23.8	31.8	Stainless steel 304	12057439
99289	75	74.93 / 75.08	83.1	15.1	17.5	27.5	Stainless steel 304	12057442
99290	74.63	74.6 / 74.75	84.9	12.7	16.3	33.8	Stainless steel 304	12057440
99292	75.54	75.49 / 75.59	82.2	20.6	25.4	31.8	Stainless steel 304	12057444
99293	74.63	74.6 / 74.75	84.9	19.8	23.8	33.4	Stainless steel 304	12057441
99294	7	74.93 / 75.08	84	22	26	33.4	Stainless steel 304	12057443
99296	76.2	76.12 / 76.28	82.3	20.6	23.8	34.9	Stainless steel 304	12057448
99298	76.02	75.95 / 76.1	85.3	14.3	17.5	34.9	Stainless steel 304	12057446
99299	76.02	75.95 / 76.1	85.1	20.6	25.4	32.5	Stainless steel 304	12057447
99300	76.2	76.2 / 76.35	82.2	20.6	25.4	32.5	Stainless steel 304	12057449
99301	76.48	76.4 / 76.56	85.2	12.7	15.9	50.8	Stainless steel 304	12057451
99303	76.2	76.2 / 76.35	85	15.9	20.6	32.5	Stainless steel 304	12057450
99306	78	77.83 / 78	88	19.1	22.2	52.2	Stainless steel 304	12057452
99307	79.38	79.35 / 79.55	89.5	14	18	51.6	Stainless steel 304	12057453
99311	79.38	79.25 / 79.4	89.7	17.5	20.6	50.8	Stainless steel 304	12057454
99312	79.38	79.25 / 79.4	89.7	20.6	25.4	50.8	Stainless steel 304	12057455
99313	79.91	79.81 / 80.01	89.9	19.1	22.5	34.9	Stainless steel 304	12057456
99315	80	79.91 / 80.09	90	21	24	34.9	Stainless steel 304	12057457
99317	80	79.91 / 80.09	90	11	15	34.9	Stainless steel 304	12057458
99322	82.55	82.47 / 82.63	91.3	20.6	25.4	34.9	Stainless steel 304	12057460
99324	82.55	82.55 / 82.7	90.8	15.1	18.3	34.9	Stainless steel 304	12057461

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
Max. 200 articles in the table								
99325	82.55	82.55 / 82.7	91.1	20.6	25.4	34.9	Stainless steel 304	12057462
99326	82.55	82.55 / 82.7	91.1	17.5	22.2	31.8	Stainless steel 304	12057463
99328	82	81.92 / 82.07	91.1	16.8	21.5	44.5	Stainless steel 304	12057459
99331	84.07	84 / 84.15	93.7	20.6	25.4	34.9	Stainless steel 304	12057464
99332	84.89	84.76 / 85.01	94	17	21	35	Stainless steel 304	12057465
99333	84.89	84.76 / 85.01	94	21	25	35	Stainless steel 304	12057466
99334	85	84.79 / 85	90.9	10.1	12.7	36.3	Stainless steel 304	12057467
99337	85.73	85.67 / 85.83	93.8	20.6	25.4	34.9	Stainless steel 304	12057468
99338	85.73	85.67 / 85.83	93.7	9.5	12.7	35.8	Stainless steel 304	12057469
99339	87.33	87.25 / 87.41	97.6	19.8	23	35.7	Stainless steel 304	12057470
99340	88.39	88.31 / 88.47	97.4	19.8	23	35.7	Stainless steel 304	12057471
99346	88.9	88.82 / 88.98	97.6	15.9	20.6	34.2	Stainless steel 304	12057472
99347	88.9	88.9 / 89.06	97.2	8	12.7	34.2	Stainless steel 304	12057473
99349	89	88.92 / 89.08	97.6	15.9	20.6	34.2	Stainless steel 304	12057475
99350	88.9	88.9 / 89.06	97.6	20.6	25.4	34.2	Stainless steel 304	12057474
99351	90	89.91 / 90.07	101.6	18	23	46	Stainless steel 304	12057476
99550	139.7	139.65 / 139.85	150.8	13.2	17.9	31.8	Stainless steel 304	12057477
99552	140	139.9 / 140.11	151	20.5	25.4	31.8	Stainless steel 304	12057478
99560	142.88	142.77 / 142.98	157.18	22.23	25.4	46.02	Stainless steel 304	12057479
99562	145.64	145.44 / 145.64	154.9	14.3	19.1	49.2	Stainless steel 304	12057481
99571	145	144.75 / 145	154.9	19.1	22.2	46	Stainless steel 304	12057480
99575	146.05	145.95 / 146.15	157	20.6	25.4	44.5	Stainless steel 304	12057482
99587	149.23	149.13 / 149.33	157.2	25.4	31.8	33.4	Stainless steel 304	12057483
99595	150	149.75 / 150.01	159	26	30	32.5	Stainless steel 304	12057484
99596	150.83	150.73 / 150.93	161.9	25.4	28.6	47.6	Stainless steel 304	12057485
99599	152.4	152.27 / 152.47	161.9	25.4	31.8	44.5	Stainless steel 304	12057486
99601	152.4	152.27 / 152.47	161.5	12.7	19.1	44.5	Stainless steel 304	12057487
99605	154	153.87 / 154.13	161.9	26	30	33	Stainless steel 304	12057488
99606	154.86	154.75 / 155	167	26	30	33	Stainless steel 304	12057489
99620	157.56	157.43 / 157.69	168.3	20.6	27	44.5	Stainless steel 304	12057490
99625	158.75	158.62 / 158.88	168.3	26.2	31.8	44.5	Stainless steel 304	12057491
99630	160	159.74 / 160	171.4	25.4	31.8	35	Stainless steel 304	12057492
99640	169.88	169.75 / 170	182.6	31.8	38	44.5	Stainless steel 304	12057494
99650	165.1	164.97 / 165.23	177.8	25.4	31.8	35	Stainless steel 304	12057493
99675	171.45	171.32 / 171.58	181	20.6	27	44.5	Stainless steel 304	12057495

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Sleeve code	Nominal shaft diameter mm	Suitable for shaft diameter mm	Flange diameter mm	Width mm	Total width mm	Built-in depth mm	Material	Article
99687	175.01	174.75 / 175.01	187	28	32	35	Stainless steel 304	12057496
99700	177.8	177.67 / 177.93	189.9	25.4	31.8	42.8	Stainless steel 304	12057497
99721	180.01	179.75 / 180.01	190.5	33	38	44.5	Stainless steel 304	12057498

Max. 200 articles in the table

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.