



Oil Seal type RST

Characteristics

Norm design: DIN 3760-AS

Material lip: NBR

Material surface: Rubber



Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
5	18	10005171
6	19	10005176
6	22	10005179
8	20	10005188
8	21	10005190
8	25	10005192
9	19	10005193
9	20	10005194
9	24	10005196
10	18	10006289
10	25	10006294
10	26	10006295
11	30	10006301
12	20	10006303
12	22	10006308
12	23	10006309
12	30	10006312
13	26	10006318
13	28	10006320
14	21	10006321
14	24	10006324
14	28	10006331
14	30	10006333
14	35	10006335
15	25	10006339
15	27	10006342
15	32	10006350
15	35	10006351
15	35	10006352
15	42	10006357
15	48	10006358
16	26	10006360
16	30	10006362

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
17	27	10007802
17	29	10006371
17	30	10006373
17	32	10006375
17	37	10006382
17	38	10006383
17	47	10006385
18	28	10006386
18	30	10006390
18	30	10006392
18	32	10006394
18	35	10006396
18	37	10006398
18	38	10007806
19	35	10006410
19	37	10006412
19	47	10006417
19	47	10007810
20	28	10006421
20	32	10006427
20	37	10006924
20	37	10007815
20	38	10006434
20	40	10006437
20	45	10006441
20	47	10006444
22	30	10006455
22	32	10006458
22	35	10006460
22	35	10007823
22	38	10006464
22	40	10006465
22	42	10007827
22	52	10007830
23	35	10006471
23	40	10006475
23	40	10006476
23	40	10006477
23	40	10007832
23	42	10007833
23	47	10006478
24	35	10006483
25	35	10007850
25	36	10006498
25	37	10006500
25	37	10006501
25	38	10006503
25	40	10006507
25	40	10006508
25	41	10006510
25	43	10006516
25	45	10007853
25	46	10006521

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
25	47	10006522
25	48	10006525
25	48	10007854
25	55	10006528
26	36	10006532
26	38	10006535
26	40	10006538
26	40	10006539
26	42	10006543
26	42	10006544
26	43	10006545
26	47	10006551
26	52	10006553
27	40	10006560
27	42	10006561
27	43	10006563
27	45	10006564
27	47	10007863
27	55	10006567
28	40	10006574
28	48	10007868
28	50	10006583
29	40	10006587
29	47	10006590
30	42	10007871
30	47	10006606
30	50	10007878
30	54	10006611
30	60	10007887
30	62	10006618
30	80	10007894
32	42	10006634
32	45	10007898
32	46	10006640
32	46	10006641
32	52	10007904
32	54	10007905
32	55	10007906
32	72	10006654
32	72	10007915
33	44	10006655
33	50	10006656
33	50	10006657
34	46	10006661
35	45	10006668
35	46	10006669
35	47	10006671
35	52	10006675
35	55	10006679
35	55	10007942
35	57	10006681
35	58	10007945
35	62	10006685

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
35	65	10007951
35	68	10007952
35	70	10007954
35	72	10006688
35	76	10006689
36	54	10006700
37	55	10006706
37	58	10007967
38	48	10007969
38	50	10006709
38	52	10006712
38	56	10007976
38	62	10006722
38	72	10007983
39	52	10007988
40	52	10006732
40	57	10007992
40	62	10006741
40	62	10006742
40	63	10006743
40	65	10006744
40	67	10006746
40	80	10006751
42	60	10006775
43	58	10006784
44	60	10006788
44	62	10006790
44	65	10006792
45	60	10006800
45	68	10006804
45	68	10006805
45	85	10006809
46	62	10006810
46	64	10006812
46	65	10006813
46	65	10006814
48	65	10006824
48	65	10006825
48	68	10006826
48	70	10006827
50	65	10006835
50	68	10006838
50	72	10006842
52	65	10006850
52	72	10006854
55	72	10006864
56	70	10006871
56	72	10006873
58	72	10006881
58	80	10006882
60	75	10006885
60	78	10006886
60	80	10006888

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
60	82	10006890
62	72	10006893
62	80	10006894
65	85	10006902
65	90	10006903
72	86	10006914
75	90	10006919

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.