



FREUDENBERG Oil Seal type BAUM

Characteristics

Norm design: DIN 3760-A

Material lip: NBR

Material surface: Rubber



Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
6	16	11373525
6	22	11373524
8	22	11373526
8	24	11372553
8	24	11373527
10	19	11373035
10	19	11373523
10	22	11373522
10	22	11373052
10	24	11373531
10	26	11372559
10	26	11373528
11	22	11373533
11	26	11373530
12	20	11373536
12	22	11293304
12	24	11372563
12	24	11373537
12	30	11372540
12	30	11373535
12	32	11373538
13	26	11373575
14	24	11373529
14	30	11373534
15	24	11293302
15	25	11373518
15	26	11373569
15	28	11373564
15	30	11320440
15	30	11373561
15	32	11293405
15	32	11373571
15	35	11373572

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
15	40	11373558
15	42	11373559
16	28	11293298
16	30	11372769
16	30	11373560
17	26	11372602
17	28	11373562
17	30	11293297
17	32	11373570
17	40	11293296
17	47	11373578
17	47	11373216
18	28	11373573
18	30	11296439
18	30	11373563
18	32	11372754
18	32	11373567
18	35	11372542
18	35	11293295
20	28	11373054
20	30	11293294
20	32	11293293
20	35	11293292
20	36	11373574
20	42	11373568
20	52	11293277
22	32	11373565
22	35	11373609
24	35	11373612
25	35	11293291
25	40	11373520
25	40	11293276
25	42	11293275
25	47	11293274
25	62	11373092
26	47	11372822
26	47	11373610
27	37	11372777
27	47	11372593
28	38	11372774
28	38	11373576
28	40	11300208
28	40	11293394
28	47	11293273
28	52	11293272
30	40	11293290
30	42	11293271
30	47	11293270
30	47	11373083
30	50	11372809
30	50	11318703
30	52	11293269
30	62	11293268

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
32	42	11293289
32	52	11293267
35	45	11373566
35	47	11373519
35	47	11293266
35	50	11293265
35	52	11293264
35	55	11373087
35	56	11315574
35	62	11293263
35	72	11373085
35	80	11373608
36	47	11372544
38	55	11373611
38	60	11293262
38	62	11372823
38	62	11295521
38	90	11373295
40	52	11293261
40	52	11293401
40	55	11300203
40	62	11293260
40	72	11293259
42	60	11293540
42	62	11293244
42	65	11295502
42	72	11372844
45	60	11300207
45	62	11293243
45	72	11293242
45	80	11372847
47	62	11372639
50	65	11293241
50	68	11372851
50	70	11293240
50	70	11293380
50	72	11293239
50	80	11372642
50	80	11293238
52	68	11293378
52	85	11372645
55	70	11300125
55	72	11293237
55	80	11295464
55	80	11293236
55	85	11293235
56	72	11372857
56	85	11372676
58	72	11293234
58	80	11293233
60	78	11293536
60	80	11293232
60	85	11293231

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
60	85	11373115
62	90	11293225
63	85	11372866
63	90	11372670
65	85	11293224
65	85	11306741
65	95	11293223
65	95	11373132
65	100	11300209
68	85	11373135
68	90	11293222
70	85	11293230
70	90	11295468
70	90	11300204
70	110	11293502
75	95	11293221
75	100	11293220
80	100	11293219
85	110	11293209
90	110	11372874
90	110	11293359
90	110	11293208
90	110	11373029
90	120	11293207
90	120	11373030
92	120	11372656
95	120	11293206
95	125	11299501
95	145	11373390
100	120	11295459
100	120	11293205
100	125	11293204
100	130	11300205
100	160	11373446
105	130	11300206
110	130	11301050
110	140	11293203
115	150	11372537
118	150	11373341
120	150	11293202
120	150	11293201
120	160	11293532
125	160	11372666
130	160	11293200
130	160	11293199
135	170	11293198
140	170	11293196
145	175	11354422
145	175	11309468
150	180	11372538
150	180	11293195
160	190	11293194
170	200	11293193

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
180	210	11295522
190	220	11293192
190	220	11373143
200	230	11293191
220	250	11295496
230	260	11299497
240	270	11373464

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.