



FREUDENBERG Oil Seal type B1

Characteristics

Norm design: DIN 3760-B

Material lip: NBR

Material surface: Metal



Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
7	16	11371759
8	16	11293779
8	22	11371931
9	17	11371782
9	19	11371917
9	22	11371932
10	22	11295412
10	24	11371783
10	26	11371933
12	24	11371760
12	28	11371761
12	30	11371751
12	32	11371784
13	26	11371934
14	25	11371848
14	26	11371785
14	28	11371924
14	30	11371752
14	32	11371935
15	26	11371763
15	32	11293778
15	35	11371923
15	35	11371926
15	37	11371769
16	24	11293809
16	24	11371850
16	30	11371884
16	32	11371929
16	35	11371756
17	28	11371786
17	28	11293777
17	30	11371936
17	32	11371922

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
17	34	11371764
17	40	11371927
18	24	11371770
18	32	11371787
18	35	11371921
19	32	11293808
20	30	11293776
20	35	11293773
20	40	11371789
20	47	11371928
21	30	11371790
21	32	11293807
22	32	11300188
22	35	11371838
22	40	11309467
22	47	11371753
24	35	11371775
24	36	11371791
24	37	11371765
24	47	11371754
25	35	11293772
25	38	11293806
25	40	11371792
25	40	11295416
25	42.9	11371809
25	47	11300186
25	52	11293771
26	37	11371793
28	40	11371794
28	42	11371745
28	42	11371795
28	47	11371755
28	47	11371812
30	40	11293770
30	42	11371842
30	42	11293769
30	47	11293792
30	47	11371766
30	52	11293768
30	55	11371886
32	42	11371797
32	47	11371813
32	50	11293805
32	52	11293767
34	47	11371798
34	52	11371799
35	45	11293766
35	47	11293765
35	47	11293791
35	52	11293764
35	55	11371814
35	60	11371815
35	72	11293763

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
36	47	11371837
36	50	11371856
36	52	11371800
38	52	11293762
38	56	11371817
39	52	11371767
40	52	11371849
40	55	11326944
40	58	11293790
40	62	11293761
40	68	11293789
40	68	11371819
40	72	11371748
40	72	11371887
42	55	11300143
45	55	11293760
45	60	11293759
45	72	11308377
45	80	11371888
48	65	11326946
48	72	11371776
48	72	11371839
50	62	11293758
50	62	11300176
50	62	11330876
50	65	11293756
50	66	11371802
50	68	11371821
50	72	11300189
50	75	11371822
50	90	11293797
52	72	11371749
52	72	11371891
53.98	73.03	11371780
55	70	11293755
55	85	11371750
56	70	11371855
58	72	11326949
58	80	11300137
60	70	11293804
60	72	11293754
60	75	11293753
60	80	11300182
60	80	11300185
60	90	11312827
61	75	11371803
62	75	11371846
62	90	11371857
63	85	11371779
65	80	11318715
65	85	11293750
68	78	11371852
70	85	11293752

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
70	95	11371825
72	84	11371851
75	105	11371826
76	95	11371827
78	100	11371866
80	110	11293803
80	110	11371869
85	100	11293749
85	105	11295447
85	120	11371757
90	110	11293751
90	115	11300193
95	110	11318723
95	125	11371806
100	115	11293746
100	120	11293780
100	120	11293747
105	145	11371893
110	128	11371773
112	130	11371804
115	135	11371774
115	140	11300195
115	140	11371758
115	150	11371916
120	150	11299704
120	160	11293802
125	160	11371777
125	160	11371830
128	150	11371805
135	170	11371831
145	175	11371858
155	190	11371832
160	185	11293784
160	190	11371833
160	190	11371834
200	230	11371853
205	230	11371836
220	250	11371843
220	250	11301047
220	250	11312247
230	255	11371844
230	260	11312222
230	260	11312236
240	270	11371854
250	280	11371771
270	310	11371868
280	320	11312221
280	320	11312234
300	340	11371772
320	360	11371778
340	380	11371859
350	380	11371845
360	400	11371746

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.

Shaft diameter	Housing diameter	Article
mm	mm	Max. 200 articles in the table
380	420	11371861
400	440	11371860
420	460	11371862
440	480	11371747
460	500	11371863
480	520	11371864
500	540	11371865

Disclaimer: The content of this document has been composed with the utmost care. However, it is possible that certain information changes over time, becomes inaccurate or incomplete. ERIKS does not guarantee that the information provided on this document is up to date, accurate and complete; the information provided is not intended to be advice. ERIKS shall never be liable for damage resulting from the use of the information provided.